

CAPRICCIO — C&C YACHTS



Builder: C&C YACHTS

Year Built: 1983

Model: Sloop

Price: PRICE ON APPLICATION

Location: United States

LOA: 29' 0" (8.84m) Beam: 9' 5" (2.87m) Min Draft: 5' 3" (1.60m) Max Draft: 5' 3" (1.60m) Cruise Speed: 5 Kts. (6 MPH) Max Speed: 6 Kts. (7 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs Capriccio — C&C YACHTS from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht Capriccio — C&C YACHTS or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call +1(954)274-4435

TABLE OF CONTENTS

T	ABLE OF CONTENTS	2
SF	PECIFICATIONS	4
	Overview	4
	Basic Information	4
	Dimensions	4
	Speed, Capacities and Weight	4
	Accommodations	5
	Hull and Deck Information	5
	Engine Information	5
D	ETAILED INFORMATION	6
	Main Description	6
	MEDIA	6
	WALKTHRUOGH	6
	Accomodations	7
	Main cabin	7
	Galley	7
	Head	8
	Cockpit	8
	Helm	8
	Electronics	8
	Rig	8
	Sails & Canvas	8
	Deck & Hull	9
	Mechanical	9
	Electrical	9
	Safety	9
	Disclaimer	9
	Exclusions	9

Disclaimer	10
PHOTOS	11
CONTACTS	18
Contact details	18
Telephones	18
Office hours	18
Address	18

SPECIFICATIONS

Overview

The C&C MK II 29 is a quality cruiser/racer from the heyday of C&C Yachts, offering Cruisers amenities such as Harken roller furling, a dependable Yanmar diesel engine and a teak interior that sleeps 6. Racers will appreciate the responsive helm and lines led aft, with winches and sheeting tracks easily at hand. The deep keel, deep spade rudder, long slender underwater shape and inboard sheeting tracks with plenty of sail area make her perform. Capriccio is in the water and ready to sail today! The owners have moved on to their next boat and will consider any reasonable offer.

Basic Information

Category: Sloop

Model Year: 1983

Country: United States

Dimensions

LOA: 29' 0" (8.84m)

Min Draft: 5' 3" (1.60m)

Beam: 9' 5" (2.87m)

Sub Category: Cruising/Racing Sailboat

Max Draft: 5' 3" (1.60m)

Year Built: 1983

Clearance: 45' 0" (13.72m)

Speed, Capacities and Weight

Cruise Speed: 5 Kts. (6 MPH)Max Speed: 6 Kts. (7 MPH)Displacement: 67000 PoundsWater Capacity: 32 GallonsHolding Tank: 24 GallonsFuel Capacity: 20 Gallons

Accommodations

Total Cabins: 1

Total Berths: 4

Total Heads: 1

Hull and Deck Information

Hull Material: Fiberglass

Engine Information

Engines: 1

Manufacturer: Yanmar

Model: 2GM

Engine Type: Inboard

Fuel Type: Diesel

DETAILED INFORMATION

Main Description

The C&C MK II 29 is a quality cruiser/racer from the heyday of C&C Yachts, offering Cruisers amenities such as Harken roller furling, a dependable Yanmar diesel engine and a teak interior that sleeps 6. Racers will appreciate the responsive helm and lines led aft, with winches and sheeting tracks easily at hand. The deep keel, deep spade rudder, long slender underwater shape and inboard sheeting tracks with plenty of sail area make her perform. Capriccio is in the water and ready to sail today! The owners have moved on to their next boat and will consider any reasonable offer.

MEDIA

To view media files of Capriccio type or cut and paste these (case sensitive) links into your web browser: Video Tour: 360 Photos: Photo Slide Show:

WALKTHRUOGH

COCKPIT: The roomy cockpit features a Edson pedestal helm with a stainless steel wheel, a binnacle mounted compass, throttle/gear shifts and wheel break. Depth, speed & wind instruments are mounted on the cabin-top bulkhead port of the companionway. The engine control pannel are transom mounted behind the helm. A manual bilge pump is found at the helm starboardside, with the shore power hook up located to port on the aft facing side of the port bench. Two dorad vents are mounted on the transom gunwale. Bench seating for 4 is located forward of the helm, port and starboard. Two additional seats are located aft of the helm, port and starboard at the stern. Lockers are found under the starboard side bench and under the two stern benches. The fold up swim ladder is center mounted on the stern. A set of one Barient 18 and one Barient 22 winches, each are mounted port and starboard for jib and spinnaker trim, with a Barient 10 (port) and a Lewmar 9 (starboard) mounted on the cabin top. All running rigging lines lead aft to the cockpit. The mainsheet is mounted in the cockpit forward, with a traveler rigged for helm control. TOPSIDES: Moving forward the deck is protected by stainless steel bow and stern railings connected by dual lifelines running the length of the deck port and starboard. Teak hand rails run along the cabin top, port and starboard. There is a center mounted opening hatch on the cabin top, with a second opening hatch forward, on the front of the cabin top. Jib tracks are side deck mounted, port and starboard, with inboard tracks mounted forward on the cockpit coaming. Cleats are found at the bow and stern. The single spreader rig features a Harkin roller furler and a boom vang. The standing rigging, with adjustable back stay, is stainless wire cable. MAIN CABIN: Entering the cabin from the cockpit companionway, the galley is found to starboard and a quarter-berth to port. Port and starboard settees with seating for seven extend fore and aft along the length of the cabin. A fold down table is mounted on the forward, port bulkhead. Lockers are found above the port and starboard settees. Additional storage is found under the port settee.

Ventilation is provided by the companionway and an overhead hatch. GALLEY: The L shaped galley is found starboard of the cockpit companionway. The countertop extends along the aft bulkhead, from the companionway to starboard then forward along the starboard side. A stainless steel sink with running water, followed by a top access icebox are found along the aft bulkhead. There is a locker underneath the sink and a 110 vac outlet above the icebox. Extending forward along the starboard side there is a lift top counter, with space for a stove underneath. One drawer and one locker are found below, with an additional locker above the counterspace. FORWARD CABIN: The private forward cabin is accessed via a companionway opposite the head, which includes a storage locker on the starboard side. The cabin features a V-Berth with a shelf running along the port and starboard sides. There is an opening hatch overhead and two aft mounted overhead lights. QUARTER BERTH: The quarter berth is found aft on the port side and is ventilated by an opening port. HEAD: The head is found forward of the salon on the port side and includes a sink with a dual purpose spigot/shower head. A mirror is mounted above the sink with a locker below. The head is found port side with 2 storage cubbies and an opening portlight above. ENGINE COMPARTMENT: The engine compartment is found under the companionway stairs.

Accomodations

- FORWARD CABIN: - Private cabin with door - V-berth w/Insert (sleeps 2) - 2 Overhead mounted lights; port & starboard, aft; 12 vdc - 1 Opening overhead hatch - MAIN CABIN SETTEES: - Starboard settees convert to a single berth - Port settee converts to a single berth - QUARTER BERTH: - Aft port side quarter berth sleep one. - 1 Opening port - 1 Overhead Light

Main cabin

The main cabin is entered from the cockpit, four steps down via a center companionway and features: - Teak paneling - Teak & Holly sole - Port settee; seats 4; converts to a single berth - Starboard settee; seats 3; converts to a single berth - Fold down dining table; mounted on forward port bullhead - 2 Overhead hand holds extending the length of the cabin, port & starboard - 2 Forward bulkhead mounted stereo speakers, port and starboard - Storage cubby located in the forward bulkhead, port side - Storage lockers, above settees, port and starboard side - Widows above settees, port and starboard - 1 Overhead opening hatch - 1 Overhead light, 12 vdc - 1 Reading light; port side, forward

Galley

GALLEY: The L-shaped galley is located in the aft starboard side of the main cabin and features: - L shaped counter top running along aft bulkhead and starboard side: - Stainless steel sink w/running water; aft countertop - Counter top loading ice box; aft countertop - 1 120 vac receptacle; aft bulkhead above icebox - Hinged countertop w/stove compartment below; starboard side - 1 drawer & 1 storage locker under stove compartment - Stainless grab rail, starboard side - 1 storage locker; above starboard side counter

Head

The head is located forward of the main cabin on the port side and includes: - Stainless steel sink w/running water and spigot/shower head - 1 Storage locker; under sink - 1 Mirror above sink - Groco-HF Manual Head - 2 Open storage cubbies above head - 1 Opening port light - 1 Towel rack - 1 Overhead light, 12 vdc - 1 Overhead ventilation port - Shower sump switch

Cockpit

The cockpit features: - Bench seating for 6 passengers; 2 port, 2 starboard, 2 aft - Wheel Helm - 1 Storage locker; under starboard bench seat - 2 Storage lockers; under port & starboard stern seats - Companionway to main cabin; center forward - Sail controls & winches

Helm

Center mounted Edson pedestal helm with: - Stainless steel wheel - Magnetic compass - Gear shift - Throttle - Wheel lock - Engine instrument panel (start button, tachometer, fuel gauge, water temp, oil warning lights, on/off key) - Manual bilge pump - Emergency tiller coupling

Electronics

- Datamarine LX360Q Wind Instrument - Datamarine S200DL Depth Meter - Corinthian II S100KLII Speed Meter - Standard Horizon Explorer II VHF Radio - Seaworthy DEA9503BL Radio/CD Player - 2 Seaworthy DEA6522W 120 watt Stereo Speakers

Rig

- Masthead sloop rig *Aluminum single spreader mast *Aluminum boom *Spinnaker Pole -Stainless steel wire standing rigging - Harken roller furler - Boom vang - Back stay adjuster -Mast head wind indicator, anchor light & VHF antenna - Steaming light - Running rigging leads aft to cockpit

Sails & Canvas

- Scott Mainsail - Scott Genoa - Main sail cover

Deck & Hull

- Fiberglass construction - Fin keel - Fortress FX-11 Anchor w/rode & chain - 2 Barient 18 winches; cockpit coming mounted, port & starboard - 2 Barient 22 winches; cockpit coming mounted, port & starboard - 1 Barient 10 winch; cockpit cabin top mounted, port - 1 Lewmar 9 winch; cockpit cabin top mounted, starboard - 1 winch handle - Genoa lead tracks; port & starboard; side deck mounted - Inboard Genoa lead tracks; port & starboard; forward cockpit coaming mounted. - Cockpit mounted traveler - 1 Hatch; center mounted on cabin top - 1 Hatch; center mounted forward cabin top - 2 Dorade vents; transom mounted - 4 Cleats; 2 at bow, 2 at stern - Stainless steel bow pulpit and stern rail, connected by double life lines - Swim ladder; stern mounted - 2 Teak handholds, cabin top mounted, port & starboard - Navigation, running & anchor lights - Fuel fill; starboard side aft - Water fill; starboard side midship - Waste pump-out; port side forward - Dock lines - Boat Hook - Miscellaneous supplies

Mechanical

- Yanmar 2GM diesel engine, 2 cylinder, 4-stroke, 13 HP - Groco ARG-500 raw water strainer - ITT Jabsco Type IV 2.8 gpm house water pump - Rule bilge pump w/float switch - Miscellaneous spare parts

Electrical

- 12 VDC electrical system w/DC Panel - 120 VAC electrical system w/AC Panel - 1 Duralast 27DC Marine & RV Deep Cycle Battery - Perko battery switch - 2 AC Receptacles - 1 DC Receptacles - 30 Amp Power cable

Safety

- 2 Kidde 1-A 10-B:C, B:C Size 1, 3 lb dry chemical fire extinguishers - 1 Olin Marine Signal Kit (flairs expired) - Running, steaming & anchor lights

Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS
































































CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com/en/

Telephones

USA: +1(954)274-4435

Office hours

Monday - Saturday: 9:00 - 21:00 EDT

Sunday: closed

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004