

FREYA — FERRETTI YACHTS



Builder: FERRETTI YACHTS

Year Built: 2013

Model: Motor Yacht

Price: PRICE ON APPLICATION

Location: Canada

LOA: 69' 2" (21.08m)

Beam: 18' 2" (5.54m)

Max Draft: 5' 6" (1.68m)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **Freya — FERRETTI YACHTS** from **our catalogue**. Presently, at **Shestakov Yacht Sales Inc.**, we have a wide variety of yachts available on **our sale's list**. We also work in close contact with all the big **yacht manufacturers** from all over the world.

If you would like to buy a yacht **Freya — FERRETTI YACHTS** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	3
Basic Information	3
Dimensions	3
Speed, Capacities and Weight	3
Accommodations	3
Hull and Deck Information	3
Engine Information	4
DETAILED INFORMATION	5
Broker Remarks	5
Main Deck	5
Flybridge	7
Lower Deck	8
Technical Area	11
Electronic Equipment	12
Systems	12
Exclusions	14
Disclaimer	14
PHOTOS	15
CONTACTS	17
Contact details	17
Telephones	17
Office hours	17
Address	17

SPECIFICATIONS

Basic Information

Category: Motor Yacht

Model Year: 2014

Year Built: 2013

Country: Canada

Dimensions

LOA: 69' 2" (21.08m)

LWL: 57' 1" (17.40m)

Beam: 18' 2" (5.54m)

Max Draft: 5' 6" (1.68m)

Clearance: 17' 3" (5.26m)

Speed, Capacities and Weight

Displacement: 106263 Pounds

Water Capacity: 262 Gallons

Fuel Capacity: 978 Gallons

Accommodations

Total Cabins: 3

Total Berths: 4

Sleeps: 6

Total Heads: 3

Crew Cabin: 1

Hull and Deck Information

Hull Material: Fiberglass

Hull Color: Ferretti Cream

Engine Information

Engines: 2

Manufacturer: MTU

Model: 8V 2000 M94

Engine Type: Inboard

Fuel Type: Diesel

DETAILED INFORMATION

Broker Remarks

*****PRELIMINARY LISTING, MORE SPECS AND PHOTOS TO FOLLOW*****

Main Deck

- Access to aft platform (GRP steps, plexiglass and stainless steel gate)
- Access to crew area (non-slip steps from starboard support)
- Access to the engine room (hatch, stainless steel and teak ladder)
- Access to the flybridge (GRP and teak steps, stainless steel handrail)
- Aft platform with electrohydraulic lift
- Aft platform with foldaway bathing ladder, storage with electric opening
- Aft sliding door and tilt window, both with stainless steel frame
- Amplifier with remote control and loudspeakers
- Boat hook
- Bow hawse in stainless steel
- Bow pulpit with side rails
- Bow thruster
- Bruce style anchor (Kg 30, 75 mt chain, 12 mm diameter)
- Canopies for protection of front and side windows, black
- Cockpit cabinet with wooden countertop and storage
- Cockpit chairs (4)
- Cockpit lighting
- Cockpit table in painted natural teak and stainless steel
- Cylindrical fenders (6) and spherical fenders (2)
- Echo transducer moved on aft
- Electric anchor windlasses 3000W with controls at bow, main helm position and flybridge helm position
- External acoustic alarm for bilge water level at bow and at stern
- Hand-held shower with hot/cold fresh water on the aft platform
- Hatches (2) to forepeak
- Mooring line holder in the forepeak
- Mooring lines (4, mt 12)
- Mooring stations (2) with GRP covers, storage space for mooring lines
- Non-slip deck flooring
- Perimetrical curtain rod for canopies (cockpit)
- Primer coat under antifouling
- Pull handles in the engine room (engine and generator shut down, activation of fire extinguishing system)
- Pulpit: side opening (couple)

- Rubbing strake: stainless steel for spoiler and side exhausts
- Sea water fire fighting and chain wash down hose at bow
- Shore line cable (230 V mt 15)
- Side exit door (access to the helm position)
- Sink with hot/cold fresh water in the mooring station
- Stainless steel and teak gangway with remote controls
- (2) and automatic stanchions
- Stainless steel deck hardware
- Stainless steel handles
- Stainless steel mooring cleat: at stern (4), at midship (2 for each side) and at bow (2) Stern (2) and bow (2)
- Fairleads
- Stern bench with seats
- Storage (2) in the starboard support
- Sunlounge pad at bow with cushions
- Teak cockpit flooring
- Telescopic electrohydraulic davit (capacity load 450 kg.) hidden in the upper stern

Salon

- Aft glass sliding door with stainless steel frame
- Air conditioning
- Cabinets with shelves
- Fitted carpet
- Hi-fi surround (60Hz) with blue ray
- I-Pod docking station
- Living area (sofa and coffee table)
- Roman blinds (single) on side windows
- Sliding door to the galley
- TV 32" (60Hz)
- TV SAT receiver HD
- Venetian blinds on aft sliding door
- Wooden steps leading to the galley

Dining Area

- Access to lower deck (carpeted steps)
- Air conditioning
- Fitted carpet
- Living area (sofa with glass dining table and 3 chairs)
- Side window with tilt opening

Galley

- Aft tilt window with stainless steel frame

- Air conditioning
- Cabinets with shelves and drawers
- Ceramic cooktop
- Dishwasher 60Hz
- Extractor fan 60Hz in galley
- “Fridge 60Hz in galley ((12/24V cc - 110-240V ca 50-60Hz Flat)”
- Oven 60Hz
- Overhead kitchen cabinets
- Quartz resin counter top
- Sliding door to the saloon
- Sliding kitchen/living room partition in wood and plexiglass
- Stainless steel sink and hot/cold fresh water (2)
- Venetian blinds (aft sliding door, side windows)
- Vinyl fabric flooring

Main Helm Position

- Air conditioning
- Automatic pilot control unit
- Barometer, clock and hygrothermometer
- Chartplotter with LCD colour display with GPS
- Cigarette lighter outlet (12V)
- Electric steering
- Electronic controls for engine clutch and throttle with easy-dock and auto-troll functions
- Electronic digital chain counter
- Fitted carpet
- Helmsman seat
- Instant parallel battery
- Magnetic compass
- Main electrical panel
- Main helm position with full instrumentation
- MTU display for boat data management
- Multifunction navigation instrument
- Radar (with LCD display)
- Side exit door
- Side window with tilt opening (port side)
- Synoptic switchboard with alarms
- VHF
- Windshield wipers (2) with timer

Flybridge

- Access to the cockpit (stainless steel and teak steps, stainless steel handrail)

- Antenna empty dome for symmetry (American version)
- Antenna TV SAT (American version)
- Corner sofa with storage
- Cover for helm dashboard, helmsman bench, sofa and cabinet
- Flag mast
- Fully fitted cabinet with storage and sink
- GRP radar arch (radar support, antennas, signals)
- Hatch
- Life rafts compliant to American requirements (6 + 6)
- Life-belt with floating lifeline and luminous buoy
- Lighting on the flybridge
- Navigation lights
- Plexiglass and stainless steel front and side deflector
- Portable spotlight 1/2 mile range 12V
- Radar antenna open array
- Railing
- Stainless steel signal/flag mast
- Sunlounge pad with cushions
- Table
- TV Antenna
- U-shaped sofa with storages
- Warning horn with compressor
- Watertight loudspeakers (2)

Flybridge Helm Position

- Automatic pilot control unit
- Cigarette lighter outlet (12V)
- Electric steering
- Electronic controls for engine clutch and throttle with easy-dock and auto-troll functions
- Helmsman bench
- Instrument board with electric opening
- Mini Hi-Fi CD
- Multifunction navigation instrument
- Radar/plotter repeater
- Rudder angle indicator
- Second steering position equipped with instruments and alarms
- VHF

Lower Deck

Lobby

- Access to the main deck area (wooden steps)
- Fitted carpet
- Wardrobe (shelves)

Master Cabin

- Bedside cabinets (2)
- Cabinets with drawers (2)
- Double bed with mattress, pillows and bedspread
- Drawers underneath bed
- “Dressing table (shelve, mirror and ottoman) with lockers and shelves”
- Fitted carpet
- Hull window with side openable stainless steel portholes (2)
- Indirect lighting
- Mini Hi-Fi CD/DVD
- Reading lights (2)
- Roman blind (single)
- Sofa
- TV 32” (60Hz)
- TV outlet
- Upholstered headboard
- Walk-in wardrobe with mirror, shelf and safe

Master Bathroom

- Electric ceramic WC
- Fabric Venetian blinds
- Mirror
- Overhead lockers with shelves
- Shower with tempered glass door and wooden tray
- Stainless steel openable porthole
- Toilet roll holder in tube
- Washbasin with lacquered top
- WC control panel with gauge (3/4 and full)
- Wooden flooring

VIP Cabin at Bow

- Double bed with mattress, pillows and bedspread
- Drawer underneath bed
- Escape hatch
- Fitted carpet
- Furniture with shelves
- Hull windows (2) with stainless steel openable portholes
- Natural ventilation under beds

- Reading lights (2)
- Roman blind (single)
- Upholstered headboard
- Wardrobes (mirror)

VIP Cabin Bathroom

- Electric ceramic WC
- Fabric Venetian blinds
- Mirror
- Overhead lockers with shelves
- Shower (wooden floor)
- Stainless steel openable portholes
- Toilet roll holder in tube
- Washbasin
- WC control panel with gauge (3/4 and full)
- Wooden flooring

Guest Cabin - 3 cabin version

- Bedside cabinet with drawer (2)
- Double bed with mattress, pillows and bedspread
- Drawers underneath bed
- Fitted carpet
- Natural ventilation under beds
- Reading lights (2)
- Roman blind (single)
- Stainless steel openable portholes (2)
- Wardrobe with mirror (2)

CREW AREA Lobby in Crew Area

- Access to the main deck area (wooden, non-slip steps)
- Drainage for washer and drier
- Drier 60Hz (in crew area)
- Shelves
- Stainless steel openable porthole
- Washer 60Hz

Crew Cabin

- Bed with mattress, pillow and bedspread
- Bedside cabinet
- Curtain
- Fitted carpet
- Reading light

- Stainless steel openable porthole
- Wardrobe with mirror (2)

Crew Bathroom

- Electric ceramic WC
- Mirror
- Overhead lockers with shelves
- Shower with waterproof curtain
- Stainless steel openable porthole
- Washbasin with hot/cold fresh water

Technical Area

Engine Room

- Access to the cockpit (hatch, stainless steel and teak ladder)
- Air inlets (2)
- Change over valves (2) for emergency water pumping from the bilge
- Electric bilge pump
- Electric self-locking ventilation fan
- FM200 fire extinguishing system with automatic/ manual control
- Fresh-water outlet for filling and washing
- Fuel tank level gauge
- Genset 120/240V 23kW 60 HZ
- GRP fuel tank (3700lt.) with integrated decanter and discharge
- Neon lights
- Portable lamp
- Racor diesel engine filters (2) with bypass + Hummel
- Racor diesel filter for generator fuel system
- Tool kit, if supplied by engine manufacturer
- Water filter for generator cooling system
- Water filters (2) for engine cooling system
- Water heater (50lt 230V)
- Watertight forward bulkhead
- Wooden flooring with non-slip surface

PROPULSION AND CONTROL EQUIPMENT Propulsion and Control

- Electric steering
- Stuffing box with dripless shaft seal, low maintenance
- Underwater silenced exhausts
- V-Drive transmission

Stabilization Systems

- Trim tabs (flaps)

Electronic Equipment

- Audio-video configuration (Boat destination Country Area)

Communications

- VHF (2)

Navigation

- Automatic pilot control units (2 main helm position, flybridge helm position)
- Chartplotter with LCD colour display and GPS
- Multifunction navigation instrument (2, main helm position, flybridge helm position)
- Radar (with LCD display) + Repeater in Fly

Systems

Fire Extinguishing System

- Fire fighting: automatic/manual system in engine room and systems area
- Fire fighting: smoke detectors in each area: salon, galley, master, VIP, guest cabin, crew cabin, bow thruster
- Portable fire extinguishers
- Pull handles in the engine room (engine and generator shut down, activation of fire extinguishing system)
- Smoke detection alarm system in the engine room

Air Conditioning System

- Air conditioning American Version (saloon, dining area, galley, main helm position)

Electrical System

- Automatic battery charger (24 V) for auxiliary service batteries
- Automatic battery charger (24 V) for engine batteries
- Battery bank for domestic load low water loss
- Battery bank for engine starting low water loss
- Battery charger for generator(s)
- Battery cut offs for appliances to batteries
- Battery disconnecting switches: mechanical and electronic
- Breaker box
- Carling Switch 100A for 240V shore supply

- Cathodic protection with zinc anodes
- Connecting channels from engine room to antenna area
- Electric outlets (230 V) throughout
- Electric panels/switchboard for American Version
- Electric system for American Version
- Generator 23 kW 60Hz - 665 Hours
- Generator starting battery 12 V low water loss
- Glendinning 100A - 4 poles cable reeler for shore cable (20m)
- Glendinning remote control
- Ground connection for sea water intake and railings
- Ground fault interrupters 120V - 6mA (in all bathrooms, galley and engine room)
- Internal American sockets: double 120V sockets on every box
- Inverter (24Vdc / 230Vac) for fridge
- Isolation transformer 25 KVA
- Lighting throughout 24 V
- Manual battery disconnecting switch for generator
- Measuring instruments: voltmeter
- Mechanical (cockpit) and instant (main helm position)
- Electric battery parallel switch
- Preparation for decoder: cable 120V + F connector + TV SAT antenna cables in all cabins
- Preparation for TV in all cabins: cable 120V + F connector + TV antenna cables
- Shore power GFI 50A-30mA

Bilge System

- Electric pump for bilge drainage in the engine room
- Electric pumps 4 (aft platform, engine room (2), accommodation space)
- Emergency bilge suction pipe (engine room) through engine cooling pump
- Multipurpose electric pump (bilge, grey water, black water)

Sanitary and Water Systems

- Automatic electric pump grey water discharge system
- Black water tank: deck connection for tank pumping out
- Electric automatic pump for black water tank discharge
- Electric WC system with fresh water
- Fresh water autoclave pump (24V) with electronic control
- Fresh water tank (990 lt)
- Grey water 3 way valve in galley equipment
- Grey water tank
- Independent sea water intake for air conditioning with filter
- Independent sea water intake for sea water system with filter
- Independent sea water intake for water maker with filter
- Sea water fire fighting and chain wash down system

- Water heater (230 V 50 lt)

Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS





CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: **andrey@shestakovyachtsales.com**

Web: shestakovyachtsales.com/en/

Telephones

USA: **+1(954)274-4435**

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004