

MOTOR MILE — BERTRAM



Builder: BERTRAM

LOA: 35' 0" (10.67m)

Year Built: 2018

Beam: 12' 5" (3.78m)

Model: Sport Fisherman

Min Draft: 2' 6" (0.76m)

Price: PRICE ON APPLICATION

Location: United States

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **Motor Mile — BERTRAM** from **our catalogue**. Presently, at **Shestakov Yacht Sales Inc.**, we have a wide variety of yachts available on **our sale's list**. We also work in close contact with all the big **yacht manufacturers** from all over the world.

If you would like to buy a yacht **Motor Mile — BERTRAM** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	3
Overview	3
Basic Information	3
Dimensions	4
Speed, Capacities and Weight	4
Accommodations	4
Hull and Deck Information	4
Engine Information	4
DETAILED INFORMATION	5
Hull and Deck	5
Mechanical Systems	5
Electrical Systems	6
Dock and Cockpit	6
Helm Station and Flybridge	7
Salon and Galley	8
Accommodations	8
Electronics	9
Additional	9
Exclusions	9
Disclaimer	10
PHOTOS	11
CONTACTS	16
Contact details	16
Telephones	16
Office hours	16
Address	16

SPECIFICATIONS

Overview

This new Bertram 35, Hull #8, features a large 126 sq. ft. cockpit, dual CAT C7.1 diesel engines, 500 HP with extended warranty.

The open, modern interior features a frameless glass wraparound windshield, custom teak dinette table that doubles as a double berth, U-shaped dinette seating with storage behind and underneath cushions, Corian counter tops, over sized sink with hot/cold functions, convection cook-top, microwave and Subzero refrigerator/freezer.

Amtico flooring runs throughout interior. The stateroom features an offset queen berth, 24" LED Smart TV, cedar-lined hanging locker with built-in privacy enclosure feature to stateroom, and LED overhead lighting on dimmer switches.

The spacious wet-head offers hot/cold shower functions, Corian counter tops and porcelain sink - with storage below and throughout mirrored cabinetry.

Engine room is complete with vibration dampening isolators, sound absorption insulation, Twin Disc running gears, engine driven alternators, dual Racor filters and custom exhaust and LED lighting.

The molded deep-vee fiberglass hull, deck, and FRP components are infused with 100% vinylester composite using advanced techniques and technologies. The hull is reinforced with Kevlar and strengthened with Keel and strakes running through the centerline in a structural grid, for added support - ensuring the durability and longevity of each hull. Advanced engineering allows for a 22-degree deadrise and a shallow 2'6" draft.

Basic Information

Category: Sport Fisherman

Model Year: 2018

Year Built: 2018

Country: United States

Dimensions

LOA: 35' 0" (10.67m)

Beam: 12' 5" (3.78m)

Min Draft: 2' 6" (0.76m)

Speed, Capacities and Weight

Displacement: 41600000 Pounds

Water Capacity: 50 Gallons

Fuel Capacity: 310 Gallons

Accommodations

Total Cabins: 1

Total Heads: 1

Hull and Deck Information

Hull Material: Fiberglass

Engine Information

Engines: 2

Manufacturer: CAT

Model: C7.1

Engine Type: Inboard

Fuel Type: Diesel

DETAILED INFORMATION

Hull and Deck

- Custom house stripe - Black
- Seahawk black bottom paint
- Custom boot stripe - black with white separating from bottom paint
- Molded, infused, vinyl ester hull with Kevlar keel and strakes
- Molded, yacht-finish sand texture non-skid on deck surfaces
- Deck and FRP components: molded, infused vinyl ester composite
- Hatches/doors with FRP liners
- Heavy-duty white vinyl rub rail with stainless steel insert and end caps
- Keel-mounted receptacle for common Airmar Transducers
- Built in swim steps
- Aft deck awning with Carbon Fiber supports
- (2) two 24V underwater lights

Mechanical Systems

- Twin 507 mHP CAT C7.1, turbo charged main engines with vibration dampening isolators, ZF gears and CAT controls, engine driven alternators, dual Racor filters and DeAngelo exhaust
- 24V Vetus bow thruster
- 16,000 BTU, multi-zone A/C, with reverse heat cycle and sound shield
- Engine room intake and exhaust blowers with demisters
- Heavy-duty sound absorbing insulation in engine room
- Isotherm 6.5-gallon electric water heater
- Aquamet 22 shafts, 2" diameter
- High performance rudders and struts
- LED lighting in engine room
- Two (2) heavy-duty, aluminum epoxy-coated fuel tanks: 235-gallon main and 75-gallon auxiliary
- Fixed fire suppression system in engine room with emergency engine shutdown system and audio/visual discharge indicators
- SeaStar Optimus EPS power-assisted, hydraulic steering
- Bronze seawater strainers for generator, A/C and raw water pumps
- Bronze seacocks on all underwater thru hull fittings, bonded
- Three (3) automatic/manual bilge pumps, 2000 GPH each
- Dry bilge system, three zone
- Grey water sump with automatic discharge for head shower and sink
- Lenco trim tabs with zincs and auto glide
- Hull zinc, recess transom mounted

- Running gear coated with PropSpeed
- Pressurized freshwater system with regulated dockside fresh water supply
- Roto-molded freshwater tank, 50-gallon, with level indicator
- Roto-molded holding tank, 30-gallon, with level indicator, electrical pump-out and plumbed for dockside pump-out

ADDITIONAL:

- Rupp single spreader outriggers
- Palm Beach style controls with integrated bow thruster control
- (2) two 24V underwater lights

Electrical Systems

- Mase 7 KW generator with sound shield
- Shore power inlet, 240V/120V (50-amp)
- 12/24V main distribution panel with voltmeter, generator controls, magnetic circuit breakers and shore power selector switches
- 24V heavy-duty battery charger
- LED light fixtures on dimmers
- Vimar outlets and switches throughout
- Alarm monitor system with bilge flood signal for three (3) compartments
- Flybridge main engine control panel
- Continuous power to bilge pumps, fire and bilge flood monitors
- Six (6) AGM heavy-duty batteries. Four (4) house and two (2) starting batteries
- Bonding system with galvanic isolator
- Navigation lights
- LED navigation lights incorporated into flybridge
- N2K backbone: offshore 3345 N2K tank monitor display at main electrical panel reading electronic tank sensors (fuel, freshwater, grey water, waste), 3350 digital tank level fuel controller control at helm, trim tab and rudder indica

Dock and Cockpit

- Teak Cockpit Sole
- FX16 Fortress anchor with chain and rose, accessed from foredeck
- Bow pulpit w/Maxwell anchor windlass and Chocks

- Self-draining anchor locker
- Stainless steel bow rail, 1.25" diameter
- Stainless steel flybridge rail, 1.25" diameter
- Folding, stainless steel bridge ladder with teak steps
- Eight (8) cleats - four(2) and bow and stern, four (4) at springs
- Cockpit under-gunwale storage with doors, port/stbd.
- Frameless, tempered glass, house and aft bulkhead windows, tinted 20%
- 2" diameter fuel fills, port/stbd.
- 1.5" diameter water fill and 1.5" diameter dockside pump-out
- Foredeck hatch
- Port/stbd. removable fish boxes with macerators
- Lids supported and gasketed with compression latches
- LED cockpit lighting
- Power-actuated engine room hatch with external jumper-power studs, removable pin and manual-service lift point
- Transom door with separate top gate
- Transom live well with aquarium view
- Four (4) rod holders in gunwale
- 12V electric reel sockets in cockpit under gunwale
- Two (2) waterproof speakers at flybridge pilasters
- Saltwater wash-down
- Freshwater wash-down
- Shower with hot/cold functions
- Engine box cushions with removable headrests
- Grey and white striped exterior upholstery
- Two (2) stainless steel, flush-mounted fender hangers
- Murray Crab four rod leaning post, White

Helm Station and Flybridge

- Hardtop
- Three (3) Pompanette helm chairs
- ZF MiniCommand 4200, dual lever engine controls
- Upgrade to Palm Beach Style controls that have thruster
- CAT Marine 7 color display
- Ritchie compass
- Molded footrest
- Two (2) waterproof speakers
- Ongaro tournament steering wheel, stainless steel
- Icom VHF radio with external microphone
- Self-draining drink box/storage compartment
- USB outlets
- Fusion radio

- Varnished, high gloss, helm pod

Salon and Galley

- Sliding, white powder-coated, aluminum salon door with locking feature
- Amtico, teak and maple flooring
- LED overhead lighting with dimmer switches
- LED indirect lighting
- Large custom U-shaped seating with solid-surface dinette table and convertible double berth filler
- Grey solid surfaces with Grey interior upholstery
- Large overhead locker storage
- Sub-Zero double-drawer refrigerator/freezer and ice maker unit
- Kenyon two-burner SilKEN2 Trim Line induction cooktop
- Microwave/convection oven
- Designer cabinetry with soft close mechanism and Seasmart latches
- Solid surface countertop with custom stainless steel sink and hot/cold faucets
- Fusion subwoofer/amp and built-in Soundware XS speakers
- Dometic A/C controls
- 120V AC GFCI receptacles with USB outlets
- 24" LED smart TV with digital antenna and satellite

Accomodations

The Bertram 35 features a forward offset queen berth and custom dinette which accommodates a double berth.

STATEROOM:

- Offset queen berth with access to large, integrated storage beneath
- 120V AC GFCI receptacles with USB outlets
- Cedar-lined hanging locker with locking privacy feature for stateroom
- Nightstand with solid-surface top and stainless steel grab rail
- Designer cabinetry with soft close mechanism and Seasmart latches
- Custom mattress
- Designer bedding with custom sheets
- LED overhead lighting with dimmer switches
- LED indirect lighting
- 24" LED smart TV with digital antenna and satellite

HEAD:

- 120V AC GFCI receptacles
- LED overhead lighting with dimmer switches
- LED indirect lighting
- Designer cabinetry with soft close mechanism and Seasmart latches
- Corian counter top with porcelain sinks
- Contemporary hardware
- Freshwater, Dometic macerating marine toilet, with key-operated overboard
- Flexible hand-held shower head with hot/cold water features
- Exhaust blowers
- A/C vent
- Automatic shower pump

Electronics

(Garmin) 8617 MFD x2; GMR 424 XHD 2 Open Array (4ft) Radar; External 19x GPS antenna x 2; GSD 26 CHIRP Professional Sonar Module; GHP reactor Autopilot; GRID Remote Input Device; J1939 to N2k Maerton converter for CAT to Garmin conversion; Pocket keel mounted Chirp Transducer --- Customer request Airmar 265Chirp LH instead of 275 transducer B265LH; KVH TV1; GOST System with (2) cameras.

Additional

TOP

HARDTOP: molded fiberglass hardtop, aluminum structure with dual ladders to cover boards, aft bridge rail, with four (4) rod holders, LED spreader lights, LED overhead lights, molded platform for radar, tree-sided enclosure (rigid glass forward, soft glass on sides), overhead VHF speaker, collapsible VHF antenna mount; Custom aft bridge rail bench seat.

ADDITIONAL:

- Rupp single spreader outriggers (Hardtop and Tower)
- Palm Beach style controls with integrated bow thruster control

Exclusions

Owner's personal belongings.








Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS











CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: **andrey@shestakovyachtsales.com**

Web: shestakovyachtsales.com/en/

Telephones

USA: **+1(954)274-4435**

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004