

SPARE CHANGE — FERRETTI



Builder: FERRETTI

Year Built: 2013

Model: Motor Yacht

Price: PRICE ON APPLICATION

Location: United States

LOA: 72' 0" (21.95m)

Beam: 18' 8" (5.69m)

Min Draft: 6' 1" (1.85m)

Max Draft: 6' 1" (1.85m)

Cruise Speed: 25 Kts. (29 MPH)

Max Speed: 29 Kts. (33 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **Spare Change — FERRETTI** from **our catalogue**. Presently, at **Shestakov Yacht Sales Inc.**, we have a wide variety of yachts available on **our sale's list**. We also work in close contact with all the big **yacht manufacturers** from all over the world.

If you would like to buy a yacht **Spare Change — FERRETTI** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	4
Overview	4
Basic Information	4
Dimensions	4
Speed, Capacities and Weight	5
Accommodations	5
Hull and Deck Information	5
Engine Information	5
DETAILED INFORMATION	6
Accommodations	6
Galley	6
Entertainment	7
Electronics, Communications and Navigation	8
Mechanical and Generators	9
Electrical	11
Other Mechanical	12
Ground Tackle	13
Safety Equipment	13
Disclaimer	14
Exclusions	14
Disclaimer	14
PHOTOS	15
CONTACTS	21
Contact details	21
Telephones	21
Office hours	21
Address	21

SPECIFICATIONS

Overview

SPARE CHANGE is a Ferretti 720 Flybridge. She features Gyro Stabilizer, Custom Hydraulic Swim Platform for Dinghy, Davit on flybridge for Jet ski, New JL Audio throughout, Open Galley design, 4 staterooms and 4 heads plus crew for 3. She is the ideal sized yacht that combines style, speed and comfort in a proven hull and with RINA Class A construction for safety in navigation. Powered by Twin MTU 1,500 HP diesels with under 700 hours, she has been upgraded, updated and is Captain maintained. Featuring teak decks all around and abundance of sunbathing and seating areas, this yacht is built to entertain and enjoy the Caribbean and Bahamas!

Basic Information

Category: Motor Yacht

Sub Category: Flybridge

Model Year: 2013

Year Built: 2013

Country: United States

Vessel Top: Arch

Fly Bridge: Yes

Cockpit: Yes

Dimensions

LOA: 72' 0" (21.95m)

LOD: 71' 6" (21.79m)

Beam: 18' 8" (5.69m)

Min Draft: 6' 1" (1.85m)

Max Draft: 6' 1" (1.85m)

Clearance: 23' 0" (7.01m)

Speed, Capacities and Weight

Cruise Speed: 25 Kts. (29 MPH)

Cruise Speed RPM: 1950 Kts.

Max Speed: 29 Kts. (33 MPH)

Max Speed RPM: 2250 Kts.

Displacement: 125443 Pounds

Water Capacity: 262 Gallons

Holding Tank: 60 Gallons

Fuel Capacity: 1321 Gallons

Accommodations

Total Cabins: 4

Total Heads: 4

Crew Cabin: 2

Crew Berths: 3

Crew Sleeps: 3

Crew Heads: 1

Hull and Deck Information

Hull Material: Fiberglass

Hull Finish: Plastic

Engine Information

Engines: 2

Manufacturer: MTU

Model: 10V 2000 M92

Engine Type: Inboard

Fuel Type: Diesel

DETAILED INFORMATION

Accommodations

Main Deck

- Salon with leather covered sofas, wood cabinetry and leather walls and soffits finish
- Galley located FWD of salon, port side
- Wheelhouse with leather captain seat, located forward at center
- Companion way stairway wood finished

Lower Deck

- 4 Staterooms/cabins (Aft full beam Master, port and STBD Guest, forward VIP)
- Carpet floors, wood walls and wood cabinets throughout
- Electric blinds in Master Cabin and safe in Master Cabin closet
- 4 full heads - Master separate head and shower
- Crew quarter cabins with separate access from cockpit. 1 single berth, 2 bunk berths
- 1 crew head

Galley

Refrigeration

SUBZERO top/bottom drawers' fridge/freezer (4 drawers total)

Fresh Water

- No. of tanks: three (3)
- Capacity: 990 l - (262 US gal)
- Construction: Polyethylene
- Location: under master cabin berth

Water Heater

- one (1) x 75 liters Ariston PROR80V/3

Stove

- BOSH SCHOTT CERAN ceramic four (4) burner cooktop

Oven/ Microwave

- GE Monogram Advantium 120;

Other Galley

- Extractor hood
- Waste disposal

Crew Quarters

- Washer: MIELE TOUCHTRONIC W3033
- Dryer: MIELE TOUCHTRONIC T8013C

Flybridge

- Refrigerator 24V - ISOTHERM CR50
- Electric grill GAGGENAU

Cockpit

- Ice-maker ISOTHERM;

Entertainment

SALON

- TV SAMSUNG 40" retractable
- BOSE amplifier 5+1
- DIRECT TV+HD DVR
- SAMSUNG Blu-ray
- KVH TRACVISION satellite TV

MASTER Cabin

- TV SAMSUNG 40"
- BOSE DVD amplifier 2+1 with iPod cradle
- DIRECT TV+HD-DVR

Port Guest Cabin

- TV TOSHIBA 19"
- FUSION MS-AV600 with iPod cradle
- DIRECT TV + HD DVR

STBD Guest Cabin

- TV TOSHIBA 19"
- FUSION MS-AV600 with iPod cradle

- DIRECT TV + HD DVR

VIP Cabin

- TV TOSHIBA 19"
- FUSION MS-AV600 with iPod cradle
- DIRECT TV+HD-DVR

Port Crew Cabin

- TV TOSHIBA 19"
- DIRECT TV

Galley

- FUSION MS-IP700i

Flybridge

- FUSION MS-UD750

Newly installed (2019) JL AUDIO speakers throughout the vessel plus amplifiers

Electronics, Communications and Navigation

Chart plotters:

- Wheelhouse - FURUNO NAVNET 3d split in two (2) MASTERS LCD M17-4IG 15"
- Flybridge - FURUNO NAVNET 3d 13" Screen
- Radar - FURUNO
- Depth Sounder: AIRMAR transducer, located in crew quarter's companion way bilge; AIRMAR TRE MULTISENSOR located aft of port engine
- Compass: Wheelhouse RIVIERA URANIA
- Speed Log: AIRMAR sensor. FURUNO RD-33 repeater

Marine Radios:

- Wheelhouse: FURUNO HS-4721
- Flybridge - FURUNO HS-4721

Autopilot:

- Wheelhouse: FURUNO NAVPILOT
- Flybridge: FURUNO NAVPILOT
- Wipers: total of two (2) wipers blades

- Spotlight: ITT JABSCO operable from wheelhouse and flybridge;
- Hand operated Den Haan Rotterdam;
- Monitoring System: Gi8 system on MASTERS LCD M17-4IG 15" screen

Wheelhouse controls

- Horn, batteries parallel, anchor up/down, 1 x chain counter (on STBD anchor chain), blower, wiper wash and timer, trim tabs.
- Pumps: bilge spoiler, engine room, crew, bow. Grey
- Water level (main and crew), black water.
- Engines monitors, engines throttles, engines start/stop, emergency stop, alarm knowledge and override
- Bow and stern thrusters joysticks, ARG control, rudder position indicator.

Flybridge

- Horn, console up/down, courtesy, overhead and instrument's lights,
- Engines rpm gauges, engines start/stop, emergency stop, alarm knowledge and override, engines throttles, trims tab controls and position gauges
- Bow and stern thrusters joysticks
- Anchor's windlasses up/down;

Mechanical and Generators

Main Engines

- MTU Model: 10V 2000 M93
- Engine Type: 10V cylinder - Sequential turbocharging with 2 water-cooled exhaust-gas turbochargers
- Rated Horsepower: 1,502 hp (1,120 kW)
- Engine Hours: 695 (as of July 2019)
- Gear Manufacturer: ZF
- Gear Model: ZF 2150

Engine Cooling System

Two separate cooling circuits

- Engine coolant
- Raw water with dedicated raw water intake (one (1) per engine) with strainer.
- Coolant cooling by raw water-cooled plate-core heat exchanger
- Thermostat-controlled coolant system

- Coolant-cooled / preheated charge air
- Coolant-cooled fuel return

Engine Exhaust System

- Stainless steel riser discharging on hull bottom

Ventilation and Blower

- (1) aspirating blower by GIANNESCHI per side (2 in total) located on the aft of the E/R and forcing air out of the E/R
- Side vents located on E/R hull sides up top;

Engine Controls

- ZF electronic control. Main control is in wheelhouse.
- Secondary controls located in fly bridge station
- Cockpit station, port side pilaster

Running Gear

- Steering: (2) x ZF model: C100 – electric ram (one (1) per rudder) controlled by electric steering system;
- Rudders: (2) balanced style. Positioned outboard of shaft line
- Propellers: (2) x ROLLA CP13871 five (5) blades each NiBrAl -
- Shafting: (2) x 90mm straight shaft supported by one (1) strut per side. FLUITEN raw water lubricated dripless shaft seals
- Trim Tabs: (2) x Planning surface style, electro-hydraulic controlled by BCS;

Thrusters

- Bow: SIDE POWER SP 240TCi - 24V
- Stern: SIDE POWER SP 240TCi - 24V

Generators

- Two (2) Generators (identical models)
- Manufacturer: ONAN
- Model: 23MDKBV-7338B
- Rating: 23 kW @ 60Hz

- Year: 2012
- Hours: Port 804 - Starboard 812 (as of July 2019)

Note: HALYARD muffler and water separator installed in E/R, aft of each generator. Generator's START/STOP commands from generator, main electrical panel in crew quarters and monitoring system at wheelhouse.

Electrical

AC Systems

Main AC panel located in Crew Quarters

AC/DC Bond

- AC and DC system grounds are bonded as required
- G.F.C.I. in wet areas (heads and galley)
- Other Outlets: 110V throughout boat

Battery Chargers

(1) x MASTERVOLT 24V battery charger for engine battery bank

(1) x MASTERVOLT MASS24/75-C 24V for service battery bank

(2) x MASTERVOLT 12V generator's batteries chargers

Inverter: MASTERVOLT MASS COMBI 24/4000-100 for refrigerator

(1) 100 amp shore power with Glendenning cable master;

(1) 50 amp shore power inlet

DC Systems

Main DC panel is located in Crew Quarters

Alternator

- (1) per engine - total of (2)
- Port dedicated to Service bank
- STBD dedicated to Engine bank
- Battery Switches Service, Parallel and engines switches on STBD side pilaster

Batteries

- (12) x 2V FAAM batteries connected in series for service battery bank
- (4) x 12V 198Ah batteries connected in series and parallel to provide 24V to engine battery bank
- (1) x generator (two (2) in total) battery 12V 105Ah AGM
- (4) x 12V 70Ah AGM Tudor for bow thruster located FWD of bow thruster

Other Mechanical

Air Conditioning

- Chilled water system CONDARIA - 1.9NAV 90,000BTU
- Circulating pump: CALPEDA CM 22E 220-240V - 60Hz (0.75HP)
- Raw water pump: SCOT MOTOR-PUMP 0.5 HP - located in engine room
- Salon two (2) air handler: DOMETIC AT12HVZ-SI- 230V/60/1 - 12,000BTU -
- Galley air handler: DOMETIC AT12HVZ-SI- 230V/60/1 - 12,000BTU
- Wheelhouse air handler: DOMETIC AT12HVZ-SI- 230V/60/1 - 12,000BTU
- Crew quarter two (2) air handlers: AT4HVZ-SI 4" MR- 230/60/1 - 4,000BTU
- Port guest cabin air handler: DOMETIC AT4HVZSI- 230V/60/1 - 4,000BTU
- STBD guest cabin air handler: DOMETIC AT4HVZSI- 230V/60/1 - 4,000BTU
- VIP air handler: DOMETIC AT9HVZ-SI- 230V/60/1 9,000BTU
- Master cabin air handler: DOMETIC AT12HVZ-FCCOS 230V/60/1 - 12,000BTU
- Heating System: Reverse A/C system Not tested

Underwater Lights

- Total of four (4) SEA VISION halogen:
- (2) x on transom;
- (1) per side under hull side window (total of 2)

Water-maker

- SEAFARI 131.9 hours as per meter. Baldor pumps

Passerelle

- BESENZONI electro-hydraulic 24Vdc - s/n: BES053840

Stabilizer

- MITSUBISHI Anti Rolling Gyroscope

Ground Tackle

Windlass

- (2) x LOFRANS PROJECT X4 - 2300W - 24V
- Anchors: (2) TREFOIL 32Kg – galvanized
- Rode: Chain properly connected to deck with synthetic line
- Davit: BESENZONI - BES054055 located in Flybridge. Electro-hydraulic 24V - Static work load 400Kg (880 lbs.)

Other Ground Tackle / Deck Gear:

Cleats

- (3) at bow;
- (2) per side (total (4) on sides
- (2) per side (total (4) aft cockpit
- (1) per side (total (2) transom
- (1) LOFRANS 700W 24V capstan per side (total of 2) in cockpit

Safety Equipment

International running light

- Green, red, white navigation lights, 360 white anchor light

Personal Floatation Device (PFD)

- (12) Type I adult size
- (2) Type II child size
- Throwable Devices (1) x donut throwable with floating line

Sound Signals

- Horn, air horn

Visual Distress Signals

- Flare kit
- Vapor Detector Gasoline, Propane, Carbon Monoxide, etc. in every cabin and engine room.
- Main brain unit smoke alarm system by SMARTLINE located in engine room, FWD of STBD engine

Fire Suppression

- Fixed: (1) x 28.4 HFC227 FIREBOY fixed tank in engine room

Portable:

- (1) x 3lbs ABC powder fire extinguisher in galley
- (1) x 3lbs ABC powder fire extinguisher in wheelhouse
- (1) x 3lbs ABC powder fire extinguisher in port guest cabin
- (1) x 3lbs ABC powder fire extinguisher in STBD guest cabin
- (1) x 3lbs ABC powder fire extinguisher in VIP
- (1) x 3lbs ABC powder fire extinguisher in master cabin
- (1) x 3lbs ABC powder fire extinguisher in Port crew cabin
- (1) x 3lbs ABC powder fire extinguisher in STBD crew cabin
- (1) x 3lbs ABC powder fire extinguisher in flybridge

Other Survival Equipment

- Fire suppression water system with hose connections in anchor locker. Pump GIANNESCHI 24V

Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. Hours listed may vary from actual hours due to recent use. Purchaser is encouraged to verify hours prior to purchase. This vessel is offered subject to prior sale, price change, or withdrawal without notice.




Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS













CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: **andrey@shestakovyachtsales.com**

Web: shestakovyachtsales.com/en/

Telephones

USA: **+1(954)274-4435**

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004