

BUCKET LIST — HATTERAS



Builder: HATTERAS

Year Built: 2013

Model: Motor Yacht

Price: PRICE ON APPLICATION

Location: United States

LOA: 54' 0" (16.46m)

Beam: 17' 3" (5.26m)

Cruise Speed: 36 Kts. (41 MPH)

Max Speed: 41 Kts. (47 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **Bucket List — HATTERAS** from **our catalogue**. Presently, at **Shestakov Yacht Sales Inc.**, we have a wide variety of yachts available on **our sale's list**. We also work in close contact with all the big **yacht manufacturers** from all over the world.

If you would like to buy a yacht **Bucket List — HATTERAS** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	5
Overview	5
Basic Information	6
Dimensions	6
Speed, Capacities and Weight	6
Accommodations	6
Hull and Deck Information	6
Engine Information	7
DETAILED INFORMATION	8
Interior Details	8
Salon	8
Galley and Dinette	8
Companionway	9
Master Stateroom	9
Master Head	10
Bow VIP Stateroom	10
Starboard Guest Stateroom	11
Guest Head	11
Exterior Finish and Construction	11
Hardware and Miscellaneous	12
Electrical Systems	13
Flybridge	13
Cockpit	14
Engine Compartment and Bilge	14
Performance Measurements	16
Exclusions	16
Disclaimer	16

PHOTOS	17
2013 Hatteras 54GT - Bucket List	17
2013 Hatteras 54GT	17
2013 Hatteras 54GT	17
2013 Hatteras 54GT	17
2013 Hatteras 54GT	17
2013 Hatteras 54GT	17
2013 Hatteras 54GT	17
2013 Hatteras 54GT	17
2013 Hatteras 54GT	18
2013 Hatteras 54GT	18
2013 Hatteras 54GT	18
2013 Hatteras 54GT	18
2013 Hatteras 54GT	18
2013 Hatteras 54GT	18
2013 Hatteras 54GT	18
2013 Hatteras 54GT	18
2013 Hatteras 54GT	18
2013 Hatteras 54GT	19
2013 Hatteras 54GT	19
2013 Hatteras 54GT	19
2013 Hatteras 54GT	19
2013 Hatteras 54GT	19
2013 Hatteras 54GT	19
2013 Hatteras 54GT	19
2013 Hatteras 54GT	19
2013 Hatteras 54GT	20
2013 Hatteras 54GT	20
2013 Hatteras 54GT	20
2013 Hatteras 54GT	20

2013 Hatteras 54GT	20
2013 Hatteras 54GT	20
2013 Hatteras 54GT	20
2013 Hatteras 54GT	20
2013 Hatteras 54GT	21
2013 Hatteras 54GT	21
2013 Hatteras 54GT	21
2013 Hatteras 54GT	21
CONTACTS	22
Contact details	22
Telephones	22
Office hours	22
Address	22

SPECIFICATIONS

Overview

Available for showings at Marina Jack in Sarasota, Florida, the Hatteras GT54 is the lightest, quickest, and most nimble member of the GT Series. Performance and styling are equally important to the tournament fisherman, and the GT54 is designed for that customer. The look of the GT54 is based on a traditional Carolina-style sport fisherman with updated and refined lines.

UPGRADES at a Glance:

- Upgraded CAT C-32 Engines 1600HP, Low Hours
- Pipewelders Hardtop With Full Enclosure and Flybridge AC
- Electric Teaser Reels
- Pipewelders Brushed Aluminum Bow Rail
- Vetus Bow Thruster, 24V w/Independent Battery Bank and Charger
- Vetus Stern Thruster, 24V w/independent Battery Bank and Charger
- 1200gpd Watermaker, Aquimiser
- Ice Chipper, Eskimo
- (3) Garmin 8215 15" Touchscreen Chartplotters
- Garmin High Definition 72NM 6' Array Radar
- Garmin In-Hull Transducer, 2kW
- Garmin Smartpilot Autopilot GHP20
- XM Satellite Weather for Chartplotters
- (3) Raymarine CAM100 Day/Night High Resolution Engine Room Cameras
- ACR Remote Spotlight
- FLIR Night Vision Camera
- KVH Tracvision M7 SAT TV
- Latham Camera in Cockpit with Recording Apparatus and Salon TV Display
- ICOM VHF Radio
- Chartplotter Connection to Salon TV
- Offshore Commander 6 Person Liferaft
- Cherry Satin Interior Wood
- Flybridge Teak Accent Strip
- Port Cockpit In-Deck Fishbox Livewell
- Bow Deck Freshwater Washdown
- Cockpit Under-Coaming Lights
- Bow Stateroom TV/DVD/Stereo Entertainment Center
- Starboard Stateroom TV/DVD/Stereo Entertainment Center
- Salon Aft Entry Amtico Flooring
- Seavision Underwater Lights (2)
- Master Head Mirrored Ceiling
- Guest Head Starboard Ceiling

- Port and Starboard Cockpit Wing Board Rod Holders (3 Each Side)
- Bow Sunpad

Basic Information

Category: Motor Yacht

Model Year: 2013

Year Built: 2013

Country: United States

Registration #: 1254118

Coast Guard #: 1254118

Dimensions

LOA: 54' 0" (16.46m)

Beam: 17' 3" (5.26m)

Clearance: 14' 6" (4.42m)

MFG Length: 54' 0" (16.46m)

Speed, Capacities and Weight

Cruise Speed: 36 Kts. (41 MPH)

Max Speed: 41 Kts. (47 MPH)

Water Capacity: 180 Gallons

Holding Tank: 95 Gallons

Fuel Capacity: 1200 Gallons

Accommodations

Total Cabins: 3

Sleeps: 6

Total Heads: 2

Hull and Deck Information

Hull Material: Fiberglass

Engine Information

Engines: 2

Manufacturer: CAT

Model: C32

Engine Type: Inboard

Fuel Type: Diesel

DETAILED INFORMATION

Interior Details

The salon and galley are on one level for an open space with excellent traffic flow. Panoramic 270-degree view out of the large windows. Custom furniture — including an L-shaped dinette and salon sofa — is finely crafted and offers ample storage for extended voyages. On the accommodations level a luxurious master suite is amidships to port, there's a well-appointed VIP stateroom forward, and a third stateroom to starboard that has comfortable side-by-side berths.

Salon

- Carpeting
- Fabric headliner with wood accents installed on track system for service access
- Sliding glass door to cockpit
- 32" LCD TV
- Bose Lifestyle 35 home theater with AM/FM, CD/DVD, and surround sound speakers
- Fixed frameless windows with tinted safety glass
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- L-shaped lounge with rod storage, loose cushions, arm rests and double needle stitching
- Throw pillows
- Carbon monoxide detector
- Smoke detector
- HVAC control
- Polished stainless-steel threshold at salon door

Galley and Dinette

- Amtico vinyl flooring
- Fabric headliner installed on track system for service access
- Fixed frameless windows with tinted safety glass
- Microwave/convection oven covered by cabinet door
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Genuine wood inserts to match interior finish on appliance fascia
- L-shaped dinette with storage under seat
- Solid-surface countertops with sink and storage cabinets made of finished wood

- AC undercounter refrigerator and freezer drawer unit
- AC four-burner ceramic cooktop
- One-half hp continuous feed garbage disposal
- Drawers (2) in galley fascia, (4) in upper cabinets behind doors

Companionway

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access
- Flush panel doors with door stops to staterooms and head(s)
- Lighted stairway to salon
- DC LED lighting
- Access to port & starboard storage, electric panels, and electric water tank gauge with DC light
- Wainscoting

Master Stateroom

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access
- Queen-sized berth with upholstered headboard and cedar-lined storage underneath
- Upholstered berth base
- HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets
- Cedar-lined hanging locker with doors, shelf and automatic light
- Nightstands with drawers
- Dresser with drawers
- 19" LCD TV
- Bose 3-2-1 GS with AM/FM and DVD/CD w/speakers
- Full-length mirror
- DC LED lighting
- DC low-voltage lights under berth
- AC duplex outlet(s) with ground fault protection
- Private access to head
- Smoke detector
- Carbon monoxide detector
- HVAC control

Master Head

- Amtico vinyl flooring
- Fabric headliner installed on track system for service access
- Wallcovering
- Solid-surface countertop, backsplash, and side splash with integral sink
- Hardwood baseboards
- Stall shower with door and automatic sump pump
- Storage cabinet with mirror above sink
- Base cabinet with storage
- Towel bar
- Freshwater toilet
- 120 volt AC air freshener blower
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Plexi mirror around upper cabinet
- Holding tank 3/4 full indicator lights

Bow VIP Stateroom

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access
- Queen-sized tapered berth with upholstered headboard and cedarlined storage underneath
- Upholstered berth base
- HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets
- Cedar-lined hanging/storage lockers with automatic light
- Nightstands, port and starboard
- DC AM/FM stereo receiver with CD player and speakers
- Full-length mirror
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Private access to head
- Smoke detector
- Carbon monoxide detector
- HVAC control
- Screened overhead hatch with privacy cover
- Washer/dryer

Starboard Guest Stateroom

- Carpeting
- Fabric headliner installed on track system for service access
- Fabric covered hullside(s) and bulkhead(s) installed on track system for service access
- Twin berths with storage under outer berth
- Upholstered berth base(s)
- HMC System 1 mattress, spread, throw pillows, pillows, pillow shams, mattress pad and sheets
- Double cedar-lined hanging locker with doors, shelf and automatic light
- Nightstand with drawers
- Full-length mirror
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Private access to head
- Smoke detector
- Carbon monoxide detector
- HVAC control

Guest Head

- Amtico vinyl flooring
- Fabric headliner installed on track system for service access
- Wallcovering
- Solid-surface countertop, backsplash, and side splash with integral sink
- Hardwood baseboards
- Stall shower with door and automatic sump pump
- Storage cabinet with mirror
- Base cabinet to match interior finish with storage
- Towel bar
- Freshwater toilet
- 120V AC air freshener blower
- DC LED lighting
- AC duplex outlet(s) with ground fault protection
- Plexi-mirror around upper cabinet
- Holding tank 3/4 full indicator lightsatt

Exterior Finish and Construction

- Isophthalic gelcoat, exterior layer, white (all areas except hull)
- Blister resistant vinylester gel coat, clear (hull)

- Hull and superstructure painted with a premium linear polyester/polyurethane coating for improved cosmetics & increased durability
- Polymer/copper based anti-fouling bottom paint
- Boot stripe, linear polyester/polyurethane coating
- Decks, non-skid surface, polyurethane paint with polymeric beads
- Solid fiberglass, resin-infused hull bottom, with premium vinylester resins
- Hull sides of resin infused composite construction with PVC foam core and premium vinylester resins
- Solid fiberglass, resin-infused longitudinal stringers
- Steel resin infused into longitudinal stringers at key locations to create engine foundations
- Bulkheads, athwartships and interior decks of resin-infused composite construction using PVC foam core
- Painted black mask

Hardware and Miscellaneous

- Wood bulkheads, cabinetry and trim with a satin polyester finish in cherry or African mahogany
- All hardware in satin nickel
- Fortress FX-55 anchor, anchor line and deck hawse pipe with anchor tensioner
- Four polished stainless-steel spring line cleats with chafing strips, through bolted in aluminum backing plate
- Polished stainless-steel bow cleats and chocks with chafing strips, through-bolted in aluminum backing plate
- Two polished stainless-steel stern cleats and hawse pipes, through-bolted in aluminum backing plate
- Polished anodized welded aluminum rails on bow, side-deck and flybridge, drilled and tapped in aluminum backing plates
- Fog bell
- Dual air/electric horn
- Zincs on rudders and shafts
- Black braided nylon mooring lines (6)
- Alloy 22 high-strength propeller shafts
- Manganese bronze dripless rudder seals
- Dripless shaft seals with spare seals
- Life jackets (6)
- Life ring
- Portable “drychem” fire extinguishers (4), U.L. approved type in compliance with United States Coast Guard and ABYC standards
- Interceptor trim control
- Manganese bronze struts
- Stainless-steel rudders

- Propellers, Nibral high performance
- Reboarding steps to cockpit
- Black fenders (3)
- Deck plates for fuel and water fills and waste pump out
- Heavy duty engine couplings
- Anchor locker on bow deck

Electrical Systems

- Two 24 volt banks of heavy-duty, 12 volt marine batteries mounted in fire retardant fiberglass boxes
- U.L. 1426 listed boat cable, tin-coated with insulation
- 240-volt automatic/programmable battery charger, 50/60Hz
- Automatic battery paralleling system with switch at control console
- One 240 volt, 50 amp, retractable shore cord with overcurrent protection (cockpit)
- One 240 volt, 50 amp, shore cord inlet with cord
- DC LED lights and fixtures
- AC duplex outlet(s) with ground fault protection
- Battery control panel with fuses and isolation switches
- DC electronics panel with magnetic circuit breakers
- AC and DC distribution panels with magnetic circuit breakers
- AC switching panel with source selector switches, volt meter, ampmeter, frequency meter, generator start/stop controls, and distribution panel selector switches
- Navigation lights
- Ground fault protection on AC receptacles and lighting circuits
- Air conditioning, 42,000 BTU, with reverse cycle heating
- TV antenna, omni-directional
- Ventilation fans in attic space

Flybridge

- Systems monitor with programmable logic controller read-out, visual and audible signals for exhaust temperature, alternator, battery voltage, high bilge water, fire warning in engine compartment, fire extinguisher discharge in engine room, AC power loss, smoke detectors, carbon monoxide detectors, and holding tank 3/4 full monitor
- Polished anodized welded aluminum rails and stanchions
- Two bench seats with vinyl-covered polyfoam cushions and storage underneath
- Control station with all necessary switches and dimmable lighted instrument panel
- Compass with dimmable light

- Pod console with custom wheel and single-lever clutch and throttle controls (electronic) with emergency back-up, engine synchronization, and trolling valve control switches
- Hydraulic power-assisted steering
- Two (2) adjustable helmchairs
- DC AM/FM stereo receiver with CD player and speakers
- Neutral interlock switches allowing engine to start in neutral only
- Fuel level gauges
- Rod storage space in port bench seat
- Top-loading insulated drink box
- Additional storage areas beneath seat(s) and console
- Powder-coated grab rails
- Air Conditioning
- Electric Teaser Reels

Cockpit

- Molded fiberglass, 135 square feet including mezzanine with seating
- Seating with cushions across upper mezzanine
- Polished anodized aluminum ladder to flybridge with acrylic steps
- Transom door
- Fiberglass cockpit boarding step box with storage
- Sliding glass door to deckhouse
- Stereo speakers with volume control
- DC LED overhead lights under flybridge overhang
- Molded-in grab rails on cabin side
- Hatch with chrome plated brass lock to engine compartment
- Freshwater wash down outlet
- Shore water connection with pressure-reducing valve
- Bait and Tackle Center with 3 drawers
- 5.4-cubic-foot bait freezer, port mezzanine
- Insulated storage box in mezzanine
- Storage tub, lower port mezzanine
- Removable 80" fish box with macerator, flush in deck
- Storage in steps to deckhouse with chill box in top step
- Lazzaretto access through hatch
- Aluminum mounting plate laminated in deck for fighting chair
- Polished stainless-steel rod holders, flush mount, set of 4
- Transom hawsers
- Scuppers in cockpit and cockpit hatches

Engine Compartment and Bilge

- Pultruded fiberglass rudder shelf
- AC fluorescent lights
- DC lights
- DC exhaust blowers
- Twin diesel, freshwater-cooled main engines with electrically controlled marine gears, neutral interlocks, exhaust silencers, engine hour meters, alternators, fuel filters and seawater strainers
- FM200 fixed fire extinguishing system for engine compartment with automatic and remote manual controls, plus audible and visual discharge signals
- One 21.5kW freshwater-cooled Electronic Quiet Diesel Onan generator(D) with shock mounts, seawater strainer, remote start, fuel/water separator, hour meter, exhaust water separator and sound enclosure
- Polyethylene water lines
- Freshwater connection
- 24-volt DC bilge and sump pumps: three at 3700 gph, two at 2000 gph and four at 1100 gph, with heavy-duty float switches and protective guards
- Auxiliary emergency bilge pump, 150 gpm in lazarette
- Bronze/chrome-plated ball-valves through-bolted in solid fiberglass on all underwater through hull fittings with electrical bonding throughout
- Pressurized 230 volt AC freshwater pump
- 230-volt AC 20-gallon electric water heater
- Integral fiberglass fuel tank constructed with fire retardant resin and bronze fittings, and coated with fire-retardant paint
- Polyethylene water tank
- Polyethylene sewage holding tank with 24 volt DC sewage pump, plumbed for dockside pump-out with 3/4 full display and alarm as part of systems monitor programmable logic controller
- 24-volt DC oil changing system for engines, gear and generator with Hatteras patented quick disconnect
- U.L. Marine-listed fuel filter/water separator, generator
- Sealed shower sumps
- U.L. Marine-listed duplex fuel filters/water separators with bypass manifold, engines
- Electric fuel priming pumps, engines
- Powder coated grab rails
- Painted polyurethane engine room and bilges
- United States Coast Guard type A1 U.L. Marinelisted fuel lines
- Isolated discharge sea chest
- 1" stainless-steel steering tie bar with pivoting self aligning ball joint connection at all cylinder and tie bar connections
- Insulation in deck
- Pick-up sea chests
- DC voltmeter in battery panel
- Start / stop switches and hour meter

- Rubber deck mat between engines
- Transducer well, glycol filled

Performance Measurements

RPM	KNOTS	GPH	MPG	STAT. MILE
550	7.7	5.5	1.6	1728
1500	25.5	74.0	0.4	428
1750	31.5	96.5	0.4	406
2000	36.7	122.5	0.3	372
2150	39.0	136.0	0.3	357
2250	40.7	149.0	0.3	340
2365	42.4	165.5	0.3	315

Exclusions


Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS

2013 Hatteras 54GT - Bucket List



2013 Hatteras 54GT




2013 Hatteras 54GT



2013 Hatteras 54GT




2013 Hatteras 54GT



2013 Hatteras 54GT



2013 Hatteras 54GT



2013 Hatteras 54GT



2013 Hatteras 54GT



2013 Hatteras 54GT




2013 Hatteras 54GT



2013 Hatteras 54GT




2013 Hatteras 54GT



2013 Hatteras 54GT



2013 Hatteras 54GT



2013 Hatteras 54GT




2013 Hatteras 54GT



2013 Hatteras 54GT




2013 Hatteras 54GT



2013 Hatteras 54GT




2013 Hatteras 54GT



2013 Hatteras 54GT



2013 Hatteras 54GT



2013 Hatteras 54GT



2013 Hatteras 54GT



2013 Hatteras 54GT




2013 Hatteras 54GT



2013 Hatteras 54GT



2013 Hatteras 54GT



2013 Hatteras 54GT



2013 Hatteras 54GT



2013 Hatteras 54GT



2013 Hatteras 54GT



2013 Hatteras 54GT



2013 Hatteras 54GT



2013 Hatteras 54GT



CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: **andrey@shestakovyachtsales.com**

Web: shestakovyachtsales.com/en/

Telephones

USA: **+1(954)274-4435**

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004