

SWITCHBACK — J BOATS



Судостроитель: J BOATS

Год постройки: 2013

Модель: Гоночная яхта

Цена: ЦЕНА ЯХТЫ ПО ЗАПРОСУ

Местонахождение: United States

Длина общая: 23' 0" (7.01m)

Ширина: 7' 6" (2.29m)

Макс. осадка: 4' 9" (1.45m)

Купить **Switchback — J BOATS** а также выбрать подходящую вам яхту из нашего каталога яхт вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания **Shestakov Yacht Sales Inc.** имеет большое количество яхт в собственном списке продаж, а также тесно сотрудничает со всеми крупными яхтенными производителями по всему миру.

Для того чтобы купить яхту **Switchback — J BOATS** а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	3
Обзор	3
Основная информация	3
Размеры	3
Скорость, вместимость и масса	3
Корпус и палуба	3
Информация о двигателе	3
ПОДРОБНОЕ ОПИСАНИЕ	4
Overview	4
Исключения	6
Отказ от ответственности	6
ФОТОГРАФИИ	7
КОНТАКТЫ	12
Контактная информация	12
Телефоны	12
Время работы	12
Адрес	12

ХАРАКТЕРИСТИКИ

Обзор

Two owner boat originally sold by this broker and raced on Lake Ontario. Then off to Connecticut for some local weeknight racing. Major improvement over a standard hull is the Grand Prix Race Bottom (\$9,500). Lightly used, dry sailed in season and kept inside a heated building in the winters. New SeaDeck soft deck in the cockpit installed in 2019.

Основная информация

Тип судна: Гоночная яхта

Модельный год: 2013

Год постройки: 2013

Страна: United States

Размеры

Длина общая: 23' 0" (7.01m)

Ширина: 7' 6" (2.29m)

Макс. осадка: 4' 9" (1.45m)

Скорость, вместимость и масса

Водоизмещение: 1750 Pounds

Корпус и палуба

Материал корпуса: Fiberglass

Информация о двигателе

Двигатели: 1

Производитель: Electric

Модель: Torqeedo

ПОДРОБНОЕ ОПИСАНИЕ

Overview

Equipment:

- Soft deck in cockpit, made by SeaDeck (installed 2019)
- Kinder deck cover
- Kinder Hull transport cover
- Newer Sheets
- Spinnaker Launch Bag
- Jib cross sheeting cleats
- Lifting Straps for Crane Launch
- Lifeline Covers
- 3rd Hands Shroud Keepers & Carbon Rig Sticks
- Deck Block Carbon Wear Patches
- Carbon Winch Covers
- Companionway spray cover
- Padded travel bag for rudder
- Cockpit Mounted Storage Bag
- Velocitek Carbon Mast Mount (No instrument)
- Jib Sock
- Harken Padded Fender
- Misc Parts Bag

Motor:

- Torqeedo Electric Motor
- 2 Batteries with charger

Sails:

- Two sets of Ullman Race Sails

Trailer:

- Triad trailer
- Stainless Steel Disc Brakes
- Fiberglass storage box
- Drysail Kit for Keel Down Storage

- Spare tire and mount
- Rear jack
- LED light package
- Tie Down Ratchet Straps with hull pads

J/70 Specifications

- Construction J/70 hull laminated with biaxial and unidirectional E-glass fabrics and balsa core for rugged durability.
- Deck molded with similar glass fabrics and Corecell foam core.
- High density core material and additional glass reinforcements are placed in way of highly loaded hardware.
- All laminates are engineered and built to required ISO structural standards.
- Molded internal bulkheads and ring frames with gelcoat finish, bonded to the hull and/or deck.
- Molded lift-keel structure jigged, aligned and integrally molded during primary hull layup.
- High strength, inward turning and overlapping hull to deck joint bonded with structural adhesive.
- Molded non-skid on horizontal deck surfaces.
- 4.75' draft lifting keel with lead ballast featuring an internal leading-edge kelp cutting mechanism operable from the cockpit while underway, SS lock down plate and a single point lifting ring w/2:1 aluminum keel crane lift system.
- (2) Harken investment cast diamond boat lift padeyes installed adjacent to keel P&S.
- High aspect transom mounted molded rudder.
- Lightweight aluminum outboard bracket mounted to transom.
- Deck Large self-draining cockpit with molded foot braces on centerline.
- Molded companionway cover both hinged & removable with lockable drop board.
- Molded foredeck toe-rails P & S. SS custom fabricated chain plates for shrouds and backstay terminations.
- Interior ventilation hatch mounted on cabin house forward of mast.
- (2) Harken B8 primary winches with cam cleats and 8" winch handle.
- Two Ronstan black anodized jib T tracks with cars to accommodate 2:1 jib sheet terminations.
- 5:1 Harken mainsheet system leading to ratchet block and cam mounted on centerline swivel base.
- Adjustable mainsheet traveler with 2:1 control line and cam cleats P & S.
- Double ended backstay adjuster purchase system leading forward to P & S cam cleats.
- Internal bowsprit launching system to exit aft face of the cabin house to cam cleat.
- Harken Small Boat Underdeck headsail furling system with hoistable swivel and control line exiting aft face of cabin house to cam cleat.
- Tack line cam cleat mounted to starboard on cabin.
- Composite tiller with Ronstan tiller extension.
- (4) Spinnaker sheet blocks with (2) outboard of primary winches and (2) aft.

- (2) halyard lead blocks mounted at mast base.
- Four low height SS stanchions and two reinforced SS stern rails at transom corners.
- 12" Dyneema lifelines surrounding the cockpit with comfort pads and termination points on deck edge forward of shrouds.
- Dyneema transom lifeline gate with quick release Foredeck U-bolt for mooring/dockline attachment.
- Spars & Rigging Southern Spars carbon fiber mast with single swept carbon spreaders, carbon masthead crane and mainsail luff track.
- Easy to raise and lower with deck step design and tabernacle system.
- Mast finished in satin black with contrasting white bands.
- Carbon fiber boom with internal 4:1 outhaul, mainsheet attachment point, outhaul and single reef sheaves as well as provision for reef cleat and block at inboard end. Finished in satin black with contrasting white bands.
- Carbon bow sprit with tack ferrule fitting, painted black finish and seal system mounted at sprit housing. 1 x 19 wire standing rigging with adjustable Ronstan turnbuckles for shrouds.
- Double ended boom vang system.
- Running Rigging Package to include: Main, jib & spinnaker halyards Main sheet, spinnaker sheets, jib sheets 18" main sheet strop Tack line, sprit control line Vang control line Traveler control lines Cunningham Dyneema Bow bridal for trailer loading
- Interior Air dry gelcoat finish on hull & deck surfaces Removable cabin floor (2) Bench style molded seats P & S.
- Bin storage aft of seats.
- Molded liner platform with inspection port.
- Molded cockpit support bulkhead with inspection port.
- Anodized aluminum compression post to transfer mast step loads to internal hull structure. Molded entry step.

Исключения


При продаже яхты исключаются личные вещи владельца.




Отказ от ответственности


Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.

ФОТОГРАФИИ











КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com

Телефоны

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

Время работы

Понедельник – Суббота: **9:00 - 21:00**
EDT

Воскресенье: **Закрито**

Адрес



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004