

## UNIESSE SS 6 — UNIESSE



**Builder:** UNIESSE

**Year Built:** 2019

**Model:** Motor Yacht

**Price:** PRICE ON APPLICATION

**Location:** United States

**LOA:** 60' 1" (18.31m)

**Beam:** 15' 5" (4.70m)

**Min Draft:** 4' 0" (1.22m)

**Max Draft:** 4' 7" (1.40m)

**Cruise Speed:** 35 Kts. (40 MPH)

**Max Speed:** 41 Kts. (47 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **Uniesse SS 6 — UNIESSE** from **our catalogue**. Presently, at **Shestakov Yacht Sales Inc.**, we have a wide variety of yachts available on **our sale's list**. We also work in close contact with all the big **yacht manufacturers** from all over the world.

If you would like to buy a yacht **Uniesse SS 6 — UNIESSE** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

# TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	6
Basic Information	6
Dimensions	6
Speed, Capacities and Weight	6
Accommodations	6
Hull and Deck Information	7
Engine Information	7
DETAILED INFORMATION	8
Main Propulsion	8
Fiberglass Structural Composition	8
Exterior Painting	9
On-Board Systems	10
Deck Outfitting	13
Electrical Systems	16
Interior Areas	17
Exclusions	21
Disclaimer	21
PHOTOS	22
Uniesse 56SS 5496 ©Jim Raycroft	22
gfLTA5gf_Fotor	22
KV9-W4T_Fotor	22
iB8cPQWF	22
HeW_TJQC	22
CXr3xdYM	22
aA2-JcRf	22
pvcBmkkA	22
SdUy-LNK	23

nIEO2Khx	23
kYfKRuRu	23
KVa9-W4T	23
76y5oxiY_Fotor_Fotor	23
076A5903_©_jimRaycroft	23
-oRpjVnf	23
076A5724_©_jimRaycroft	23
rNsMd8B8	24
Uniesse 56SS 2665 ©Jim Raycroft	24
Uniesse 56SS 2728 ©Jim Raycroft	24
Uniesse 56SS 2996 ©Jim Raycroft	24
Uniesse 56SS 5210 ©Jim Raycroft_Fotor	24
Uniesse 56SS 5203 ©Jim Raycroft	24
076A5942_©_jimRaycroft	24
076A5958_©_jimRaycroft	24
Uniesse 56SS 5086 ©Jim Raycroft_Fotor	25
Uniesse 56SS 5234 ©Jim Raycroft	25
large_2440348	25
large_2440335	25
large_2440334	25
Uniesse 56SS 5421 ©Jim Raycroft	25
Uniesse 56SS 5065 ©Jim Raycroft	25
large_2440337	25
large_2440336	26
Uniesse 56SS 5372 ©Jim Raycroft	26
Uniesse 56SS 5391 ©Jim Raycroft	26
Salon 5615-HDR ©Jim Raycroft_Fotor	26
Salon 5623-HDR2 ©Jim Raycroft_Fotor	26
Uniesse 56SS 5668-HDR ©Jim Raycroft_Fotor	26

---

Uniesse 56SS 2579 ©Jim Raycroft	26
Uniesse 56SS 2919 ©Jim Raycroft	26
Uniesse 56SS 5631-HDR3 ©Jim Raycroft_Fotor	27
Uniesse 56SS 5656-HDR ©Jim Raycroft	27
Uniesse 56SS 2585 ©Jim Raycroft	27
Uniesse 56SS 2581 ©Jim Raycroft	27
Twin 5857-HDR ©Jim Raycroft	27
Uniesse 56SS 5787 ©Jim Raycroft	27
Uniesse 56SS 2638 ©Jim Raycroft	27
Uniesse 56SS 2646 ©Jim Raycroft	27
Uniesse 56SS 5755 ©Jim Raycroft	28
Uniesse 56SS 5777 ©Jim Raycroft	28
Uniesse 56SS 5703-HDR ©Jim Raycroft	28
Uniesse 56SS 5684-HDR ©Jim Raycroft	28
Uniesse 56SS 2898 ©Jim Raycroft	28
Uniesse 56SS 3076 ©Jim Raycroft	28
Uniesse 56SS 5727 ©Jim Raycroft	28
Uniesse 56SS 5716 ©Jim Raycroft	28
Uniesse 56SS 5719 ©Jim Raycroft	29
Uniesse 56SS 5724 ©Jim Raycroft	29
Uniesse 56SS 5736 ©Jim Raycroft	29
VIP 5813-HDR ©Jim Raycroft	29
VIP 5829-HDR ©Jim Raycroft	29
Twin 5857-HDR ©Jim Raycroft	29
Uniesse 56SS 2659 ©Jim Raycroft	29
Uniesse 56SS 2655 ©Jim Raycroft	29
f7365a5c-2500-4101-a4a2-b8b6d98af07b	30
8dc9cd56-3a78-48ea-b321-629c355ae924	30
6661e2e5-0e37-410d-a293-f78a1662d514	30

---

---

62ebdebc-161b-4d9e-a446-fb9f1530fd3c	30
9f666a63-50a1-4f34-ab5a-21d7f68bb4fe	30
64bf203a-c635-4596-bcf5-1a3b9b6d7c9a	30
b3ae3189-66a1-46f6-9f49-b78cc4dc27db	31
ddd02dcd-c241-41d2-b260-e61a57197ce5	31
1738d35a-6bdd-45fb-b583-eec25542df07	31
379a2c14-8d58-40ad-b61c-aa0e390a2d3d	31
b4a95803-283f-436c-9641-2823e18f4c4c	31
6389c109-89c5-400f-b2cf-a279014bb6e7	31
30de111f-cb5c-4e96-b0bc-a2cdce415093	32
8d4815aa-27ba-4111-aa70-f6d2cf1c221f	32
39bedb3b-e345-425b-b36f-bf8389ef7a74	32
2d3c3fbc-f2d8-4d5e-ac25-9c91c90cd71e	32
03d8a64a-9bac-4cf5-acc6-866e5885e6b6	32
c8ef4a48-c480-4384-8088-ed38dfa1b325	32
large_2440326	33
CONTACTS	34
Contact details	34
Telephones	34
Office hours	34
Address	34

---

---

# SPECIFICATIONS

---

## Basic Information

---

**Category:** Motor Yacht

**Sub Category:** Sport Cruiser

**Model Year:** 2019

**Year Built:** 2019

**Country:** United States

## Dimensions

---

**LOA:** 60' 1" (18.31m)

**Beam:** 15' 5" (4.70m)

**Min Draft:** 4' 0" (1.22m)

**Max Draft:** 4' 7" (1.40m)

## Speed, Capacities and Weight

---

**Cruise Speed:** 35 Kts. (40 MPH)

**Cruise Speed Range:** 455

**Max Speed:** 41 Kts. (47 MPH)

**Displacement:** 59525 Pounds

**Gross Tonnage:** 29 Pounds

**Water Capacity:** 193 Gallons

**Holding Tank:** 57 Gallons

**Fuel Capacity:** 660 Gallons

## Accommodations

---

**Total Cabins:** 3

**Sleeps:** 6

**Total Heads:** 2

---

## Hull and Deck Information

---

**Hull Material:** GRP

**Deck Material:** Teak

**Hull Configuration:** Planing

**Hull Color:** Stone Grey

**Hull Finish:** Fiberglass

**Hull Designer:** Fred Hudson

**Exterior Designer:** Uniesse

**Interior Designer:** Uniesse

---

## Engine Information

---

**Engines:** 2

**Manufacturer:** Volvo Penta

**Model:** D13 1350 IPS

**Fuel Type:** Diesel

---

# DETAILED INFORMATION

---

## Main Propulsion

---

Volvo Penta D13

Crankshaft Power 1000hp/735kw @ 2400rpm

6 Cylinders

Main Engine:

Bore 131mm

Stroke 158mm

Displacement 12.8L

IPS3 (IPS1350)

Drives/Pods: Power 1350hp

Bronze material of pods

Q6

Propellers: Nibral (Nickel-Bronze-Aluminum) material

Double propeller (3 blade fwd and 4 blade aft)

## Fiberglass Structural Composition

---

General  
Description:

Hull built in monolithic GRP, with local reinforcements. Transverse and longitudinal reinforcement throughout hull made with unidirectional and woven roving fiberglass bottom and deck in blister-resistant Vinilester resin hand laid. Top sides and deck in GPR hand laid in Vinilester resin with Airex sandwich sides and PVC reinforcement for decks.

Monolithic GRP construction with a minimum thickness as required by ISO of 13mm. Norpol Gelcoat NGA by Reichhold based on Isoftalic/Neopentilic polyester. Vinyl Ester HN800TA31 low Styrene emission laminating resin.

Quadriaxial, Biaxial, Unidirectional and Chopped Strand Mat products with



Materials Used:	full type approvals and class certification. Sandwich core made from Airex closed cell, cross- linked polymer foam for superior toughness and negligible water absorption.  Structural longitudinal and transversal internal reinforcements made from Polyurethane rigid foam.  Monolithic resined lower hull in order to avoid any potential water infiltrations due to hull damage.
Hull:	Topsides made in sandwich with Airex core.  Local increased thickness reinforcement applied on keel line, spray rails, engine rooms and bow, reaching 25mm monolithic.  Decks made in sandwich with Airex core.
Deck & Hard Top:	Local reinforcements and added monolithic thickness for bollards and fairleads, handrail stanchions, rub rail, etc.  Local increased thickness reinforcement applied on keel line, spray rails, engine rooms and bow, reaching 25mm monolithic.
Bulkheads:	Airex closed cell core with thickness 30mm.
Stringers (Long & Transv. General:	Polyurethane closed cell rigid foam (Density: 40kg/m3).
Stringers (Engine Basements):	Polyurethane closed cell rigid foam 200 kg/m3 (100mm per side wider than Volvo minimum).

## Exterior Painting

Awlcraft SE  
Hull Topsides & Hardtop:  
Stone Gray / Color code E1006

Antifouling: Ultra 300  
Black

## On-Board Systems

Generator:	Kohler 21EKOZD 21kw Mono 60 Hz
Stainless Steel, CE, Flanged	Sight Glass
Fiberglass (structural integral part of the hull), CE, Flanged	Remote Reading
Remote Reading	Tank Capacities:
Grey water: 300 ltrs.	Black water: 300 ltrs.

<p style="font-size:12pt;font-family:Cambria;text-align:justify;">Sea Cooling Water: CE approved rubber with double stainless clamping.</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Black &amp; Gray Water: (Not in ER) Polyvinyl chloride (PVC)</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Black &amp; Gray Water: (In ER) AISI 316 Stainless steel</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Hot &amp; Cold Freshwater: Multilayer PVC</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Fuel Oil: CE approved rubber and press-fitting AISI 316 stainless steel</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Bilge &amp; Fire: CE approved rubber and press-fitting AISI 316 stainless steel</p>	<p style="font-size:12pt;font-family:Cambria;">Fuel System:</p>
	<p style="font-size:12pt;font-family:Cambria;text-align:justify;">Embarkation: 2 x deck refueling points</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Remote levels on monitoring system</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Sight gauges one on each tank</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Main manifold can level all tanks</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Quick release located in port side main deck furniture</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Main engine fuel filters: Racor double filter system (Volvo Penta supply)</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Generators fuel filter: Racor single filter system</p>
<p style="font-size:12pt;font-family:Cambria;">Ventilation System:</p>	<p style="font-size:12pt;font-family:Cambria;text-align:justify;">Engine Room Ventilation: Naturally aspirated air through air chamber</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">ER Ventilation Dampers: 350 x 400 stainless steel remotely operated dampers</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Engine Room Extraction: 2 x Gianneschi C25 RD 24Vcc extractor units</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">ER Extraction Dampers: 200 x 200mm stainless steel remotely operated dampers</p>
	<p style="font-size:12pt;font-family:Cambria;">Freshwater System:</p> <p style="font-size:12pt;font-family:Cambria;">Embarkation: 1 x deck filling point</p> <p style="font-size:12pt;font-family:Cambria;">Autoclave: Gianneschi Ecoinox double pump system</p> <p style="font-size:12pt;font-family:Cambria;">Hot Water Boiler: Quick 60ltr (1200w) fully insulated boiler</p> <p style="font-size:12pt;font-family:Cambria;">Exterior Shower: 2 x fwd and aft areas</p> <p style="font-size:12pt;font-family:Cambria;">Anchor Chain Wash Water directed on to anchor chain as it raises</p>

<p>Andrey Shestakov ShestakovYachtSales.com/en</p>
--

<p>family:'Lucida Grande';"&gt;&amp;deg;&lt;/span&gt;&lt;/strong&gt;1 AP3 Standard series 7 fan-coil (guest cabin)&lt;/p&gt;&lt;p style="font-size:12pt;font-family:Cambria;text-align:justify;"&gt;N&lt;strong&gt;&lt;span style="font-family:'Lucida Grande';"&gt;&amp;deg;&lt;/span&gt;&lt;/strong&gt;1 AP8 Standard series 7 fan-coil (galley)&lt;/p&gt;&lt;p style="font-size:12pt;font-family:Cambria;text-align:justify;"&gt;N&lt;strong&gt;&lt;span style="font-family:'Lucida Grande';"&gt;&amp;deg;&lt;/span&gt;&lt;/strong&gt;1 AP10 Standard series 7 fan-coil (owner&amp;rsquo;s cabin)&lt;/p&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td style="width:130.5pt;padding:0in 5.4pt;border-style:none solid solid;text-align:left;" valign="top" width="131"&gt;&lt;p style="font-size:12pt;font-family:Cambria;"&gt;Fire System:&lt;/p&gt;&lt;/td&gt;&lt;td style="padding:0in 5.4pt;border-style:none solid solid none;text-align:left;" valign="top"&gt;&lt;p style="font-size:12pt;font-family:Cambria;text-align:justify;"&gt;ER Extinguisher: Sea-Fire 3MTM Novec TM 1230 Fire Protection Fluid&lt;/p&gt;&lt;p style="font-size:12pt;font-family:Cambria;text-align:justify;"&gt;Remote release station main deck port locker&lt;/p&gt;&lt;p style="font-size:12pt;font-family:Cambria;text-align:justify;"&gt;6 x 2kg Portable powder extinguishers (owner&amp;rsquo;s cabin, twin guest cabin, VIP fwd cabin, galley, wheelhouse, salon)&lt;/p&gt;&lt;p style="font-size:12pt;font-family:Cambria;text-align:justify;"&gt;1 x 2kg Co2 Extinguisher main deck locker&lt;/p&gt;&lt;p style="font-size:12pt;font-family:Cambria;text-align:justify;"&gt;1 x 5kg Portable powder extinguisher in ER&lt;/p&gt;&lt;/td&gt;&lt;/tr&gt;&lt;/tbody&gt;&lt;/table&gt;&lt;br /&gt; </p>
--

## Deck Outfitting

<div data-bbox="87 2132 440 2197" data-label="Page-Footer"> <p>Andrey Shestakov ShestakovYachtSales.com/en</p> </div> <div data-bbox="1077 2132 1517 2197" data-label="Page-Footer"> <p>Tel: +1(954)274-4435 (USA) andrey@shestakovyachtsales.com</p> </div>
--

<p>Fwd. Anchor Holder:</p>	<p>Custom Made</p>
<p>Aft Electric/Hydraulic Platform:</p>	<p>Besenzoni Model PL600</p>
<p>Manual Swimming Ladder:</p>	<p>Besenzoni Model SM410</p>
<p>Aft Cockpit Sliding Salon Door:</p>	<p>Tempesta Model 4 sliding door leaf</p>
<p>External Furniture (Port):</p>	<p>Raritan Icemaker Model 87B515-1 115V 60 Hz Gaggenau Teppanyaki grill Main engine, dampers and fuel cut-off stops Actuates: transom platform, cockpit table and ER hatches Stainless steel custom handrail and holding piston</p>
<p>External Furniture (Stbd):</p>	<p>Vitrifrigo external fridge 60 lt. Built-in sink with custom folding faucet Predisposition for fire hydrant Stainless steel custom handrail and holding piston</p>
<p>External Ceilings:</p>	<p>Cantalupi LED custom lighting fixtures 2 x Revel C383XC waterproof speakers 180 degree view of aft cockpit from custom CCTV camera</p>
<p>Miscellaneous</p>	<p style="text-align:justify;">High density PVC foam covered with resin cockpit table with Besenzoni electrical sliding piston model T276 Closed cell foam covered upholstery with high quality water resistant Sunbrella fabric 2 x Double piston custom made hatches for access to engine room. 10mm Highest quality Burma teak deck in aft cockpit and side walks. Aft aperture in bulwarks for self-draining characteristics 2 x Custom designed stainless steel and glass hatches Custom aft backrest in fabric</p>

covered fiberglass and custom stainless holders.	<p>Stern/Aft Platform Areas:</p> <p style="text-align:justify;">2 x Stainless steel glendinning covers for shore power cable</p> <p style="text-align:justify;">Large horizontal hatch and storage locker for deck accessories (fenders, lines, etc.)</p> <p style="text-align:justify;">Storage for life raft on lower areas of transom</p> <p style="text-align:justify;">10mm Highest quality Burma teak deck with stainless steel inserts</p> <p style="text-align:justify;">Foresti &amp; Suardi custom Uniesse manufactured platform pop-up cleats</p>
	<p>Bow Areas:</p> <p style="text-align:justify;">Closed cell foam covered sun pad cushions with high quality water resistant Sunbrella fabric.</p> <p style="text-align:justify;">Wireless speaker system with 2x Denon Heos HS2</p> <p style="text-align:justify;">Custom stainless steel Uniesse cup holder and wireless speaker base</p> <p style="text-align:justify;">Custom-built hatch for VIP cabin skylight</p> <p style="text-align:justify;">Gallinea custom windscreen wipers</p> <p style="text-align:justify;">Custom fiberglass hatch</p> <p style="text-align:justify;">Custom stainless steel ladder into area</p>
Mast Area:	<p style="text-align:justify;">Stainless steel custom made antenna mast holding:</p> <ul style="list-style-type: none"> <li style="text-align:justify;">Lopolight mast and nav light</li> <li style="text-align:justify;">Volvo Penta DPS antenna</li> <li style="text-align:justify;">Flir camera</li> </ul> <p style="text-align:justify;">Fiberglass custom made antenna grp mast holding:</p> <ul style="list-style-type: none"> <li>Garmin radar</li> <li>Kahlenberg horn</li> <li>Kahlenberg air compressor (interior of mast)</li> </ul> <p>Mast Arch:</p> <ul style="list-style-type: none"> <li>SAT TV dome</li> <li>Dummy dome containing GPS and 3G antennas</li> <li>2 x VHF antennas</li> <li>Custom antiskid design with Uniesse logo</li> </ul>
	<p>Windows &amp; Portholes:</p> <p style="text-align:justify;">Chemically tempered curved laminated glass hull windows including a SGP interlaminated</p> <p style="text-align:justify;">Amare custom &amp;ldquo;infinity portholes&amp;rdquo; ranging from 100mm to 150mm diameter with type approval</p> <p style="text-align:justify;">All calculations for windows follow the &amp;ldquo;RINA Rules for Pleasure Yachts 2018 (Pt. B, Ch. 1, Sec. 1)&amp;rdquo;</p>

## Electrical Systems

<p>Batteries:</p>	<p>Main Engine: 2 packs of 2x Exide EP1500 agm batteries with a total capacity of 180 A/H at 24V DC (each)</p> <p>Generator: 1 EM1100 genset starting battery with 100 A/H 12V DC capacity.</p> <p>Service: 1 pack of Exide 8x gel ES1100 6V 400 A/H 24V DC total capacity</p>
<p>Generator:</p>	<p>21EKOZD</p>
<p>Shore Power:</p>	<p>#1: 220/115V 50 A Main shore power with isolation transformer for main switchboard</p> <p>#2: 220/115V 50 A Additional shore power for air conditioning system only</p> <p>Glendinning CM-7 50 amp automatic shore power retrieval</p>
<p>Battery Chargers:</p>	<p>Main, generator and service</p>
<p>Navigation Lights:</p>	<p>Lopolights</p>
<p>Monitoring System:</p>	<p>Uniesse systems control monitor with custom 56SS profile schematic, including:</p> <ul style="list-style-type: none"> <li>Tanks conditions</li> <li>Bilge system</li> <li>Batteries conditions</li> <li>Engine room ventilation</li> <li>Generator status and controls</li> <li>Fire system alarm (includes 5 sensors throughout boat)</li> <li>Windscreen wipers</li> <li>External lighting</li> </ul>
<p>NavCam Electronics:</p>	<p>Helm: Volvo Penta/Garmin fully integrated "Glass Cockpit" system</p> <p>Custom stainless and leather steering wheel</p> <p>Besenzoni/Uniesse custom electrical chairs Model P256</p> <p>Amare custom glass windows</p>



	<div data-bbox="186 1646 528 1697" data-label="Section-Header"> <h2>Interior Areas</h2> </div> <div data-bbox="430 1765 616 1805" data-label="Section-Header"> <h3>Main Deck:</h3> </div> <div data-bbox="475 1841 775 1926" data-label="List-Group"> <ul style="list-style-type: none"> <li>• Salon</li> <li>• Command Area</li> </ul> </div> <div data-bbox="90 1982 414 2072" data-label="Section-Header"> <h3>General Description &amp; Layout:</h3> </div> <div data-bbox="430 1964 643 2004" data-label="Section-Header"> <h3>Lower Deck:</h3> </div> <div data-bbox="475 2038 968 2083" data-label="List-Group"> <ul style="list-style-type: none"> <li>• Master cabin and bathroom</li> </ul> </div> <div data-bbox="86 2130 442 2197" data-label="Page-Footer"> <p><b>Andrey Shestakov</b> ShestakovYachtSales.com/en</p> </div> <div data-bbox="1077 2130 1514 2199" data-label="Page-Footer"> <p>Tel: +1(954)274-4435 (USA) andrey@shestakovyachtsales.com</p> </div>
--	--

- Galley
- Guest cabin
- VIP/guest bathroom
- VIP cabin

Tabu MNX03020 Darker wood

Alpi 11.06 Lighter wood

Darker leather

Materials:

Lighter leather

Tabu 86021 Floor parket

Larimar wood for structural bulkheads 28mm thickness

Larimar wood for floorings 18mm thickness

Salon:

- Large “C” shaped leather sofa
- LED lighting with dimmers
- Courtesy LED lighting with dimmers
- WiFi wireless connection throughout the boat with a 3G/4G broadband shore connection
- Apple/Android compatible HiFi and WiFi system with connection of areas
- HiFi sound system with subwoofer
- Wood/parket floor
- Domotic system for entertainment, AC and lighting
- Electrical switches with dimmers
- Electrical sockets - 110 volts US
- USB outlets
- Custom coffee/dining table
- Wood venetian blinds
- 40” LCD TV with pop-up system
- Leather ceiling
- Electric sliding window
- 2 x Skylights with protective film and sun shade
- Skylight to master cabin below

Galley:

- Wall organized storage cupboards

- Cutlery organized drawer
- Absolute Black marble worktop
- LED lighting with dimmers
- Courtesy LED lighting with dimmers
- Stainless steel sink with macerator and hot/cold water mixer
- Waste can
- Organized locker for dishes
- Sockets - 110 volts US (nr. 2)
- USB outlets (nr. 01)
- Venetian blind metallic silver
- Wood/parket floor

#### Appliances:

- A & G side by side refrigerator RXE75911 TM 220/240 V 50 Hz
- Miele hob Model KM6115 220/240 V 50/60 Hz
- Broan Hood Model PM250 120 V 60 Hz
- Miele oven Model H6200 BM AM 208/240 V 60 Hz
- Macerator

#### Master Cabin:

- Queen size bed with custom mattress and storage below
- Lateral wardrobe
- 2 x Night tables
- Fore drawers and flip up storage under the bed
- LED lighting with dimmers
- Courtesy LED lighting with dimmers
- Carpet and underlay
- Panoramic windows with s/s round opening porthole (nr. 2)
- 40" LCD TV
- Domotics
- Sockets 24/220 volt Europe - 110 volts US (nr. 4)
- USB outlets (nr. 2)
- Closet shelves
- Headboard in custom fabric
- Leather ceiling
- Wood venetian blinds

#### Master Head:

- White lacquer finish walls
- Shower head
- Vanity locker

## Area Descriptions:

- Stainless steel and glass panoramic wall overlooking stateroom
- Panoramic windows
- Stall shower with custom hot/cold water mixer control rain shower
- Sky light
- LED lighting with dimmers
- Sink with hot/cold water mixer
- Marble floor
- Marble sink and countertop
- Marble shower floor and walls
- Head fittings: glass holder, toilet roll holder, soap holder, WC cleaning brush holder
- Mirror
- Venetian blinds
- Electric freshwater system Tecma toilet
- Sockets 24/220 volt Europe - 110 volts US (nr. 2)
- Toilet area extractor ventilation system

## VIP Cabin:

- Queen size bed with custom mattress
- Lateral wardrobe (nr. 2)
- 2 x Night tables
- Fore drawers and flip up storage under the bed
- LED lighting with dimmers
- Courtesy LED lighting with dimmers
- Carpet and underlay
- Panoramic windows with s/s round opening portholes (nr. 2)
- 32" LCD TV
- Domotics
- Sockets 24/220 volt Europe - 110 volts US (nr. 4)
- USB outlets (nr. 2)
- Headboard in custom fabric
- Leather ceiling
- Wood venetian blinds

## VIP/Guest Head:

- White lacquer finish walls
- Shower head
- Vanity locker
- Panoramic windows
- Stall shower with custom hot/cold water mixer control rain shower

- LED lighting with dimmers
- Courtesy LED lighting with dimmers
- Sink with hot/cold water mixer
- Marble floor
- Marble sink and countertop
- Marble shower floor and walls
- Head fittings: glass holder, toilet roll holder, soap holder, WC cleaning brush holder
- Mirror
- Venetian blinds
- Electric fresh water system Tecma toilet
- Sockets 24/220 volt Europe - 110 volts US (nr. 2)
- Toilet area extractor ventilation system

#### Starboard Guest Cabin:

- Double beds side by side with custom mattresses
- Wardrobe (nr. 1)
- Drawers under the beds
- Night table with drawers
- Headboard in custom leather
- LED lighting with dimmers
- Courtesy LED lighting with dimmers
- Carpet and under carpet
- Panoramic windows with s/s round opening porthole
- Sockets 24/220 volt Europe - 110 volts US
- USB outlets
- 32" LCD TV
- Domotics
- Venetian blinds
- Leather ceiling

---

## Exclusions

Owner's personal belongings.

---

## Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

# PHOTOS

---

**Uniesse 56SS 5496 ©Jim Raycroft**



**gfLTA5gf\_Fotor**




**KVa9-W4T\_Fotor**




**iB8cPQWF**




**HeW\_TJQC**



**CXr3xdYM**



**aA2-JcRf**



**pvcBmkka**



**SdUy-LNK**



**nIEO2Khx**



**kYfKRuRu**



**KVa9-W4T**




**76y5oxiY\_Fotor\_Fotor**



**076A5903\_©\_jimRaycroft**



**-oRpjVnf**



**076A5724\_©\_jimRaycroft**



**rNsMd8B8**



**Uniesse 56SS 2665 ©Jim Raycroft**




**Uniesse 56SS 2728 ©Jim Raycroft**




**Uniesse 56SS 2996 ©Jim Raycroft**




**Uniesse 56SS 5210 ©Jim  
Raycroft\_Fotor**




**Uniesse 56SS 5203 ©Jim Raycroft**



**076A5942\_©\_jimRaycroft**




**076A5958\_©\_jimRaycroft**







**Uniesse 56SS 5086 ©Jim Raycroft\_Fotor**



**Uniesse 56SS 5234 ©Jim Raycroft**




**large\_2440348**



**large\_2440335**




**large\_2440334**



**Uniesse 56SS 5421 ©Jim Raycroft**



**Uniesse 56SS 5065 ©Jim Raycroft**



**large\_2440337**



**large\_2440336**



**Uniesse 56SS 5372 ©Jim Raycroft**




**Uniesse 56SS 5391 ©Jim Raycroft**



**Salon 5615-HDR ©Jim Raycroft\_Fotor**




**Salon 5623-HDR2 ©Jim Raycroft\_Fotor**



**Uniesse 56SS 5668-HDR ©Jim Raycroft\_Fotor**




**Uniesse 56SS 2579 ©Jim Raycroft**




**Uniesse 56SS 2919 ©Jim Raycroft**




**Uniesse 56SS 5631-HDR3 ©Jim Raycroft\_Fotor**




**Uniesse 56SS 5656-HDR ©Jim Raycroft**




**Uniesse 56SS 2585 ©Jim Raycroft**




**Uniesse 56SS 2581 ©Jim Raycroft**




**Twin 5857-HDR ©Jim Raycroft**



**Uniesse 56SS 5787 ©Jim Raycroft**



**Uniesse 56SS 2638 ©Jim Raycroft**



**Uniesse 56SS 2646 ©Jim Raycroft**




**Uniesse 56SS 5755 ©Jim Raycroft**




**Uniesse 56SS 5777 ©Jim Raycroft**




**Uniesse 56SS 5703-HDR ©Jim Raycroft**




**Uniesse 56SS 5684-HDR ©Jim Raycroft**




**Uniesse 56SS 2898 ©Jim Raycroft**



**Uniesse 56SS 3076 ©Jim Raycroft**



**Uniesse 56SS 5727 ©Jim Raycroft**



**Uniesse 56SS 5716 ©Jim Raycroft**




**Uniesse 56SS 5719 ©Jim Raycroft**



**Uniesse 56SS 5724 ©Jim Raycroft**




**Uniesse 56SS 5736 ©Jim Raycroft**



**VIP 5813-HDR ©Jim Raycroft**



**VIP 5829-HDR ©Jim Raycroft**




**Twin 5857-HDR ©Jim Raycroft**




**Uniesse 56SS 2659 ©Jim Raycroft**




**Uniesse 56SS 2655 ©Jim Raycroft**




**f7365a5c-2500-4101-a4a2-  
b8b6d98af07b**



**8dc9cd56-3a78-48ea-b321-  
629c355ae924**




**6661e2e5-0e37-410d-a293-  
f78a1662d514**



**62ebdebc-161b-4d9e-a446-  
fb9f1530fd3c**




**9f666a63-50a1-4f34-ab5a-  
21d7f68bb4fe**



**64bf203a-c635-4596-bcf5-  
1a3b9b6d7c9a**




**b3ae3189-66a1-46f6-9f49-  
b78cc4dc27db**



**ddd02dcd-c241-41d2-b260-  
e61a57197ce5**




**1738d35a-6bdd-45fb-b583-  
eec25542df07**



**379a2c14-8d58-40ad-b61c-  
aa0e390a2d3d**



**b4a95803-283f-436c-9641-  
2823e18f4c4c**



**6389c109-89c5-400f-b2cf-  
a279014bb6e7**



**30de111f-cb5c-4e96-b0bc-  
a2cdce415093**




**8d4815aa-27ba-4111-aa70-  
f6d2cf1c221f**




**39bedb3b-e345-425b-b36f-  
bf8389ef7a74**



**2d3c3fbc-f2d8-4d5e-ac25-  
9c91c90cd71e**



**03d8a64a-9bac-4cf5-acc6-  
866e5885e6b6**




**c8ef4a48-c480-4384-8088-  
ed38dfa1b325**





## large\_2440326



# CONTACTS

---

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

## Contact details

---

Email: **andrey@shestakovyachtsales.com**

Web: [shestakovyachtsales.com/en/](https://shestakovyachtsales.com/en/)

## Telephones

---

USA: **+1(954)274-4435**

## Office hours

---

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

## Address

---



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004