

UNIESSE SS 6 — UNIESSE



Судостроитель: UNIESSE

Год постройки: 2019

Модель: Моторная яхта

Цена: ЦЕНА ЯХТЫ ПО ЗАПРОСУ

Местонахождение: United States

Длина общая: 60' 1" (18.31m)

Ширина: 15' 5" (4.70m)

Мин. осадка: 4' 0" (1.22m)

Макс. осадка: 4' 7" (1.40m)

Крейс. скорость: 35 Kts. (40 MPH)

Макс. скорость: 41 Kts. (47 MPH)

Купить **Uniesse SS 6 — UNIESSE** а также выбрать подходящую вам яхту из нашего **каталога яхт** вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания **Shestakov Yacht Sales Inc.** имеет большое количество яхт в **собственном списке продаж**, а также тесно сотрудничает со всеми крупными **яхтенными производителями** по всему миру.

Для того чтобы купить яхту **Uniesse SS 6 — UNIESSE** а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	6
Основная информация	6
Размеры	6
Скорость, вместимость и масса	6
Размещение	6
Корпус и палуба	7
Информация о двигателе	7
ПОДРОБНОЕ ОПИСАНИЕ	8
Main Propulsion	8
Fiberglass Structural Composition	8
Exterior Painting	9
On-Board Systems	10
Deck Outfitting	13
Electrical Systems	16
Interior Areas	17
Исключения	21
Отказ от ответственности	21
ФОТОГРАФИИ	23
Uniesse 56SS 5496 ©Jim Raycroft	23
gfLTA5gf_Fotor	23
KVa9-W4T_Fotor	23
iB8cPQWF	23
HeW_TJQC	23
CXr3xdYM	23
aA2-JcRf	23
pvcBmkkA	23
SdUy-LNK	24

nIEO2Khx	24
kYfKRuRu	24
KVa9-W4T	24
76y5oxiY_Fotor_Fotor	24
076A5903_©_jimRaycroft	24
-oRpjVnf	24
076A5724_©_jimRaycroft	24
rNsMd8B8	25
Uniesse 56SS 2665 ©Jim Raycroft	25
Uniesse 56SS 2728 ©Jim Raycroft	25
Uniesse 56SS 2996 ©Jim Raycroft	25
Uniesse 56SS 5210 ©Jim Raycroft_Fotor	25
Uniesse 56SS 5203 ©Jim Raycroft	25
076A5942_©_jimRaycroft	25
076A5958_©_jimRaycroft	25
Uniesse 56SS 5086 ©Jim Raycroft_Fotor	26
Uniesse 56SS 5234 ©Jim Raycroft	26
large_2440348	26
large_2440335	26
large_2440334	26
Uniesse 56SS 5421 ©Jim Raycroft	26
Uniesse 56SS 5065 ©Jim Raycroft	26
large_2440337	26
large_2440336	27
Uniesse 56SS 5372 ©Jim Raycroft	27
Uniesse 56SS 5391 ©Jim Raycroft	27
Salon 5615-HDR ©Jim Raycroft_Fotor	27
Salon 5623-HDR2 ©Jim Raycroft_Fotor	27
Uniesse 56SS 5668-HDR ©Jim Raycroft_Fotor	27

Uniesse 56SS 2579 ©Jim Raycroft	27
Uniesse 56SS 2919 ©Jim Raycroft	27
Uniesse 56SS 5631-HDR3 ©Jim Raycroft_Fotor	28
Uniesse 56SS 5656-HDR ©Jim Raycroft	28
Uniesse 56SS 2585 ©Jim Raycroft	28
Uniesse 56SS 2581 ©Jim Raycroft	28
Twin 5857-HDR ©Jim Raycroft	28
Uniesse 56SS 5787 ©Jim Raycroft	28
Uniesse 56SS 2638 ©Jim Raycroft	28
Uniesse 56SS 2646 ©Jim Raycroft	28
Uniesse 56SS 5755 ©Jim Raycroft	29
Uniesse 56SS 5777 ©Jim Raycroft	29
Uniesse 56SS 5703-HDR ©Jim Raycroft	29
Uniesse 56SS 5684-HDR ©Jim Raycroft	29
Uniesse 56SS 2898 ©Jim Raycroft	29
Uniesse 56SS 3076 ©Jim Raycroft	29
Uniesse 56SS 5727 ©Jim Raycroft	29
Uniesse 56SS 5716 ©Jim Raycroft	29
Uniesse 56SS 5719 ©Jim Raycroft	30
Uniesse 56SS 5724 ©Jim Raycroft	30
Uniesse 56SS 5736 ©Jim Raycroft	30
VIP 5813-HDR ©Jim Raycroft	30
VIP 5829-HDR ©Jim Raycroft	30
Twin 5857-HDR ©Jim Raycroft	30
Uniesse 56SS 2659 ©Jim Raycroft	30
Uniesse 56SS 2655 ©Jim Raycroft	30
f7365a5c-2500-4101-a4a2-b8b6d98af07b	31
8dc9cd56-3a78-48ea-b321-629c355ae924	31
6661e2e5-0e37-410d-a293-f78a1662d514	31

62ebdebc-161b-4d9e-a446-fb9f1530fd3c	31
9f666a63-50a1-4f34-ab5a-21d7f68bb4fe	31
64bf203a-c635-4596-bcf5-1a3b9b6d7c9a	31
b3ae3189-66a1-46f6-9f49-b78cc4dc27db	32
ddd02dcd-c241-41d2-b260-e61a57197ce5	32
1738d35a-6bdd-45fb-b583-eec25542df07	32
379a2c14-8d58-40ad-b61c-aa0e390a2d3d	32
b4a95803-283f-436c-9641-2823e18f4c4c	32
6389c109-89c5-400f-b2cf-a279014bb6e7	32
30de111f-cb5c-4e96-b0bc-a2cdce415093	33
8d4815aa-27ba-4111-aa70-f6d2cf1c221f	33
39bedb3b-e345-425b-b36f-bf8389ef7a74	33
2d3c3fbc-f2d8-4d5e-ac25-9c91c90cd71e	33
03d8a64a-9bac-4cf5-acc6-866e5885e6b6	33
c8ef4a48-c480-4384-8088-ed38dfa1b325	33
large_2440326	34
КОНТАКТЫ	35
Контактная информация	35
Телефоны	35
Время работы	35
Адрес	35

ХАРАКТЕРИСТИКИ

Основная информация

Тип судна: Моторная яхта

Подкатегория: Sport Cruiser

Модельный год: 2019

Год постройки: 2019

Страна: United States

Размеры

Длина общая: 60' 1" (18.31m)

Ширина: 15' 5" (4.70m)

Мин. осадка: 4' 0" (1.22m)

Макс. осадка: 4' 7" (1.40m)

Скорость, вместимость и масса

Крейс. скорость: 35 Kts. (40 MPH)

Дальность на крейсерской скорости: 455

Макс. скорость: 41 Kts. (47 MPH)

Водоизмещение: 59525 Pounds

Чистый вес: 29 Pounds

Вместимость воды: 193 Gallons

Вместимость сточного бака: 57 Gallons

Объем топливного бака: 660 Gallons

Размещение

Всего кают: 3

Спальные места: 6

Всего ком. состава: 2

Корпус и палуба

Материал корпуса: GRP

Материал палубы: Teak

Комплектация корпуса: Planing

Цвет корпуса: Stone Grey

Отделка корпуса: Fiberglass

Дизайнер корпуса: Fred Hudson

Дизайнер экстерьера: Uniesse

Дизайнер интерьера: Uniesse

Информация о двигателе

Двигатели: 2

Производитель: Volvo Penta

Модель: D13 1350 IPS

Тип топлива: Diesel

ПОДРОБНОЕ ОПИСАНИЕ

Main Propulsion

Volvo Penta D13

Crankshaft Power 1000hp/735kw @ 2400rpm

6 Cylinders

Main Engine:

Bore 131mm

Stroke 158mm

Displacement 12.8L

IPS3 (IPS1350)

Drives/Pods: Power 1350hp

Bronze material of pods

Q6

Propellers: Nibral (Nickel-Bronze-Aluminum) material

Double propeller (3 blade fwd and 4 blade aft)

Fiberglass Structural Composition

General
Description:

Hull built in monolithic GRP, with local reinforcements. Transverse and longitudinal reinforcement throughout hull made with unidirectional and woven roving fiberglass bottom and deck in blister-resistant Vinilester resin hand laid. Top sides and deck in GPR hand laid in Vinilester resin with Airex sandwich sides and PVC reinforcement for decks.

Monolithic GRP construction with a minimum thickness as required by ISO of 13mm. Norpol Gelcoat NGA by Reichhold based on Isoftalic/Neopentilic polyester. Vinyl Ester HN800TA31 low Styrene emission laminating resin.

Quadriaxial, Biaxial, Unidirectional and Chopped Strand Mat products with

Materials Used:	full type approvals and class certification. Sandwich core made from Airex closed cell, cross- linked polymer foam for superior toughness and negligible water absorption. Structural longitudinal and transversal internal reinforcements made from Polyurethane rigid foam. Monolithic resined lower hull in order to avoid any potential water infiltrations due to hull damage.
Hull:	Topsides made in sandwich with Airex core. Local increased thickness reinforcement applied on keel line, spray rails, engine rooms and bow, reaching 25mm monolithic. Decks made in sandwich with Airex core.
Deck & Hard Top:	Local reinforcements and added monolithic thickness for bollards and fairleads, handrail stanchions, rub rail, etc. Local increased thickness reinforcement applied on keel line, spray rails, engine rooms and bow, reaching 25mm monolithic.
Bulkheads:	Airex closed cell core with thickness 30mm.
Stringers (Long & Transv. General:	Polyurethane closed cell rigid foam (Density: 40kg/m3).
Stringers (Engine Basements):	Polyurethane closed cell rigid foam 200 kg/m3 (100mm per side wider than Volvo minimum).

Exterior Painting

Awlcraft SE
Hull Topsides & Hardtop:
Stone Gray / Color code E1006

Antifouling: Ultra 300
Black

On-Board Systems

Generator:	Kohler 21EKOZD 21kw Mono 60 Hz
Stainless Steel, CE, Flanged	Sight Glass
Fiberglass (structural integral part of the hull), CE, Flanged	Remote Reading
Remote Reading	Tank Capacities:
Grey water: 300 ltrs.	Black water: 300 ltrs.

<p style="font-size:12pt;font-family:Cambria;text-align:justify;">Sea Cooling Water: CE approved rubber with double stainless clamping.</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Black & Gray Water: (Not in ER) Polyvinyl chloride (PVC)</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Black & Gray Water: (In ER) AISI 316 Stainless steel</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Hot & Cold Freshwater: Multilayer PVC</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Fuel Oil: CE approved rubber and press-fitting AISI 316 stainless steel</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Bilge & Fire: CE approved rubber and press-fitting AISI 316 stainless steel</p>	<p style="font-size:12pt;font-family:Cambria;">Fuel System:</p>
	<p style="font-size:12pt;font-family:Cambria;text-align:justify;">Embarkation: 2 x deck refueling points</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Remote levels on monitoring system</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Sight gauges one on each tank</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Main manifold can level all tanks</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Quick release located in port side main deck furniture</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Main engine fuel filters: Racor double filter system (Volvo Penta supply)</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Generators fuel filter: Racor single filter system</p>
<p style="font-size:12pt;font-family:Cambria;">Ventilation System:</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Engine Room Ventilation: Naturally aspired air through air chamber</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">ER Ventilation Dampers: 350 x 400 stainless steel remotely operated dampers</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Engine Room Extraction: 2 x Gianneschi C25 RD 24Vcc extractor units</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">ER Extraction Dampers: 200 x 200mm stainless steel remotely operated dampers</p>	<p style="font-size:12pt;font-family:Cambria;">Freshwater System:</p> <p style="font-size:12pt;font-family:Cambria;">Embarkation: 1 x deck filling point</p> <p style="font-size:12pt;font-family:Cambria;">Autoclave: Gianneschi Ecoinox double pump system</p> <p style="font-size:12pt;font-family:Cambria;">Hot Water Boiler: Quick 60ltr (1200w) fully insulated boiler</p> <p style="font-size:12pt;font-family:Cambria;">Exterior Shower: 2 x fwd and aft areas</p> <p style="font-size:12pt;font-family:Cambria;">Anchor Chain Wash Water directed on to anchor chain as it raises</p>
	<p style="font-size:12pt;font-family:Cambria;">Freshwater System:</p> <p style="font-size:12pt;font-family:Cambria;">Embarkation: 1 x deck filling point</p> <p style="font-size:12pt;font-family:Cambria;">Autoclave: Gianneschi Ecoinox double pump system</p> <p style="font-size:12pt;font-family:Cambria;">Hot Water Boiler: Quick 60ltr (1200w) fully insulated boiler</p> <p style="font-size:12pt;font-family:Cambria;">Exterior Shower: 2 x fwd and aft areas</p> <p style="font-size:12pt;font-family:Cambria;">Anchor Chain Wash Water directed on to anchor chain as it raises</p>

<p style="font-size:12pt;font-family:Cambria;">Waste (Gray) Water System:</p>	<p style="font-size:12pt;font-family:Cambria;">Transfer Pump: Gianneschi MV44 24V in bronze</p> <p style="font-size:12pt;font-family:Cambria;">Holding Tank: Structural 300ltrs</p> <p style="font-size:12pt;font-family:Cambria;">Relay Tank: Sanisplit tank</p> <p style="font-size:12pt;font-family:Cambria;">Discharge: Connection point in aft stbd side locker</p>
	<p style="font-size:12pt;font-family:Cambria;">Transfer Pump: Gianneschi MV44 24V in bronze</p> <p style="font-size:12pt;font-family:Cambria;">Holding Tank: Structural 300ltrs</p> <p style="font-size:12pt;font-family:Cambria;">Relay Tank: Sanitrit tank</p> <p style="font-size:12pt;font-family:Cambria;">Discharge: Connection point in aft stbd side locker</p>
<p style="font-size:12pt;font-family:Cambria;">Bilge/Fire System:</p>	<p style="font-size:12pt;font-family:Cambria;">Bilge/Fire Pump: Gianneschi ACB</p> <p style="font-size:12pt;font-family:Cambria;">Electrical Main Pump: Gianneschi ACB331 (24V) in bronze</p> <p style="font-size:12pt;font-family:Cambria;">Manual Pump: Gianneschi Excelsior 3</p> <p style="font-size:12pt;font-family:Cambria;">Electrical Local Pumps: 3 x Rule 1500 24V with automatic levels</p>
<p style="font-size:12pt;font-family:Cambria;">Air Conditioning System:</p>	<p style="font-size:12pt;font-family:Cambria;text-align:justify;">Condaria/Dometic tropicalized system with 72000 BTU</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">N&deg; 1 Chiller PCWM/VAR 18001 230/1/50-QIPI R410 complete with Calpeda</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">Calpeda BCM 22/A E/R 220/1/50 G.116 0, 55kw Sea water pump</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">N&deg; 1 AP5 Standard series 7 fan-coil (wheelhouse)</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">N&deg; 2 AP8 Slim standard series 7 fan-coil (salon)</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">N&deg; 1 AP8 Standard series 7 fan-coil (VIP cabin)</p> <p style="font-size:12pt;font-family:Cambria;text-align:justify;">N&deg;</p>

<p>family:'Lucida Grande';">&deg;1 AP3 Standard series 7 fan-coil (guest cabin)</p><p style="font-size:12pt;font-family:Cambria;text-align:justify;">N&deg;1 AP8 Standard series 7 fan-coil (galley)</p><p style="font-size:12pt;font-family:Cambria;text-align:justify;">N&deg;1 AP10 Standard series 7 fan-coil (owner&rsquo;s cabin)</p></td></tr><tr><td style="width:130.5pt;padding:0in 5.4pt;border-style:none solid solid;text-align:left;" valign="top" width="131"><p style="font-size:12pt;font-family:Cambria;">Fire System:</p></td><td style="padding:0in 5.4pt;border-style:none solid solid none;text-align:left;" valign="top"><p style="font-size:12pt;font-family:Cambria;text-align:justify;">ER Extinguisher: Sea-Fire 3MTM Novec TM 1230 Fire Protection Fluid</p><p style="font-size:12pt;font-family:Cambria;text-align:justify;">Remote release station main deck port locker</p><p style="font-size:12pt;font-family:Cambria;text-align:justify;">6 x 2kg Portable powder extinguishers (owner&rsquo;s cabin, twin guest cabin, VIP fwd cabin, galley, wheelhouse, salon)</p><p style="font-size:12pt;font-family:Cambria;text-align:justify;">1 x 2kg Co2 Extinguisher main deck locker</p><p style="font-size:12pt;font-family:Cambria;text-align:justify;">1 x 5kg Portable powder extinguisher in ER</p></td></tr></tbody></table>
 </p>
--

Deck Outfitting

<div data-bbox="82 2132 403 2197" data-label="Page-Footer"> <p>Андрей Шестаков ShestakovYachtSales.com</p> </div> <div data-bbox="1078 2132 1505 2197" data-label="Page-Footer"> <p>Телефон: +7(918)465-66-44 andrey@shestakovyachtsales.com</p> </div>

<p>Fwd. Anchor Holder:</p></td><td style="padding:0in 5.4pt;border-style:none solid solid none;text-align:left; vertical-align:top"><p>Custom Made</p></td></tr><tr><td style="width:130.5pt;padding:0in 5.4pt;border-style:none solid solid;text-align:left; vertical-align:top" width="131"><p>Aft Electric/Hydraulic Platform:</p></td><td style="padding:0in 5.4pt;border-style:none solid solid none;text-align:left; vertical-align:top"><p>Besenzoni Model PL600</p></td></tr><tr><td style="width:130.5pt;padding:0in 5.4pt;border-style:none solid solid;text-align:left; vertical-align:top" width="131"><p>Manual Swimming Ladder:</p></td><td style="padding:0in 5.4pt;border-style:none solid solid none;text-align:left; vertical-align:top"><p>Besenzoni Model SM410</p></td></tr><tr><td style="width:130.5pt;padding:0in 5.4pt;border-style:none solid solid;text-align:left; vertical-align:top" width="131"><p>Aft Cockpit Sliding Salon Door:</p></td><td style="padding:0in 5.4pt;border-style:none solid solid none;text-align:left; vertical-align:top"><p>Tempesta Model 4 sliding door leaf</p></td></tr><tr><td style="width:130.5pt;padding:0in 5.4pt;border-style:none solid solid;text-align:left; vertical-align:top" width="131"><p>External Furniture (Port):</p><td style="padding:0in 5.4pt;border-style:none solid solid none;text-align:left; vertical-align:top"><p>Raritan Icemaker Model 87B515-1 115V 60 Hz</p><p>Gaggenau Teppanyaki grill</p><p>Main engine, dampers and fuel cut-off stops</p><p>Actuates: transom platform, cockpit table and ER hatches</p><p>Stainless steel custom handrail and holding piston</p></td></tr><tr><td style="width:130.5pt;padding:0in 5.4pt;border-style:none solid solid;text-align:left; vertical-align:top" width="131"><p>External Furniture (Stbd):</p><td style="padding:0in 5.4pt;border-style:none solid solid none;text-align:left; vertical-align:top"><p>Vitrifrigo external fridge 60 lt.</p><p>Built-in sink with custom folding faucet</p><p>Predisposition for fire hydrant</p><p>Stainless steel custom handrail and holding piston</p></td></tr><tr><td style="width:130.5pt;padding:0in 5.4pt;border-style:none solid solid;text-align:left; vertical-align:top" width="131"><p>External Ceilings:</p></td><td style="padding:0in 5.4pt;border-style:none solid solid none;text-align:left; vertical-align:top"><p>Cantalupi LED custom lighting fixtures</p><p>2 x Revel C383XC waterproof speakers</p><p>180 degree view of aft cockpit from custom CCTV camera</p></td></tr><tr><td style="width:130.5pt;padding:0in 5.4pt;border-style:none solid solid;text-align:left; vertical-align:top" width="131"><p>Miscellaneous</p></td><td style="padding:0in 5.4pt;border-style:none solid solid none;text-align:left; vertical-align:top"><p style="text-align:justify;">High density PVC foam covered with resin cockpit table with Besenzoni electrical sliding piston model T276</p><p style="text-align:justify;">Closed cell foam covered upholstery with high quality water resistant Sunbrella fabric</p><p style="text-align:justify;">2 x Double piston custom made hatches for access to engine room.</p><p style="text-align:justify;">10mm Highest quality Burma teak deck in aft cockpit and side walks.</p><p style="text-align:justify;">Aft aperture in bulwarks for self-draining characteristics</p><p style="text-align:justify;">2 x Custom designed stainless steel and glass hatches</p><p style="text-align:justify;">Custom aft backrest in fabric

covered fiberglass and custom stainless holders.	<p>Stern/Aft Platform Areas:</p> <p style="text-align:justify;">2 x Stainless steel glendinning covers for shore power cable</p> <p style="text-align:justify;">Large horizontal hatch and storage locker for deck accessories (fenders, lines, etc.)</p> <p style="text-align:justify;">Storage for life raft on lower areas of transom</p> <p style="text-align:justify;">10mm Highest quality Burma teak deck with stainless steel inserts</p> <p style="text-align:justify;">Foresti & Suardi custom Uniesse manufactured platform pop-up cleats</p>
	<p>Bow Areas:</p> <p style="text-align:justify;">Closed cell foam covered sun pad cushions with high quality water resistant Sunbrella fabric.</p> <p style="text-align:justify;">Wireless speaker system with 2x Denon Heos HS2</p> <p style="text-align:justify;">Custom stainless steel Uniesse cup holder and wireless speaker base</p> <p style="text-align:justify;">Custom-built hatch for VIP cabin skylight</p> <p style="text-align:justify;">Gallinea custom windscreen wipers</p> <p style="text-align:justify;">Custom fiberglass hatch</p> <p style="text-align:justify;">Custom stainless steel ladder into area</p>
Mast Area:	<p style="text-align:justify;">Stainless steel custom made antenna mast holding:</p> <ul style="list-style-type: none"> <li style="text-align:justify;">Lopolight mast and nav light <li style="text-align:justify;">Volvo Penta DPS antenna <li style="text-align:justify;">Flir camera <p style="text-align:justify;">Fiberglass custom made antenna grp mast holding:</p> <ul style="list-style-type: none"> Garmin radar Kahlenberg horn Kahlenberg air compressor (interior of mast) <p>Mast Arch:</p> <ul style="list-style-type: none"> SAT TV dome Dummy dome containing GPS and 3G antennas 2 x VHF antennas Custom antiskid design with Uniesse logo
	<p>Windows & Portholes:</p> <p style="text-align:justify;">Chemically tempered curved laminated glass hull windows including a SGP interlaminated</p> <p style="text-align:justify;">Amare custom "infinity portholes" ranging from 100mm to 150mm diameter with type approval</p> <p style="text-align:justify;">All calculations for windows follow the "RINA Rules for Pleasure Yachts 2018 (Pt. B, Ch. 1, Sec. 1)"</p>

Electrical Systems

<p>Batteries:</p>	<p style="text-align:justify;">Main Engine: 2 packs of 2x Exide EP1500 agm batteries with a total capacity of 180 A/H at 24V DC (each)</p> <p style="text-align:justify;">Generator: 1 EM1100 genset starting battery with 100 A/H 12V DC capacity.</p> <p style="text-align:justify;">Service: 1 pack of Exide 8x gel ES1100 6V 400 A/H 24V DC total capacity</p>
<p>Generator:</p>	<p style="text-align:justify;">21EKOZD</p>
<p>Shore Power:</p>	<p style="text-align:justify;">#1: 220/115V 50 A Main shore power with isolation transformer for main switchboard</p> <p style="text-align:justify;">#2: 220/115V 50 A Additional shore power for air conditioning system only</p> <p style="text-align:justify;">Glendinning CM-7 50 amp automatic shore power retrieval</p>
<p>Battery Chargers:</p>	<p style="text-align:justify;">Main, generator and service</p>
<p>Navigation Lights:</p>	<p style="text-align:justify;">Lopolights</p>
<p>Monitoring System:</p>	<p style="text-align:justify;">Uniesse systems control monitor with custom 56SS profile schematic, including:</p> <ul style="list-style-type: none"> Tanks conditions Bilge system Batteries conditions Engine room ventilation Generator status and controls Fire system alarm (includes 5 sensors throughout boat) Windscreen wipers External lighting
<p>NavCam Electronics:</p>	<p style="text-align:justify;">Helm: Volvo Penta/Garmin fully integrated &ldquo;Glass Cockpit&rdquo; system</p> <p style="text-align:justify;">Custom stainless and leather steering wheel</p> <p style="text-align:justify;">Besenzoni/Uniesse custom electrical chairs Model P256</p> <p style="text-align:justify;">Amare custom glass windows</p>

	<tr> <td &ldquo;main="" >2="" >32&rdquo;="" >40&rdquo;="" >domotic="" ><p>a="" >aft="" >guest="" >master="" (150w="" (centralized="" 10&rdquo;="" 100w="" 200w<="" 250w<="" 4="" 40&rdquo;="" 4g="" <="" ac="" aft="" all="" and="" antenna&rsquo;s="" area:<="" areas="" areas:<="" audio="" bow="" c263="" c383xc="" cabin="" cabin:<="" canton="" cards="" centralized="" cockpit:<="" connection<="" connectivity="" control="" control<="" controls="" dm9="" each)<="" entertainment="" equipment:<="" external="" flatscreen="" for="" glass="" hurricane="" in="" in-wall="" internet="" ipad="" jl="" li><="" li>1="" li>2="" li>3g="" li>40&rdquo;="" li>apple="" li>centralized="" li>control="" li>main="" li>pop-up="" lights="" located="" mast<="" master="" mechanism="" mini<="" on="" over="" p><ul="" panasonic="" rack="" rack&rdquo;<="" revel="" salon="" sim="" soundbar="" speaker="" speakers<="" stairs<="" style="list-style-type:disc;" subwoofer="" system="" system<="" system,="" systems="" td>="" through="" tr="" tv="" tv<="" ul>&nbsp;<="" ul><p="" ul><p>fwd.="" under="" v="" waterfall="" wifi="" x=""> </td></tr>	

Interior Areas

Main Deck:

- Salon
- Command Area

General Description & Layout:

Lower Deck:

- Master cabin and bathroom

- Galley
- Guest cabin
- VIP/guest bathroom
- VIP cabin

Tabu MNX03020 Darker wood

Alpi 11.06 Lighter wood

Darker leather

Materials:

Lighter leather

Tabu 86021 Floor parket

Larimar wood for structural bulkheads 28mm thickness

Larimar wood for floorings 18mm thickness

Salon:

- Large “C” shaped leather sofa
- LED lighting with dimmers
- Courtesy LED lighting with dimmers
- WiFi wireless connection throughout the boat with a 3G/4G broadband shore connection
- Apple/Android compatible HiFi and WiFi system with connection of areas
- HiFi sound system with subwoofer
- Wood/parket floor
- Domotic system for entertainment, AC and lighting
- Electrical switches with dimmers
- Electrical sockets - 110 volts US
- USB outlets
- Custom coffee/dining table
- Wood venetian blinds
- 40” LCD TV with pop-up system
- Leather ceiling
- Electric sliding window
- 2 x Skylights with protective film and sun shade
- Skylight to master cabin below

Galley:

- Wall organized storage cupboards

- Cutlery organized drawer
- Absolute Black marble worktop
- LED lighting with dimmers
- Courtesy LED lighting with dimmers
- Stainless steel sink with macerator and hot/cold water mixer
- Waste can
- Organized locker for dishes
- Sockets - 110 volts US (nr. 2)
- USB outlets (nr. 01)
- Venetian blind metallic silver
- Wood/parket floor

Appliances:

- A & G side by side refrigerator RXE75911 TM 220/240 V 50 Hz
- Miele hob Model KM6115 220/240 V 50/60 Hz
- Broan Hood Model PM250 120 V 60 Hz
- Miele oven Model H6200 BM AM 208/240 V 60 Hz
- Macerator

Master Cabin:

- Queen size bed with custom mattress and storage below
- Lateral wardrobe
- 2 x Night tables
- Fore drawers and flip up storage under the bed
- LED lighting with dimmers
- Courtesy LED lighting with dimmers
- Carpet and underlay
- Panoramic windows with s/s round opening porthole (nr. 2)
- 40" LCD TV
- Domotics
- Sockets 24/220 volt Europe - 110 volts US (nr. 4)
- USB outlets (nr. 2)
- Closet shelves
- Headboard in custom fabric
- Leather ceiling
- Wood venetian blinds

Master Head:

- White lacquer finish walls
- Shower head
- Vanity locker

Area Descriptions:

- Stainless steel and glass panoramic wall overlooking stateroom
- Panoramic windows
- Stall shower with custom hot/cold water mixer control rain shower
- Sky light
- LED lighting with dimmers
- Sink with hot/cold water mixer
- Marble floor
- Marble sink and countertop
- Marble shower floor and walls
- Head fittings: glass holder, toilet roll holder, soap holder, WC cleaning brush holder
- Mirror
- Venetian blinds
- Electric freshwater system Tecma toilet
- Sockets 24/220 volt Europe - 110 volts US (nr. 2)
- Toilet area extractor ventilation system

VIP Cabin:

- Queen size bed with custom mattress
- Lateral wardrobe (nr. 2)
- 2 x Night tables
- Fore drawers and flip up storage under the bed
- LED lighting with dimmers
- Courtesy LED lighting with dimmers
- Carpet and underlay
- Panoramic windows with s/s round opening portholes (nr. 2)
- 32" LCD TV
- Domotics
- Sockets 24/220 volt Europe - 110 volts US (nr. 4)
- USB outlets (nr. 2)
- Headboard in custom fabric
- Leather ceiling
- Wood venetian blinds

VIP/Guest Head:

- White lacquer finish walls
- Shower head
- Vanity locker
- Panoramic windows
- Stall shower with custom hot/cold water mixer control rain shower

- LED lighting with dimmers
- Courtesy LED lighting with dimmers
- Sink with hot/cold water mixer
- Marble floor
- Marble sink and countertop
- Marble shower floor and walls
- Head fittings: glass holder, toilet roll holder, soap holder, WC cleaning brush holder
- Mirror
- Venetian blinds
- Electric fresh water system Tecma toilet
- Sockets 24/220 volt Europe - 110 volts US (nr. 2)
- Toilet area extractor ventilation system

Starboard Guest Cabin:

- Double beds side by side with custom mattresses
- Wardrobe (nr. 1)
- Drawers under the beds
- Night table with drawers
- Headboard in custom leather
- LED lighting with dimmers
- Courtesy LED lighting with dimmers
- Carpet and under carpet
- Panoramic windows with s/s round opening porthole
- Sockets 24/220 volt Europe - 110 volts US
- USB outlets
- 32" LCD TV
- Domotics
- Venetian blinds
- Leather ceiling

Исключения

При продаже яхты исключаются личные вещи владельца.


Отказ от ответственности

Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с

продажи будет происходить без предварительного уведомления.

ФОТОГРАФИИ

Uniesse 56SS 5496 ©Jim Raycroft



gfLTA5gf_Fotor




KVa9-W4T_Fotor



iB8cPQWF




HeW_TJQC




CXr3xdYM



aA2-JcRf



pvcBmkkA



SdUy-LNK



nIEO2Khx



kYfKRaRu



KVa9-W4T




76y5oxiY_Fotor_Fotor




076A5903_©_jimRaycroft



-oRpjVnf



076A5724_©_jimRaycroft




rNsMd8B8



Uniesse 56SS 2665 ©Jim Raycroft




Uniesse 56SS 2728 ©Jim Raycroft




Uniesse 56SS 2996 ©Jim Raycroft




**Uniesse 56SS 5210 ©Jim
Raycroft_Fotor**




Uniesse 56SS 5203 ©Jim Raycroft




076A5942_©_jimRaycroft



076A5958_©_jimRaycroft




Uniesse 56SS 5086 ©Jim Raycroft_Fotor




Uniesse 56SS 5234 ©Jim Raycroft




large_2440348



large_2440335




large_2440334



Uniesse 56SS 5421 ©Jim Raycroft




Uniesse 56SS 5065 ©Jim Raycroft



large_2440337




large_2440336



Uniesse 56SS 5372 ©Jim Raycroft




Uniesse 56SS 5391 ©Jim Raycroft




Salon 5615-HDR ©Jim Raycroft_Fotor




Salon 5623-HDR2 ©Jim Raycroft_Fotor



Uniesse 56SS 5668-HDR ©Jim Raycroft_Fotor




Uniesse 56SS 2579 ©Jim Raycroft



Uniesse 56SS 2919 ©Jim Raycroft




Uniesse 56SS 5631-HDR3 ©Jim Raycroft_Fotor




Uniesse 56SS 5656-HDR ©Jim Raycroft




Uniesse 56SS 2585 ©Jim Raycroft




Uniesse 56SS 2581 ©Jim Raycroft




Twin 5857-HDR ©Jim Raycroft



Uniesse 56SS 5787 ©Jim Raycroft



Uniesse 56SS 2638 ©Jim Raycroft



Uniesse 56SS 2646 ©Jim Raycroft




Uniesse 56SS 5755 ©Jim Raycroft




Uniesse 56SS 5777 ©Jim Raycroft




Uniesse 56SS 5703-HDR ©Jim Raycroft



Uniesse 56SS 5684-HDR ©Jim Raycroft




Uniesse 56SS 2898 ©Jim Raycroft




Uniesse 56SS 3076 ©Jim Raycroft



Uniesse 56SS 5727 ©Jim Raycroft



Uniesse 56SS 5716 ©Jim Raycroft



Uniesse 56SS 5719 ©Jim Raycroft



Uniesse 56SS 5724 ©Jim Raycroft




Uniesse 56SS 5736 ©Jim Raycroft



VIP 5813-HDR ©Jim Raycroft



VIP 5829-HDR ©Jim Raycroft



Twin 5857-HDR ©Jim Raycroft




Uniesse 56SS 2659 ©Jim Raycroft




Uniesse 56SS 2655 ©Jim Raycroft




**f7365a5c-2500-4101-a4a2-
b8b6d98af07b**




**8dc9cd56-3a78-48ea-b321-
629c355ae924**




**6661e2e5-0e37-410d-a293-
f78a1662d514**




**62ebdebc-161b-4d9e-a446-
fb9f1530fd3c**




**9f666a63-50a1-4f34-ab5a-
21d7f68bb4fe**



**64bf203a-c635-4596-bcf5-
1a3b9b6d7c9a**




**b3ae3189-66a1-46f6-9f49-
b78cc4dc27db**



**ddd02dcd-c241-41d2-b260-
e61a57197ce5**




**1738d35a-6bdd-45fb-b583-
eec25542df07**



**379a2c14-8d58-40ad-b61c-
aa0e390a2d3d**




**b4a95803-283f-436c-9641-
2823e18f4c4c**



**6389c109-89c5-400f-b2cf-
a279014bb6e7**




**30de111f-cb5c-4e96-b0bc-
a2cdce415093**




**8d4815aa-27ba-4111-aa70-
f6d2cf1c221f**




**39bedb3b-e345-425b-b36f-
bf8389ef7a74**




**2d3c3fbc-f2d8-4d5e-ac25-
9c91c90cd71e**




**03d8a64a-9bac-4cf5-acc6-
866e5885e6b6**



**c8ef4a48-c480-4384-8088-
ed38dfa1b325**



large_2440326



КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: **andrey@shestakovyachtsales.com**

Web: shestakovyachtsales.com

Телефоны

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

Время работы

Понедельник – Суббота: **9:00 - 21:00** EDT

Воскресенье: **Закрыто**

Адрес



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004