

2016 AZIMUT 50 FLYBRIDGE SEA WOLFE — AZIMUT



Builder: [AZIMUT](#)

Year Built: 2016

Model: Cruiser

Price: PRICE ON APPLICATION

Location: United States

LOA: 50' 0" (15.24m)

Beam: 15' 3" (4.65m)

Min Draft: 3' 7" (1.09m)

Max Draft: 0' 0" (0.00m)

Cruise Speed: 26 Kts. (30 MPH)

Max Speed: 32 Kts. (37 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs 2016 Azimut 50 Flybridge Sea Wolfe — AZIMUT from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht 2016 Azimut 50 Flybridge Sea Wolfe — AZIMUT or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call +1(954)274-4435

TABLE OF CONTENTS

| | |
|------------------------------|----|
| TABLE OF CONTENTS | 2 |
| SPECIFICATIONS | 3 |
| Basic Information | 3 |
| Dimensions | 3 |
| Speed, Capacities and Weight | 3 |
| Accommodations | 3 |
| Hull and Deck Information | 3 |
| Engine Information | 4 |
| DETAILED INFORMATION | 5 |
| Options | 5 |
| Exterior Features | 5 |
| Interior Accomodations | 6 |
| Electrical System | 7 |
| Systems | 8 |
| Exclusions | 9 |
| Disclaimer | 9 |
| PHOTOS | 10 |
| 50fly-41 | 14 |
| 50fly-43 | 14 |
| CONTACTS | 15 |
| Contact details | 15 |
| Telephones | 15 |
| Office hours | 15 |
| Address | 15 |

SPECIFICATIONS

Basic Information

Category: Cruiser

Model Year: 2016

Year Built: 2016

Country: United States

Dimensions

LOA: 50' 0" (15.24m)

Beam: 15' 3" (4.65m)

Min Draft: 3' 7" (1.09m)

Max Draft: 0' 0" (0.00m)

Speed, Capacities and Weight

Cruise Speed: 26 Kts. (30 MPH)

Cruise Speed Range: 290

Max Speed: 32 Kts. (37 MPH)

Displacement: 37000 Pounds

Gross Tonnage: 24 Pounds

Water Capacity: 155 Gallons

Holding Tank: 92 Gallons

Fuel Capacity: 581 Gallons

Accommodations

Total Cabins: 3

Total Berths: 6

Sleeps: 6

Total Heads: 2

Hull and Deck Information

Hull Material: Fiberglass

Engine Information

Engines: 2

Manufacturer: Volvo

Model: D11

Engine Type: Inboard

Fuel Type: Diesel

DETAILED INFORMATION

Options

Additional Seakeeper cntrl station on fly Cockpit table C-shape sofa on aft flybridge Extra socket Flagpole Flybridge Furniture w/Sink, Refrigerator & BGlendenning cable master Hi-lo system for TV (TV not included) Icemaker in cockpit Led lighting for exterior and interior with dimmers in salon and cockpit Painted HullRaymarine Gold Package Refrigerator drawer type in cockpit Seakeeper Stabilizer Set of linen (crew cabin excluded) Set of linen - Sof /Bed in salon Sofa /Bed in salon Sunbathing cushions on bow Teak Deck on swim platform Teak on cockpit deck Teak on flybridge deck Teak on side decks Two floodlights installed on aft flybridge Tufted finish package Washer-dryer combo unit ADVANCED PACK: Automatic Fire Fighting system Double Racor filters for main engines Easy Docking manouvering joystick for engine and thrusters (Xenta) Electric mooring winches in cockpitRacor filter for generator Shore water plug Water maker predisposition Decor Miele appliances (microwave combo and cookto Wooden floor in main deck (whitened oak) Cockpit chair Upgraded foam mattresses in cabins Addt'l LED applique in salon (n. 2) Set of SS ccooking pans Dimmered lights in salon, galley, cabins, fly & cockpit Salon pouff/coffee table

FWD SUNPAD COVER AFT BENCH SEAT COVER TABLE COVER COMPLETE AV
PKG FULL FLYBRIDGE SETDecor Upgrading

Exterior Features

FlybridgeAccessible from the outside, cockpit stairs, port side.GRP cockpit stairs with 6 stepsTeak external step flooringNon-slip floorAccess door: watertight in aluminum and PlexiglasSmoked plexiglas windbreak with stainless steel and aluminum frame GRP rollbarHandrail: NMMA compliant stainless steel (tube 30 X 1.5) (stern fly handrail, fly access protection handrail, fly railing, mobile fly handrail)Bow sundeckHelm seat for 1 personAdjustable steering wheel (4-spoked steering wheel white painted)C-shaped sofa connected to sundeckTeak table with central stainless steel leg1 bow locker (in front of instrument board)1 locker under bench, RH sideManual HELLA 24V searchlight (on roll bar)Stainless steel light mastFlybridge instrument board consisting of:-Main engine instruments (thermometer, rev counter)-BRONZE series electronic navigation instruments-Engine start-up controls-Bow anchor winch controls-Horn control-Trim tab control-Bow thruster control-12V socket-Chain meter counterScuppers with stainless steel grids and Azimut logo"50" logos, placed externally on the roll- bar glass, one on each sideAzimut logos, placed externally on the tails of the GRP superstructure, one on each sideBowAnchor chain and fender locker with water drainage DELTA 25kg galvanized steel anchor 75 m long high strength 10 mm gaged chainBow roller2000W WINCH2 stainless steel bitts L. 300 mm oval tubeSundeck with non-slip finishChain wash pumpNon-slip floorScuppers with stainless steel grids and Azimut logoForward facing 6-seater sofa with seat and back cushions+ two underlying lockersWalkwaysFilling with diesel: 2 "Diesel"

filler caps diam. 88 mm with cover
 Filling with fresh water: 1 "Water" refill cap, diam. 85 mm
 Black water outlet: 1 "Waste" water cap diam. 75 mm without cover
 2 stainless steel bitts L. 300 mm oval tube (intermediate)
 Non-slip floor
 Side handrail
 Fender holder: in stainless steel and high resistance PVC. Knurled section = (39.8 X 7.8) mm
 Pulpit
 Cockpit
 Double cockpit access via stainless steel and Plexiglas gate
 2 stainless steel T-head bitts H. 110 mm W. 350 mm
 2 handrails (RH and LH) on the side of the deckhouse
 Warping station: dim. 1230X210
 Aft stainless steel left/right chock
 Vertical stainless steel double door with tempered glass
 4-seater C-shaped cockpit bench (in GRP integrated in the deck, width 2.47 m)
 Cockpit bench cushions
 1 locker under cockpit bench, LH side
 1 port deckhouse column locker
 Lockers below bitt (one each side)
 RH locker with battery cut-out
 Engine room access via door in cockpit floor
 Crew cabin access via hatch in cockpit bench
 Non-skid floor (excluding side walkway access steps)
 Stern platform curved handrail
 Fly access stairs handrail
 Handles on the cockpit bench arm rests
 2 loudspeakers
 Lighting: spotlights in cockpit ceiling panel
 Hot and cold water shower head
 Scuppers with stainless steel grids and Azimut logo
 Platform
 Hydraulic platform

Stern platform lights
 Non-slip floor
 Swimming ladder
INSTALLABLE TENDER:-WORKING
DIMENSIONS OF PLATFORM: 3.5 x 1.13 m-System max. net capacity (SYMMETRICAL): 800 kg (excluding platform)-Max. permitted capacity (asymmetrical): 370 kg (including platform)-
HYPOTHETICAL PLATFORM TENDER: 3.2 x 1.5 m.-**HYPOTHETICAL WILLIAMS**
TENDER:WILLIAMS Turbo Jet 285

Interior Accommodations

Saloon
 Decapè finish oak cupboards
 Carpeted floor
 Cupboard on port side
 (1) 4-seater C-shaped sofa on starboard side
 Suitable for installation of TV system with aerial
 Ceiling and wall upholstery: 2-tone fabric (ivory and brown, Nextel)
 Roman blinds for stern windows and sliding blind for saloon door

Dinette
 Dining area on left with rectangular foldable table
 Carpeted floor
 Below deck accommodation ladder with carpeted steps

Galley
 Below deck to left of stairs
 Galley top and floor in laminate
 Glass ceramic range with 4 plates and pot holder
 Overhead extraction hood with active carbon filters
 Microwave oven + grill
 1 stainless steel sink
 Fridge + 220-liter upright freezer
 Openable porthole

Corridor
 Carpeted below deck access
 Spotlight lighting
 Fabric bulwark upholstery
 Corridor grabrails

Owner's Cabin
 Located midship
 Double bed placed in the center astern with headboard
 2 nightstands
 Vanity unit with mirror
 Cabinets with doors and shelves on right and left
 Wardrobe with hanger bar on left side
 Wardrobe with shelves in front of bed
 Power LED strips + headboard lighting
 2 openable portholes
 3 + 3 rectangular hull windows
 Direct access to the head from the corridor leading to the owner's cabin with internal stairs
 1 mirror in wardrobe
 Metal Venetian blinds
 Fabric wall upholstery and wood paneling
 Fabric ceiling panels + some areas in Nextel
 TV

system setup 110 V sockets Air conditioning system control panel

Owner's Head Located forward of the owner's cabin on the starboard side Access from owner's cabin GRP top and cognac (brown) colored Vetro Freddo sink Tecma toilet Chromed mixer taps Separate shower enclosure; flat shower door Chromed shower column Cupboard with 1 openable door next to washbasin top and under-basin cabinet with shelves Spotlight lighting 1 openable porthole Metal Venetian blinds Non-slip GRP flooring in shower Sockets Head accessories Head extractor: forced intake (from the shower ceiling panel)

Starboard-Side Guest Cabin 2 fixed pullman berths 1 nightstand next to beds 1 wardrobe with coat rack and shelves Lockers under bed fabric ceiling panel + some areas in Nex-tel Fabric bulwark upholstery Openable round porthole Metal Venetian blinds Carpeted floor Spotlight lighting 2 headboard lights Access to bathroom leading to corridor Sockets Air conditioning system control panel

Guest / VIP Bathroom Positioned abaft of the VIP cabin on the port side Washbasin with GRP top Direct access from the VIP cabin or from the corridor GRP top and cognac (brown) colored Vetro Freddo sink Chromed mixer tap Tecma toilet Separate shower enclosure with glass door Chromed shower column Spotlight lighting Underbasin cabinet with shelves Metal Venetian blinds Non-slip GRP flooring in shower Head extractor: forced intake (from the shower ceiling panel) Head accessories Openable round porthole Socket

VIP Cabin Located towards the bow, it is accessed via a central corridor Foldaway double bed with large locker underneath Wooden headboard 2 openable wall units with 2 storage areas (each side) over the windows 1 wardrobe on the starboard stern wall with hanger bar and shelves 1 wardrobe on the port stern wall with hanger bar 2 under bed lockers 2 headboard lights Fabric ceiling panels + some areas in Nex-tel. Lighting consisting of power strips in windows pelmet area + 2 ceiling spotlights + headboard light Emergency exit in ceiling through concealed rectangular hatchway leading to bow sundeck Direct access to guest head Mirror inside wardrobe 2 openable round portholes inserted in windows Metal Venetian blinds Fabric-upholstered bulwarks Fabric-upholstered ceiling panel Carpeted floor Air conditioning system control panel 110 V sockets

Crew Cabin Located at stern Access from cockpit bench Single bed with under-bed compartments 1 wall unit 1 wardrobe 1 bathroom cabinet Fabric bulwark upholstery GRP ceiling + upholstered panels Bulwark shelves, 1 at the foot of the bed, 1 over the rubber hold Openable round porthole with 250 mm. dia. over cockpit bench GRP non-slip floor 1 directional headboard wall light Spotlight lighting Fabric blind Crew head Tecma toilet White resin washbasin Chrome mixer with extractable shower head Shower area with waterproof curtain Wall unit with mirror Under sink door Power socket Head accessories

Electrical System

Shore-powered power supply Onboard voltages:- 220V-60Hz AC- 24V DC from battery bank- 12V DC for VHF equipment and cigarette lighter socket The main boards are in the wheelhouse,

engine room and crew area. The power circuit breakers that protect the instrument panel, engine controls, navigation instruments and shore power socket and generator selector switches are located in the wheelhouse. Other power circuit breakers that protect the various 12V DC and 100V AC utilities are located under the wheelhouse and are protected by a cover. Additional circuit breakers are located on the main panels in engine room to protect the various 12V DC utilities and the 110V AC utilities in the crew area. Junction boxes are installed in all areas.

Generator 1 Kohler standard 3.5 kW 230V generator located in engine room

Shore Power Sockets 1 60A socket astern 1 for air conditioning (OPT)

Batteries Services: 6 400 Ah@24V DC, AGM type batteries

Engines: 4 200 Ah@24V DC, AGM type batteries

Generator: 1 100Ah@12V, AGM type batteries

24 V battery charger: Mastervolt 24/60 3 Output- 60A-10A-10°

12V battery charger: Mastervolt 12/15 2 Output- 15°

Lights and Sockets AC sockets: 230V for main utility power supply

DC sockets: cigarette lighter type (wheelhouse)

24 V lighting (halogen)

24V watertight external lights

Systems

Bilge system (3) 24V electric pumps (crew cabin, engine room, owner's cabin) with auto operation using level switch + wheelhouse controls

2 manual emergency pumps; 1 in owner's cabin and 1 in locker on port side of cockpit

1 Supersub Smart 650 24 V electric bilge pump, 24 l/min

Level alarms in wheelhouse

Rapid pumping of engine room connected to LH engine seawater system

Fire Extinguishing System Pull handle in cockpit on port side and emergency switch on emergency panel

(1) 12 kg homologated canister with nozzles on engines

Fuel delivery to engine and generator shut-off

Fuel System 2 aluminum tanks in engine room with a capacity of 1 100 l and a total capacity of 2 200 l

Electronic fuel gauge on both tanks

Optical fuel gauge on LH tank

Single settling filters for engines

1 filter for generator

2 diesel fillers on walkway

2 breather pipes on bulwark

Remote diesel shut-off (engine and generator) via 24V solenoid valve

Pipe connecting the two tanks used to adjust the fuel supply

Fuel drawing faucet on both tanks

Fresh Water System 590l polyethylene tank located under the bed in owner's cabin

Water filling from port walkway

Level sensor with electronic gauge in wheelhouse

1 tank discharge on the port bulwark

1 water pressure pump with electronic control

1 water heater, 60l

Stern shore power socket on port side

Hot/cold water pipe: bathrooms, galley, cockpit, bathroom platform shower; Cold water only in flybridge washbasin; cold water only in engine room

Fresh water toilet flushing System that can be divided by ACORN manifolds

Toilet fresh water supply

Black Water System 175 l polyethylene tank located under the floor in the galley/corridor

Level sensor with gauge in wheelhouse

1 tank discharge pipe on starboard bulwark with anti-odor filter

MANUAL pump operating switch with control switch in the wheelhouse

1 50 l/min macerator pump

Intake from starboard walkway

Outboard discharge

Tecma toilet (with macerator pump). All toilets discharge into a tank

Gray Water System 175 l polyethylene tank located under accommodation corridor

Tank discharge on port bulwark with anti-odor filter

Level sensor with gauge in wheelhouse

Water discharge directly into the sea by way of pump

MAN/AUTO pump operating switch with control switch in the wheelhouse

Three-way valve in galley for deciding whether to discharge into the sea or in the tank

1 50 l/min pump

16 l collection tank with integrated transfer/24V pump astern, under the crew tray for the crew utilities. Built-in level sensor in tank that automatically operates

the pump that discharges directly into the sea
Seawater System
Engine cooling system: includes (2) 3" seawater intakes with filter and valve (1 per engine)
Generator cooling system: includes (1) 1" seawater intake with filter and valve
Air conditioning cooling system: (1) 1" seawater intake with filter and valve
Chain wash pump: (1) 1" seawater intake with filter and valve
Ventilation/Extraction
Head ventilation: forced intake by way of 24V extractors
Engine room:-
Natural air intake through air duct with water separator (1 each side)- Forced ventilation: 2 24V extractors (1 each side)
MISC
Steering system: hydraulic power steering with 2 round profile rudders.
Trim tab system: consisting of 2 AISI 316 blades, activated by hydraulic cylinder, 24V electro-hydraulic control unit
Air conditioning system:-Water-based system, WORLD version-1 compressor in engine room (60,000 total BTU)-1 seawater pump with relative intake-Each area has its own control panel making it independent



Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS









50fly-41



50fly-43



CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: **andrey@shestakovyachtsales.com**

Web: shestakovyachtsales.com/en/

Telephones

USA: **+1(954)274-4435**

Office hours

Monday – Saturday: **9:00 - 21:00 EDT**

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004