

PM — FERRETTI YACHTS



Builder: FERRETTI YACHTS

Year Built: 2015

Model: Motor Yacht

Price: PRICE ON APPLICATION

Location: Panama

LOA: 65' 0" (19.81m)

Beam: 17' 2" (5.23m)

Max Draft: 4' 11" (1.50m)

Max Speed: 30 Kts. (35 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs **PM — FERRETTI YACHTS** from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht **PM — FERRETTI YACHTS** or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call **+1(954)274-4435**

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	4
Overview	4
Basic Information	14
Dimensions	14
Speed, Capacities and Weight	15
Accommodations	15
Hull and Deck Information	15
Engine Information	15
PHOTOS	16
Photo Oct 17, 5 19 00 PM	16
Photo Oct 17, 5 19 12 PM	16
Photo Oct 17, 5 19 30 PM	16
Photo Oct 17, 5 19 41 PM	16
Photo Oct 17, 5 17 31 PM	16
Photo Oct 17, 5 20 06 PM	16
Photo Oct 17, 4 33 18 PM	17
Photo Oct 17, 4 31 36 PM	17
Photo Oct 17, 4 31 54 PM	17
Photo Oct 17, 4 05 48 PM	17
Photo Oct 17, 4 05 40 PM	18
Photo Oct 17, 4 04 38 PM	18
Photo Oct 17, 4 31 10 PM	18
Photo Oct 17, 4 31 17 PM	18
Photo Oct 17, 3 40 59 PM	18
Photo Oct 17, 3 41 12 PM	18
Photo Oct 17, 3 41 25 PM	19
Photo Oct 17, 3 41 35 PM	19

Photo Oct 17, 3 41 47 PM	19
Photo Oct 17, 3 42 04 PM	19
Photo Oct 17, 4 03 28 PM	19
Photo Oct 17, 3 42 43 PM	19
Photo Oct 17, 3 44 29 PM	20
Photo Oct 17, 3 44 13 PM	20
Photo Oct 17, 3 45 33 PM	20
Photo Oct 17, 3 47 55 PM	20
Photo Oct 17, 3 48 35 PM	21
Photo Oct 17, 4 02 41 PM	21
Photo Oct 17, 3 49 05 PM	21
CONTACTS	22
Contact details	22
Telephones	22
Office hours	22
Address	22

SPECIFICATIONS

Overview

Boat Name PMSpecs **Builder:** FERRETTI **Flag of Registry:** United States **Hull Shape:** Deep Vee **Dimensions** LOA: 65 ft 0 in Beam: 17 ft 3 in Maximum Draft: 4 ft 11 in Displacement: 90169 lbs **Engines** Total Power: 2300 HP Engine 1: Engine Brand: CAT Engine Model: C18 Engine Type: Inboard Engine/Fuel Type: Diesel Engine Power: 1150 HP Engine 2: Engine Brand: CAT Engine Model: C18 Engine Type: Inboard Engine/Fuel Type: Diesel Engine Power: 1150 HP

CAT - 798 Hours

Generators Hours 2224

smaller generator installed 9KW Cruising Speed: 29 knots Maximum Speed: 33

knots **Tanks** Fresh Water Tanks: 1 (140 Gallons) Fuel Tanks: 1 (977

Gallons) **Accommodations** Number of cabins: 3 Number of heads: 3 Number of bathrooms:

3 Factory Options

- Oven USA
- Gyro stabilizer
- Drainage for washer and dryer
- Ice maker
- Furuno series FAP autopilot
- Mini Hi-Fi Fusion
- Multi-data Furuno instruments
- Decoder SAT HD USA (4)
- TV 40" lcd/led A/NTSC US version
- TV electric raising device
- TV 24" A/NTSC USA
- TV 22" lcd/led A/NTSC US version (3)
- Additional mooring cleats (couple)
- Bigger diameter of steering wheel
- Pilot seat with reclining backrest
- External cushions with draining foam
- Reading light diff. from std.
- Courtesy lights on side gates
- Empty dome for KVH TV6 USA
- Antenna TV SAT KVH M7 HD
- Furniture decor diff. from std.
- Retractable electro-hydraulic gangway
- External speakers
- Radar plotter Navnet tzt2

- Automatic cable reels and remote control US version
- Wooden floor salon / entrance galley
- Marble: galley tops diff. from std.
- Head bed board and bed frames cabins diff. from std.
- Sofa/chaise lounge in the master cabin -diff.-
- Radar plott on bridge Furuno tzt2 - diff. 12"
- Carpet in cabins diff. from std.
- Curtains diff. from std.
- Bed covers diff. from std.
- Decorative cushions
- Steel anchor
- Furuno radar radome
- Hard top with cover
- Cockpit teak with grey lines like grey deck
- Teak caulking in gray color in lieu of black spoiler
- Teak on sidewalks with grey caulking
- Dishwasher 6 covers
- Miele washer
- Dryer Miele 240 V 60Hz in crew quarter
- Table in the cockpit in sealed teak painted wood - diff.
- Shore fresh water intake
- Roll blind in VIP/guest cabin
- Underwater light
- Led lights on sidewalks
- Lighting for stairs towards cabins
- Searchlight electrically controlled (big rectangular)
- Chair for cockpit additional
- Refrigerator on the fly 50 liters
- Control station in the cockpit fixed with cover
- Crew cabin: additional folding bed
- System: connection of the crew wc to the holding tank
- Mooring winch (2)
- Salon curtains electrically-driven lifti
- Electrical raising for curtains in master cabin
- Electrical raising for roll blinds -each-
- Cooler drawer in salon
- WC
- Sea recovery AWC 800 AC water-maker
- Stern thruster with watertight engine
- Leather for interior sofas upholstery - diff.-
- Mosaic: shower-walls in master bathroom
- Marble top in cockpit

Main Deck

- Access to aft platform (2) through a GRP step and a stainless steel gates (2)
- Access to crew area through non-slip steps from port support
- Access to the engine room through an hatch with s/s handle and a stainless steel and teak ladder
- Access to the flybridge through GRP and teak steps, stainless steel handrail
- Aft platform with storage, hydraulic lifting platform (450kg) and foldaway bathing ladder,
- Aft sliding door and tilting window, both with stainless steel frames
- Boat hook
- Bow hawse in stainless steel
- Bow pulpit with side rails and side gates
- Bruce style anchor
- Cockpit cabinet with wooden counter top and storage
- Cockpit lighting
- Cockpit sofa
- Cylindrical fenders (6) and spherical fenders (2)
- Electric anchor windlass (1700W) with controls at bow, main helm position and flybridge helm position
- External acoustic alarm for bilge water level at bow and at stern
- GRP deck flooring with non-slip surface
- Hand-held shower with hot/cold fresh water on the aft platform
- Hatches (2) to forepeak
- Mooring line holder in the forepeak
- Mooring stations (2) with GRP covers, storage space for mooring lines
- Perimetrical curtain rod for canopies (cockpit)
- Protective shades for front and side windows in black mesh
- Pull handles in the engine room (engine and generator shut down, air intakes (2) and ventilation fan shut off, activation of fire extinguishing system)
- Sea water fire fighting hose and chain wash down at bow
- Sink with sea water and hot/cold fresh water in the mooring station
- Stainless steel and teak cockpit table
- Stainless steel cleats 1 / 3 boat
- Stainless steel deck hardware
- Stainless steel mooring cleat: at stern (2), at midship (1 for each side) and at bow (2)
- Stern (2) and bow (2) fairleads
- Storage space (2) in the stern bench
- Storage space in the port side support
- Sun-lounge pad at bow with sunbathing cushions
- Teak cockpit flooring and steps to side decks

Salon

- Aft tempered glass sliding door with stainless steel frame
- Air conditioning
- Cabinets with shelves

- Dining area (2 sofas, extensible glass dining table (1300-1700x800mm))
- Fitted carpet
- Hi-Fi system Home Cinema (2+1)
- Indirect lighting
- Roman blind (single) on side windows
- Side window with tilt opening
- Steps covered with fitted carpet leading to the galley
- TV LED
- Venetian blinds on aft sliding door

Galley

- Aft tilting window with stainless steel frame
- Air conditioning
- Cabinets with shelves and drawers
- Ceramic cooktop
- China tableware, glasses and stainless steel cutlery for 10
- Extractor fan over cooktop
- Fridge + freezer
- 24V through inverter)
- Microwave oven with grill
- Overhead kitchen cabinets
- Quartz/resin work counter top
- Stainless steel sinks (2) with hot/cold fresh water
- Venetian blinds on aft tilting window
- Vinyl fabric flooring

Main Helm

- Air conditioning
- Automatic pilot control unit
- Barometer, clock and hygrothermometer
- Chartplotter with LCD color display and
- GPS
- Cigarette lighter outlet (12 V)
- Display for boat data management
- Electric steering
- Electronic controls for engine clutch and throttle with easy-dock and auto-troll functions
- Electronic digital chain counter
- Fitted carpet
- Helmsman seat with manual movement
- Instant parallel battery
- Magnetic compass
- Main electric panel
- Main helm position with full instrumentation

- Radar (with LCD display)
- Side window with tilt opening
- Synoptic switchboard with alarms
- VHF
- Windscreen wipers (2) with timer

Flybridge

-
- Access to the cockpit through GRP and teak steps, stainless steel handrail
- Cockpit stairs skylight
- Co-pilot seat
- Cover for helm position, helmsman seat, sofa and cabinet
- Fully fitted cabinet with storage and sink
- GRP radar arch (radar support, antennas, signals)
- Life jackets (10)
- Life-buoy with floating lifeline and luminous buoy
- Liferafts (2) for 10 (6+4)
- Lighting on the flybridge
- Navigation lights
- Plexiglass and stainless steel front and side deflector
- Portable spotlight 1/2 mile range, 12 V
- Railing
- Sofa with storage space underneath
- Stainless steel signal/flag mast
- Sun lounge pad with cushions
- Table
- TV Antenna
- Warning horn with compressor
- Watertight loudspeakers (2)

Flybridge Helm Position

- Electric steering
- Electronic controls for engine clutch and throttle with easy-dock and auto-troll functions
- Helmsman bench
- Instrument board with electric opening
- Mini Hi-Fi, watertight with USB socket
- Outlet 12 V
- Radar, chartplotter, GPS and autopilot with LCD color display
- Rudder angle indicator

- Second steering position equipped with instrument and alarms
- VHF

Lower Deck

Lobby

- Access to the main deck area through steps covered with fitted carpet
- Fitted carpet
- Locker, shelves

Master Cabin and Head

-
-
- Air conditioning
- Bedside cabinets (2)
- Cabinet with shelves
- Chaise-lounge
- Double bed with mattress, pillows and bedspread
- Drawers
- Drawers underneath bed
- Fitted carpet
- Hull window (2) with openable stainless steel porthole and roll-up cover
- Indirect lighting
- Mini Hi-Fi
- Natural ventilation under bed
- Reading lights (2)
- Roman blind (single)
- Safe
- TV outlet
- Upholstered headboard
- Walk-in wardrobe with hanging rail and mirror

Master Head

- Air conditioning

- Electric ceramic WC
- Fabric Venetian blinds
- Lockers
- Mirror
- Shower with tempered glass door, wooden tray and bench, openable stainless steel porthole
- Stainless steel openable porthole
- Washbasin with Corian countertop
- WC control panel
- Wooden flooring

VIP Cabin and Head at Bow

- Air conditioning
- Double bed with mattress, pillows and bedspread
- Drawer underneath bed
- Escape hatch
- Fitted carpet
- Hull windows (2) with stainless steel openable portholes
- Mirror
- Natural ventilation under bed
- Reading lights (2)
- Roman blind (single)
- Shelves
- Upholstered headboard
- Wardrobes (2) with mirror

VIP Cabin Head

- Air conditioning
- Electric ceramic WC
- Fabric Venetian blinds
- Lockers
- Mirror
- Shower with tempered glass door, wooden tray and bench
- Stainless steel openable porthole
- Washbasin with Corian countertop
- WC control panel
- Wooden flooring

Guest Cabin and Head

- Air conditioning
- Beds (2) with mattresses, pillows and bedspreads
- Bedside table with drawers (2)
- Drawers underneath bed
- Fitted carpet
- Hull window with stainless steel openable portholes (2)
- Mirror
- Natural ventilation under bed
- Reading lights (2)
- Roman blind (single)
- Upholstered headboard
- Wardrobe with mirror

Guest Head

- Air conditioning
- Electric ceramic WC
- Mirror
- Overhead lockers and shelves
- Shower with plexiglass partition
- Stainless steel openable porthole
- Venetian blinds in fabric
- Washbasin with Corian countertop
- WC control panel
- Wooden flooring

Crew Area

Crew Head

- Electric WC with fresh water
- Lockers
- Mirror
- Shower with waterproof curtains
- Stainless steel openable porthole
- Washbasin with hot/cold fresh water
- Crew cabin
- Access to the main deck area through non-slip steps
- Air conditioning
- Bed with mattress, pillow and bedspread

- Bedside table
- Cabinets with lockers
- Fitted carpet
- Stainless steel openable portholes
- Wardrobe

Engine Room

- Access to the cockpit through a hatch and a stainless steel and teak ladder
- Air intakes (2)
- Change over valves (2) for emergency water pumping from the bilge
- Electric bilge pump
- Electric ventilation fan (2)
- Fire extinguishing system with automatic/manual control
- Fresh-water outlet for filling and washing
- Fuel tank level indicator
- Generator (21,5 kW)
- GRP fuel tank (lt. 3700) with settling tank and discharge
- Portable lamp
- Racor diesel engine filters (2) with bypass
- Racor diesel gen set filter
- Water filter for generator cooling system
- Water filters (2) for engine cooling system
- Watertight forward bulkhead
- Wooden flooring with non-slip surface

Propulsion and Control Equipment

- Bow thruster 8,7 Hp
- Electric steering
- Stuffing box with drip-less shaft seal, low maintenance
- Underwater silenced exhausts
- V-Drive transmission
- Stabilization systems
- Interceptors

Electronic Equipment

- VHF (2)
- Navigation
- Autopilot control unit (main helm position)
- Chartplotter with LCD colour display and

- GPS (main helm position)
- Radar (with LCD display)
- Radar, chart plotter LCD display with autopilot (flybridge helm position)

Systems

- Fire extinguishing system
- FM200 fire extinguishing system in the engine room with automatic/manual control
- Portable fire extinguishers
- Pull handles in the engine room (engine and generator shut down, activation of fire extinguishing system)
- Smoke detection alarm system in the engine room
- Smoke detectors in each area: salon, master, vip , guest, crew and thruster
- storage
- Air conditioning system
- Air conditioning Btu 60.000

Electrical System

- 1 Dolphin 12V 10A 115-230 battery charger for generator
- Automatic battery charger (24V) for auxiliary service batteries, reduced engine battery charge
- Battery disconnecting switches: mechanical (engine room) and electronic (cockpit)
- Breaker box
- Carling Switch 50 A for shore supply
- Cathodic protection with zinc anodes
- Double Electric outlets (120 V) in each plate
- Galvanic isolator (50 A)
- Generator starting battery 12V
- Ground connection for sea water intake and railings
- Ground fault interrupters 120V - 6mA
- Group of 24V auxiliary service batteries low water less
- Group of 24V batteries for engine starting low water Less
- Inverter (24 V dc / 120 V ac) for fridge
- LED Lighting throughout 24 V
- Manual battery disconnecting switch for generator
- Mechanical (cockpit) and instant (main helm position) electric battery parallel switch
- Preparation for decoder: cable 120V + F connector + TV SAT antenna cables in all cabins
- Preparation for TV in all cabins: cable
- 120V + F connector + TV antenna cables
- Shore plug(50 A 120/240 V)
- Shore power GFI 50A-30mA
- Bilge system
- Electric bilge pump (engine room, accommodation space)
- Electric pumps (5) (aft platform, engine room (2), accommodation space, crew area)

- Emergency bilge suction pipe (engine room) through engine cooling pump
- Sanitary and water systems
- Automatic grey water discharge system
- Black water system with tank
- Black water tank: deck connection for tank pumping out
- Electric WC system with fresh water
- Fresh water autoclave pump (24 V) with electronic control
- Fresh water tank (lt 530)
- Grey water system with tank
- Independent sea water intake for air conditioning with filter
- Independent sea water intake for sea water system with filter
- Independent sea water intake for water maker with filter
- Sea water autoclave pump for washing and fire fighting with hose at bow
- Water heater (120 V, 80 lt)

Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

Basic Information

Category: Motor Yacht

Model Year: 2015

Year Built: 2015

Country: Panama

Dimensions

LOA: 65' 0" (19.81m)

Beam: 17' 2" (5.23m)

Max Draft: 4' 11" (1.50m)

Speed, Capacities and Weight

Max Speed: 30 Kts. (35 MPH)

Accommodations

Total Cabins: 3

Total Heads: 3

Hull and Deck Information

Hull Material: Fiberglass

Engine Information

Engines: 2

Manufacturer: CAT

Model: C18

Engine Type: Inboard

Fuel Type: Diesel

PHOTOS

Photo Oct 17, 5 19 00 PM



Photo Oct 17, 5 19 12 PM



Photo Oct 17, 5 19 30 PM



Photo Oct 17, 5 19 41 PM



Photo Oct 17, 5 17 31 PM



Photo Oct 17, 5 20 06 PM



Photo Oct 17, 4 33 18 PM



Photo Oct 17, 4 31 36 PM



Photo Oct 17, 4 31 54 PM



Photo Oct 17, 4 05 48 PM



Photo Oct 17, 4 05 40 PM



Photo Oct 17, 4 04 38 PM



Photo Oct 17, 4 31 10 PM



Photo Oct 17, 4 31 17 PM



Photo Oct 17, 3 40 59 PM



Photo Oct 17, 3 41 12 PM



Photo Oct 17, 3 41 25 PM



Photo Oct 17, 3 41 35 PM



Photo Oct 17, 3 41 47 PM



Photo Oct 17, 3 42 04 PM



Photo Oct 17, 4 03 28 PM



Photo Oct 17, 3 42 43 PM



Photo Oct 17, 3 44 29 PM



Photo Oct 17, 3 44 13 PM



Photo Oct 17, 3 45 33 PM



Photo Oct 17, 3 47 55 PM



Photo Oct 17, 3 48 35 PM



Photo Oct 17, 4 02 41 PM



Photo Oct 17, 3 49 05 PM



CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email:
andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com/en/

Telephones

USA: **+1(954)274-4435**

Office hours

Monday – Saturday: **9:00 - 21:00 EDT**

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004