

FRUITION — CHB



Судостроитель: CHB

Длина общая: 48' 0" (14.63m)

Год постройки: 1987

Модель: Моторная яхта

Цена: **ЦЕНА ЯХТЫ ПО ЗАПРОСУ**

Местонахождение: United States

Купить **Fruition — CHB** а также выбрать подходящую вам яхту из нашего **каталога яхт** вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания **Shestakov Yacht Sales Inc.** имеет большое количество яхт в **собственном списке продаж**, а также тесно сотрудничает со всеми крупными **яхтенными производителями** по всему миру.

Для того чтобы купить яхту **Fruition — CHB** а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	5
Обзор	5
Основная информация	5
Размеры	5
Размещение	5
Корпус и палуба	6
Информация о двигателе	6
ПОДРОБНОЕ ОПИСАНИЕ	7
MAIN DESCRIPTION	7
FRUITION ACCOMMODATIONS	7
Galley	8
ELECTRONICS & HELM	8
ENGINES, TRANSMISSIONS, FUEL	8
Fruition Ground Tackle	9
MISCELLANEOUS	9
Entertainment Systems:	10
WATER & WASTE	10
DISCLAIMER	11
Исключения	11
Отказ от ответственности	11
ФОТОГРАФИИ	12
1 side view	12
2 Bow dockside	12
3 Stern view	12
4 swim platform	12
5 Fruition side view	12
6 Forward from Saloon	12

7 Sallon stb aft	12
7a Saloon port aft	12
8 Galley down	13
9 Galley port	13
10 Galley stbd	13
11 Forward stateroom	13
12 aft hall	13
13 office	13
14 master 2	13
16 Master	13
17master 3	14
18master 4	14
19 Master head 1	14
20 Master head 2	14
20a Day head	14
21 washer dryer	14
22 sundeck port	14
23 Sundeck aft	14
24 Sundeck stb	15
25 bridge access	15
26 Port side deck	15
27 Stb side deck	15
28 flybridge from sundeck	15
29 bridge helm	15
30 dingy deck	15
31 2018 OB	15
32 helm	16
33 air draft	16
34 Helm 2	16

35 Eng gauges	16
36 Furuno Radar	16
37 Garmin 4210	16
38 VHF	16
39 Bridge Gen Controls	16
40 Cameras	17
41 bridge 12v	17
42 Engine Room	17
43 Port Engine	17
44 Stb Engine	17
45 Eng Rm Gauges	17
46 Start Batteries box	17
47 Start Batteries	17
48 House Batteries	18
49 Generator	18
50 House H2O	18
51 spare props	18
52 Transmission	18
53 Thru Hulls Location	18
54 water heater	18
КОНТАКТЫ	19
Контактная информация	19
Телефоны	19
Время работы	19
Адрес	19

ХАРАКТЕРИСТИКИ

Обзор

Fruition is new to the market and was on the American Greet Loop and performing well having logged some 2000 miles. Owned by a retired tug Captain and his wife, an unforeseen family event offers this "Looping" motor yacht for sale. She is a 1987 Seamaster 48 ft. motor yacht also known as a CHB 48 motor yacht. The Seamaster is a close copy of the original Hatteras 48 motor yacht built 1981-84. She has a modified-V hull with a moderate 15'4" beam, hard chines, and a shallow, full-length keel. The interior is spacious with 2 state rooms forward and aft and a midships office/stateroom. The interior has a warm look with an abundance of teak cabinetry and woodwork. Large windows provide ample light and visibility. The galley is down and includes booth style table and seating for 4 adults. This spacious interior also has three heads. The after deck is roomy and enclosed with u zip windows and sunscreens plus a wet bar. Wing doors open onto both wide side decks for easy movement forward. The fly-bridge is large, with clear enclosures, and seating for 8 adults. The vessel maintenance logs and records are available.

Основная информация

Тип судна: Моторная яхта

Модельный год: 1987

Год постройки: 1987

Страна: United States

Размеры

Длина общая: 48' 0" (14.63m)

Размещение

Всего кают: 4

Всего коек: 6

Всего ком. состава: 3

Корпус и палуба

Материал корпуса: Fiberglass

Информация о двигателе

Двигатели: 2

Производитель: Caterpillar

Модель: 3208TA

Тип двигателя: Inboard

Тип топлива: Diesel

ПОДРОБНОЕ ОПИСАНИЕ

MAIN DESCRIPTION

Fruition is new to the market and was on the American Greet Loop and performing well having logged some 2000 miles. Owned by a retired tug Captain and his wife, an unforeseen family event offers this "Looping" motor yacht for sale. She is a 1987 Seamaster 48 ft. motor yacht also known as a CHB 48 motor yacht. The Seamaster is a close copy of the original Hatteras 48 motor yacht built 1981-84. She has a modified-V hull with a moderate 15'4" beam, hard chines, and a shallow, full-length keel. The interior is spacious with 2 state rooms forward and aft and a midships office/stateroom. The interior has a warm look with an abundance of teak cabinetry and woodwork. Large windows provide ample light and visibility. The galley is down and includes booth style table and seating for 4 adults. This spacious interior also has three heads. The after deck is roomy and enclosed with u zip windows and sunscreens plus a wet bar. Wing doors open onto both wide side decks for easy movement forward. The fly-bridge is large, with clear enclosures, and seating for 8 adults. The vessel maintenance logs and records are available.

FRUITION ACCOMMODATIONS

The forward stateroom offers upper and lower berths stacked to port and followed aft by a hanging locker; several drawers are to starboard. There is a guest head aft to starboard. There are opening port-lights and an overhead hatch. The dinette is next aft to starboard with a high low table with natural lighting from the overhead salon windows and opening ports. Across to port is a nice galley with a standard sized refrigerator freezer. Also, a full-sized microwave, toaster oven and stove with oven. Up three steps to the large and open salon featuring and abundant casual seating movable coffee table and storage cabinets in the salon with rugs and curtains. Aft and down one passes the laundry center on the way to the portside office configured stateroom opposite the guest head. Next aft is the master stateroom with a center line queen berth, private head with very large shower stall, three hanging lockers and ample drawer storage. The aft deck is under a hardtop with table and chairs, wing doors and a wet bar. This is the focal point for entertainment. The area is fully enclosed with a large wet bar, and ice maker. The aft deck and Fly-bridge have nonskid decks. Both the Fly-bridge and aft deck have full Isinglass enclosures with U-Zips. The spacious Fly bridge is four steps up from the aft deck with a center-line helm and lots of guest seating. The boat deck is aft of the fly-bridge and covers the aft deck. Here one finds a Stainless dinghy davit with electric wench and chocks for a Achilles dinghy. The side decks are very wide and lead from the aft deck, through wing doors, to the fore-deck where there are three large dock box storage containers. TO VIEW 360 PICTURES CUT AND PASTE TO BROWSER: These 360 pictures bring the standard pictures into perspective. **Galley Fly bridge Forward stateroom Master stateroom Engine**

roomOffice

Galley

The galley is down to port and forward. It is open overhead to the forward salon windows. There is a teak parquet, laminate cabinet tops and built in microwave. Across is a large dinette, that will convert to a berth.

- Galley Maid Princess 3 Burner stove with oven
- 18CF Frigidaire 120v double door refrigerator/freezer
- Kenmore dish washer
- Equator EZ-3600 combo washer/dryer (aft stateroom companionway)
- Double well deep stainless-steel sink
- Toaster oven
- Stainless Propane grill located on sundeck

ELECTRONICS & HELM

Electronics & Helm Electronics and Navigation Fly bridge gauges are in standard Seamaster instrumentation panel with Plexiglas hinged cover to protect form elements. Instruments/controls: stainless steel spoke wheel - Morse (dual lever) mechanical throttle and shift controls - analog instruments including Tach, volts, engine oil pressure, engine temperature, and turbo boost pressure gauges - miscellaneous 12VElectronics, NAV equipment:(bridge) include:

- Standard Horizon Intrepid VHF marine radio w/DSC
- Garmin GPS/Map 4210 Touch Screen color chart plotter
- Garmin GSD22 depth monitor
- Furuno NAVnet 48 NM monochrome radar w/open array
- Robertson/Simrad AP20 Autopilot
- 4" Ritchie magnetic compass w/sun screen

ENGINES, TRANSMISSIONS, FUEL

Twin Caterpillar 3208TA (advertised 375 HP) - Turbo-after-cooled inboard V-8 diesel engines:Engine hours (indicated): port 6945 - starboard 6927- Engine serial Nos.: port 01Z09335 - Stbd. 01Z09300Engines secured to heavy duty steel frames bolted to the longitudinal stringers with cushioned adjustable mounts, amidships below the salon. Normal engine compartment access under hinged steps between the galley and dinette; covered hatches above engines in the salon sole. **Engines/transmissions:** Twin Dicc Marine model MG-507-1 reverse reduction gear direct drive inboard transmissions.Transmission serial numbers: port 5X1455 -

starboard 5X1458 - Gear ratio: 1.72:1 Transmissions fitted with bolt-on steel couplers connected to (estimated 2") stainless steel shafts, passing through standard pressurized FRP and bronze stuffing boxes fitted with w/fiber packings and bronze HEX nut type compression fitting. **Diesel fuel system:** equipped with (4) black iron fuel tanks; (2) secured outward of the engines and (2) below the aft bed (590 total gallons reported) remote Racor primary fuel filters/water separators and on engine canister type secondary filters. Fuel tank level gauges helm, sight fuel level tubes on main tanks - fuel shut off and selector valves installed on bulkheads near the fuel tanks - fuel tank fill fittings on the aft deck and on the side decks, all marked for DIESEL - standard tank vents with thru-hull fittings at hull sides. **Cooling systems:** Sea water and coolant (closed) hardware - bronze thru-hull fittings with bronze ball valve seacocks and bronze/glass, in-line strainers on engine heat exchangers/reservoirs with remote coolant discharge - standard CAT Turbo-after-coolers w/fabric type air intake filters **Lubrication system:** Standard CAT lube oil system w/on engine spin-on canister type oil filters and standard plumbing. **Exhaust system:** Marinized wet exhaust system with; steel risers, steel and FRP ducts - reinforced rubber elbows and exhaust hoses w/double stainless-steel clamps - thru-transom exhaust discharge ports at the water line. **Compartment ventilation and auxiliary heating:** (4) 120V & 12V compartment blowers and hull side ambient air vents w/water catch boxes - portable 120V heaters for winter storage. **Generator:** NOR-PRO model 15NY - 120/240 volt 50 Amp 15 KW diesel powered generator engine Hrs. (indicated on hour meter): 1974.9. Genset engine SN: 71661 Genset (installed 2008 per on board records) in a insulated *Quiet Box* on equipment shelf forward of the starboard engine. Unit is sea water cooled with 115V electric seawater pump and closed reservoir type cooling system with on unit heat exchanger.

Fruition Ground Tackle

Ground tackle

- 65# Hooker fluke with 150' of 3/8" chain
- 66# Lewmar claw with 40' of 5/16" chain & 90' of 3/4" nylon rode
- 25# Danforth with 15' of 5/16" chain and 100' of 5/8" nylon rode
- 12V LoFrans Tigress capstan windlass w/chain gypsy, hand crank, helm and deck control switches dedicated battery charger.
- prefabricated Mantus anchor bridle of 1" nylon and heavy chafe protection
- numerous 3/4" & 5/8" dock lines
- numerous miscellaneous size and type vinyl fenders,
- (4) in s/s bow racks

MISCELLANEOUS

- Bridge and sun deck enclosures w/screens and shades (new 2016)

- (estimated 1000 Lb.) aluminum swing arm dinghy davit w/120V power winch
- wet bar w/storage and U-Line 120V ice maker
- portable s/s boarding ladders w/teak steps
- s/s Magma LPG Party grill w/rail mount
- Shakespeare TV antenna
- (4) stainless steel fender racks secured to bow rails
- 12V & 120V outlets - chart light -deck courtesy lighting
- deck wash down system and dockside water fitting
- windshield and miscellaneous equipment covers
- high end patio furniture
- (3) FRP deck boxes
- 3" teak staff w/US flag
- aluminum boat hooks and brush
- miscellaneous spare parts and shore power cable adapters
- all weather bridge and aft deck carpet

Entertainment Systems:

12 volt DC systems: the main 12V DC system is supplied by engine 90 amp alternators and (3) 12V commercial 8D, 1100 CCA wet cell batteries secured in battery boxes in the engine compartment. The deck winch is powered by (1) 31 series, 1000 CCA AGM battery secured below the V-berth. DC system also equipped with; system volt and amp meters, plus engine volt meters - (1) Xantrex XC-5012, 50 amp marine battery charger - (1) Pro Mariner ProSport 6, 6 amp marine battery charger - (4) manual operated master battery disconnect switches - trip free circuit breakers and in line fuses. The main DC distribution panel is installed in the salon, sub panels installed on the bridge and in the engine compartment. Inverter system: 120V auxiliary AC power supplied by a portable Cen-Tech 2000/4000 inverter located in a salon compartment. **120/240 volt, 50 & 30 Amp AC systems:** Shore power systems equipped with (1) 50' 50 amp shore power cable secured to weather boat side fitting at the port hull side. The main AC service panel is located in the salon, and equipped with; system volt and amp meters, polarity indicators, trip-free main and sub-system circuit breakers, SHIP to SHORE system change-over switch. AC system also equipped with; port or starboard shore power inlets w/change-over switches -sub panel with circuit breakers and inverter selection switch.

WATER & WASTE

Potable water system: Hot/cold pressurized potable water system fitted with; (2) (reported 190 gallons total) potable water tanks 120V Reem 15 gallon hot water heater Jabsco 12V 4.3 GPM fresh water pump w/integral pressure switch, line strainer, cartridge filter - PVC plastic plumbing, copper tubing and Nylon reinforced Mylar hose. Original CHB 70 gallon Poly coated s/s tank on center line in the engine compartment

was replaced with 2 35 gal. polyethylene tanks and a 2nd original water tank integral to the hull below the aft stateroom sole is abandon do to leakage; a water tank level monitor is in the galley, dock side water fitting at port side of the deck - tank fill fitting at the port hull side marked for WATER. The owner has a water bladder with pump when more than 70 gal. of water is necessary but this is rarely used. **Black & gray water waste systems:** Marine heads connected primarily for holding tank or (optional) overboard discharge. Black water system fitted with; (1) (reported 50 gallon) FRP holding tank, "Y" valves and 12V macerator pumps - pump out fitting on the port side deck, marked for WASTE Sinks drain directly overboard via thru-hull fittings; showers and AC condensate drains to gray plastic water sumps located in the forward and aft bilges. Sumps fitted with 12V Rule sump pumps w/float switches.

DISCLAIMER

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

Исключения

При продаже яхты исключаются личные вещи владельца.

Отказ от ответственности

Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.

ФОТОГРАФИИ

1 side view




2 Bow dockside




3 Stern view




4 swim platform




5 Fruition side view




6 Forward from Saloon



7 Sallon stb aft



7a Saloon port aft



8 Galley down



9 Galley port



10 Galley stbd



11 Forward stateroom



12 aft hall



13 office



14 master 2



16 Master



17master 3



18master 4



19 Master head 1



20 Master head 2




20a Day head




21 washer dryer



22 sundeck port



23 Sundeck aft



24 Sundeck stb



25 bridge access



26 Port side deck



27 Stb side deck



28 flybridge from sundeck



29 bridge helm



30 dingy deck



31 2018 OB



32 helm



33 air draft



34 Helm 2



35 Eng gauges



36 Furuno Radar



37 Garmin 4210



38 VHF



39 Bridge Gen Controls



40 Cameras



41 bridge 12v



42 Engine Room



43 Port Engine




44 Stb Engine



45 Eng Rm Gauges




46 Start Batteries box



47 Start Batteries




48 House Batteries



49 Generator




50 House H2O



51 spare props




52 Transmission



53 Thru Hulls Location



54 water heater



КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: **andrey@shestakovyachtsales.com**

Web: shestakovyachtsales.com

Телефоны

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

Время работы

Понедельник – Суббота: **9:00 - 21:00** EDT

Воскресенье: **Закрето**

Адрес



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004