

TRANSPOSITION — BENETEAU



Судостроитель: BENETEAU

Год постройки: 1994

Модель: Крейсерская яхта

Цена: **ЦЕНА ЯХТЫ ПО ЗАПРОСУ**

Местонахождение: United States

Длина общая: 38' 5" (11.71m)

Ширина: 12' 4" (3.76m)

Мин. осадка: 4' 10" (1.47m)

Купить **TRANSPOSITION — BENETEAU** а также выбрать подходящую вам яхту из нашего каталога яхт вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания Shestakov Yacht Sales Inc. имеет большое количество яхт в собственном списке продаж, а также тесно сотрудничает со всеми крупными яхтенными производителями по всему миру.

Для того чтобы купить яхту **TRANSPOSITION — BENETEAU** а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	5
Обзор	5
Основная информация	6
Размеры	6
Скорость, вместимость и масса	6
Размещение	6
Корпус и палуба	6
Информация о двигателе	7
ПОДРОБНОЕ ОПИСАНИЕ	8
ACCOMMODATIONS	8
GALLEY	9
HEADS	9
WATER SYSTEMS	10
HULL AND DECK	10
SAILS AND RIGGING	11
ENGINE & MACHINERY	11
ELECTRICAL	12
ELECTRONICS	12
OTHER EQUIPMENT	13
EXCLUSIONS	13
DISCLAIMER	13
Исключения	13
Отказ от ответственности	13
ФОТОГРАФИИ	15
0DD48E49-BFE1-4704-9C8B-E826F2BBCE10_1_105_c	15
B8BFACF4-8818-4917-A031-C1BC8638B2A6_1_105_c	15
692A8F1B-0866-4F2F-BE11-FCCA00EF5034_1_105_c	15

1FE18362-F352-4E87-89F4-1926267BD6DA_1_105_c	15
607C5548-CA19-419F-AC59-82317687A4DD_1_105_c	16
23B3C5CD-0875-4C89-9C01-54C52C9FBD7C_1_105_c	16
8958671E-58E2-428E-880E-2C5A136CF18F_1_105_c	16
AA113BA2-89F2-4273-8492-51E27BA5243A_1_105_c	16
691A8D84-B1E6-43EC-9F39-5798CEB9AC23_1_105_c	17
5D89E9E4-7F85-4157-9AA5-D391361993B9_1_105_c	17
7E1F54CF-6F9D-49CB-9985-058CAD68524A_1_105_c	17
E34A2361-B3D2-4268-BF67-8EF19979A950_1_105_c	17
F2E8C837-6F94-4F30-B29B-E8FB6C919269_1_105_c	18
A518C0C5-C5AC-416E-AAF8-D124EE6A81C1_1_105_c	18
C6B4620B-4439-4994-BDC7-B5D1B4EE9C36_1_105_c	18
98CBA15A-1011-4DBF-BF13-A3334E102BFF_1_105_c	18
11593310-3A70-4D7A-8EBB-3614E5ABCCF8_1_105_c	18
ABE39BED-7D9D-415F-8656-1D7ED8A1592E_1_105_c	18
F2652050-5A10-4585-9D59-4368E58EDDD3_1_105_c	19
E88B815C-CF3F-4181-B068-02C7B96B4F83_1_105_c	19
C77DC0A3-5587-4297-9275-DD3FD4BD1F5A_1_105_c	19
3D115821-9B23-42AE-99CE-7122C2E04584_1_105_c	19
E1CD0EA5-1DB4-4482-A44B-77CF3D895A64_1_105_c	20
849C7008-4F92-4B1B-A5AF-6AF70F00DD0C_1_105_c	20
B90021E4-88B0-49EB-94BA-E6C99EE1807D_1_105_c	20
3C7E54BC-D7BF-434A-A928-9B7AEE584094_1_105_c	20
276BBAFE-2C34-449A-B743-7088C6023C10_1_105_c	21
201915F9-56D9-41C4-A35D-BC4EF7167D6B_1_105_c	21
E3164B35-AB3C-4DFB-99C2-39D24DAC5BAD_1_105_c	21
F44D9CD2-C2E9-4D99-96B7-642650098E52_1_105_c	21
63F2D97A-E05A-4857-8139-81414EE2EFEE_1_105_c	22
9B36DBC2-CCD4-4354-8761-B8188B0B2B28_1_105_c	22

EF0EB2EF-4D97-47E9-8FDE-3B823F72E020_1_105_c	22
1AA636D6-E79B-4087-95E9-93CFCE1619D1_1_105_c	22
F55E0E72-3158-493B-9E42-2974D835F737_1_105_c	23
9CA3AAC7-BF66-4A43-92ED-BE28F8B9DF78_1_105_c	23
3EF5A4F4-B55E-4AAC-BBB7-D9BBAAB7D2AA_1_105_c	23
77357BB4-7FF9-40A2-8C8D-E9A27B1E5B8D_1_105_c	23
FF7D9954-AB0A-4A2E-A2EC-1A86232D64D2_1_201_a	24
34C4E076-3CF2-4982-8CEF-2036B7607484_1_105_c	24
B845439E-46C7-4437-AA70-CDFFBDE29ABB_1_105_c	24
E633A3A9-3FA1-41E6-A4E3-D6E6C0540ACB_1_105_c	24
3924A578-5327-4C17-A1DE-F0E09CA126BE_1_105_c	25
CPYB Logo	25
IMGShow	25
КОНТАКТЫ	26
Контактная информация	26
Телефоны	26
Время работы	26
Адрес	26

ХАРАКТЕРИСТИКИ

Обзор

The Beneteau First 38s5 was introduced in 1989 and continued in production until 1995, with 120 hulls completed. The design was a collaboration of designers Jean Berret and Philippe Starck, who designed the interior.

Jean Berret, who was responsible for the hull and rig, designed what was to become one of Beneteau's most successful fractional rigs. The design he achieved created a very fast boat that could be raced competitively and yet easily handled by a cruising couple. The 38s5 handles responsively in all wind conditions, from light to heavy air, close hauled, on a reach or down wind.

The hull of the 38s5 is constructed of solid GRP laminates. The integrated GRP grid system is bonded into the hull and used to transfer the rig loads evenly throughout the hull structure. The decks are composite, with a variety of core materials in different areas and have radiused transitions from the house top to the deck and non-skid over the entire house and deck surface. The interior makes extensive use of GRP liners, with pre-cut and fabricated modules. The bulkheads are all bonded 360 degrees into both the hull and deck, which results in a light but extremely rigid structure.

All halyards and sail controls are led aft to the cockpit and concealed under fiberglass panels so that there is nothing to foul or trip over. The grab rails are recessed into the cabin top as well, so they are out of the way and not trip hazards while working on deck. Ten line clutches keep the winches free to use as you choose.

The unique interior, designed by Philippe Starck, is a wonderful contrast of mahogany, marble counters and aluminum trim. Spacious and attractive, the two private staterooms/ two head interior provide the comforts cruisers want. There is good storage, a well thought out galley and plenty of privacy for owners and guests.

Sleek and stylish, the Beneteau 38s5 offers the perfect blend of performance, comfort, and style in a manner that is sure to satisfy the racer at heart as well as the practical cruiser.

If you are looking for a boat with great sailing performance, the creature comforts you don't normally expect on a race boat and at an affordable price, TRANSPOSITION is worthy of your own personal inspection. Call and make an appointment to see her before she is gone!

Основная информация

Тип судна: Крейсерская яхта	Модельный год: 1994
Год постройки: 1994	Страна: United States
Верх: Bimini Top	Кубрик: Да

Размеры

Длина общая: 38' 5" (11.71m)	Длина по ватерлинии: 30' 2" (9.19m)
Длина палубы: 37' 8" (11.48m)	Ширина: 12' 4" (3.76m)
Мин. осадка: 4' 10" (1.47m)	Трапы: 52' 6" (16.00m)

Скорость, вместимость и масса

Водоизмещение: 14520 Pounds	Вместимость воды: 98 Gallons
Объем топливного бака: 29 Gallons	

Размещение

Всего кают: 2	Всего коек: 4
Спальные места: 6	Всего ком. состава: 2

Корпус и палуба

Материал корпуса: GRP	Материал палубы: Fiberglass Sandwich
Комплектация корпуса: Fin & Bulb	Дизайнер корпуса: Jean Berret
Дизайнер экстерьера: Jean Berret	Дизайнер интерьера: Philippe Starck

Информация о двигателе

Двигатели: 1

Производитель: Volvo

Модель: 2003T

Тип двигателя: Inboard

Тип топлива: Diesel

ПОДРОБНОЕ ОПИСАНИЕ

ACCOMMODATIONS

Forward stateroom: Starting forward is a 6'5" x 60" x 14" v-berth, with lots of storage beneath it. Along the hull sides is a padded liner. Fiddled shelves run the length of both hullsides and have mahogany sliding door fronts. On starboard is a nightstand with double mirrored doors above and double doors beneath; both with shelves inside. Lighting and ventilation provided by an overhead hatch with shade, an opening port, one overhead light, two reading lights and a 12V fan. Headroom is 5'11".

Forward Head: The ensuite head is located on port in the forward cabin. The full fiberglass enclosure makes for easy wipe down. The head is directly in front as you enter, with the round sink to the right. There is a locker beneath the sink and a mirrored locker above. There is a fold-down shower seat over the head. Along the hull is a mirrored locker with shelves. Lighting and ventilation is provided by an overhead hatch and an overhead light. Headroom is 5'11".

Saloon: The saloon area is quite spacious and has comfortable seating for 6-8 people. The mahogany dinette table is on center and a drop-leaf with a herringbone pattern. There is bottle storage accessed through the top of the table. The opposing settees have ergonomically designed seating for good back support. Beneath each settee is a water tank, while above and behind are fiddled shelves and top loading storage bins. There is shelving with sliding doors above them running the full-length of the saloon, nav and galley. Lighting and ventilation for these areas are provided by six opening ports, three dorade vents, two 12v fans, three overhead lights and a reading light. Headroom is 6'2".

Nav station: Located on starboard, the nav station has a round pedestal seat. The chart table is large enough to easily accommodate a chartbook and has generous storage beneath it. Additionally, at the end, there is a peninsula end fiddled counter area and a locker beneath it with shelves. Electronics and electrical panels are outboard and within easy reach. Headroom is 6'1".

Galley: The L-shaped galley is located on port at the base of the companionway. the peninsula shaped counter has tall fiddles that provide great handholds and two deep round stainless steel sinks. There is a curved swing-out door for the trash bin on the end of the peninsula beneath the outer sink; the other sink has a pull-out wire rack storage unit beneath it. There is a tip front silverware holder on the dinette side, where you need it. The large refrigerated icebox, approximately 6 cubic feet, between the sink and the hullside. Moving around along the hullside is the stove and oven, with bin storage beneath it for pots and pans. Above the stove is another shelf area for miscellaneous items. The locker above that has peg storage for dishware organization. Headroom in the galley area is 6'1".

Aft Head: The aft head is located on starboard at the base of the companionway. Upon entering, there is a large radiused countertop with a sink along the hullside; a curved grab bar goes in front of that for safety underway. There is a locker beneath the sink and cubbies on either side with

fiddled shelves. Above the counter and behind the sink is a shelf nook with a stainless fiddle and a small round port above it. On either side of that are mirrored door lockers. The toilet is at the aft end of the space and has a fiberglass shower seat that can be lowered down over it. A wet locker with a fiddled shelf above it is along the hull by the head and aft of the sink counter. Lighting and ventilation provided by one fixed light, one opening port, and one overhead fluorescent light. Headroom 5'9".

Aft Stateroom: As you enter the aft cabin there is a full height hanging locker with a fiddled shelf above it, a changing seat and then another locker aft of that. Above the changing seat are two shelves, with a small opening port above them. At 77" x 68" x 50" the berth is quite spacious. There is a sloped padded backrest in the area behind the engine box with a shelf behind it. Lighting and ventilation are provided a curved housetop light and two opening ports. Additionally, there are 2 smaller halogen lights and an overhead light. Headroom is 5'10".

- Mahogany interior with brushed aluminum trim
- Mahogany and ebony cabin sole
- Cabin sole boards lift for access to the bilge
- Roller blinds for all ports concealed in handrails

GALLEY

- Top loading fridge with 12v. Frigoboat refrigeration
- Frigoboat digital display
- Whale foot pump for ice box pump out or sea water
- Eno 2-burner LPG stove with oven
- Pot clamps
- 6# aluminum propane tank
- Electric solenoid safety switch
- Round stainless steel sinks (2)
- Single lever stainless steel hot/cold pressure water mixer
- Curved swing-out door with trash bin

HEADS

Forward head:

- Molded fiberglass enclosure
- Jabsco manual head
- Fold-down shower seat
- Round stainless steel sink
- Single lever water mixer with pull out shower wand

- Curved stainless steel grab rail
- Molded non-skid floor
- Electric shower sump pump

Aft head:

- Molded fiberglass enclosure
- Raritan Elegance fresh water flush electric head
- Y-valve for overboard discharge
- Fiberglass counter
- Round stainless steel sink
- Single lever water mixer with pull out shower wand
- Wet locker with fiddled shelf above
- Molded non-skid floor
- Electric shower sump pump

WATER SYSTEMS

- Raritan 6 gallon hot water heater
- Par fresh water pump
- Par electric bilge pump
- Cockpit manual bilge pump
- Transom shower (cold water)
- AC condensation drains to the bilge

HULL AND DECK

- Lead ballasted fin/bulb keel
- Spade rudder
- Slotted aluminum toe rail
- Toe rail mounted mooring cleats with rollers (6)
- Wichard pad eyes on toe rails (4)
- Double bow roller
- Lewmar plow anchor with 98' of 5/16" chain and 1/2" nylon rode
- Lewmar horizontal electric windlass with up and down foot switches
- Cambered deck with rail to rail non-skid surface
- Aluminum flush-mounted grab rails on housetop
- Port, starboard and stern lifeline gates
- Stern rail seats with cupholders (2)
- Full cockpit bimini with windshield panels
- Teak cockpit grate

- Pad eyes for jack lines (2)
- Cockpit pad eyes (2)
- Swim scoop
- Stainless steel swim ladder
- D/L ratio: 211

SAILS AND RIGGING

- Below deck roller furling headstay
- Deck stepped swept back double spreader mast
- Discontinuous rod rigging
- Tides Marine strong track
- Rigid boom vang
- Aluminum spinnaker pole
- Mast mounted spinnaker pole track and car
- Goyot adjustable genoa cars
- Harken mainsheet track and car
- Mid boom sheeting
- Spectra 10:1 backstay adjuster
- Lewmar 2 speed #46 chrome self-tailing primary winches (2)
- Lewmar 2 speed #30 chrome self-tailing secondary winches (2)
- Lewmar 2 speed #30 chrome self-tailing housetop control winches (2)
- Spinlock line clutches (12)
- All lines led aft below deck to cockpit
- North spinnaker with separate sheets, guys, 4 snatch blocks) dip pole jibe, good condition ('03)
- Quantum Kevlar #1 155% tri-radial, good condition ('05)
- Chesapeake Sailmakers #2 145% laminate Genoa with scrim and foam luff, good condition ('12)
- Quantum #3 110% blade, roller furling battens (1 missing), good condition ('06)
- Dacron main sail with 2 reef points & 2 full battens, servicable/ good condition
- Stack pack with lazy jacks
- Spinnaker halyards (2)
- I: 47'1"
- J: 12'10"
- P: 47'11"
- E: 15'5"
- SA/D: 22.88

ENGINE & MACHINERY

- Aluminum 29 gallon fuel tank

- Volvo Penta 2003T 43HP 3 cylinder fresh water cooled turbo diesel engine
- Engine S/N 2300051152-868223
- Racor 500 fuel filter/water separator with flame bowl
- 30mm stainless steel propeller shaft
- Vented dripless shaft seal
- Flex-O-Fold two-blade folding propeller
- Giot 47" wheel with wheel brake
- Plastimo compass
- CruiseAir 16,000BTU reverse cycle heat/air conditioning

ELECTRICAL

- Two 30A shore power connectors
- 50' 30A shore power cord
- 110V electrical panel with circuit breakers
- 110V receptacles throughout with GFCI protection
- Bass 12v electrical panel with voltage meter
- Balmar 100A alternator
- Balmar ARS-5 Smart Sensor voltage regulator
- Sentry 10A battery charger
- Heart Link 20 battery monitor
- Duracell Group 34 AGM House
- Duracell Group 31 AGM Starting battery
- 12v receptacle at nav
- Spreader lights

ELECTRONICS

- Mast bracket with 3 Raymarine ST60 multi displays
- Raymarine mast instrument remote control
- Raymarine A60 chart plotter
- Navionics all in one US chart chip
- Autohelm GPS
- Autohelm ST50 Tridata
- Autohelm ST50 Wind
- Autohelm ST7000 auto pilot (screen inop, mechanism works)
- Autohelm multi display at Nav
- Icom IC-M402 VHF radio with DSC
- ICOM Command Mic II RAM mic
- Maxima stereo with cassette, graphic equalizer and weather band receiver
- Magnavox CD player
- Polk audio speakers in saloon

OTHER EQUIPMENT

- Dock lines
- Fenders
- Boat hook
- Emergency tiller
- Cockpit cushions
- Outboard motor pad
- Brass Chronometer
- Brass Barometer
- Brass Ships time & tide clock

EXCLUSIONS

Owner's personal effects and any items not specifically described in this listing

DISCLAIMER

Potential purchasers should assume that any items on the vessel at the time of viewing, but not specifically listed on this specification sheet, are not included with the sale of the yacht. These specifications are believed to be correct but cannot be guaranteed. Specifications are provided for information purposes. Data was obtained from sources believed reliable but is not guaranteed by owner or brokers. Buyer assumes responsibility to verify all speeds, consumptions, capacities and other measurements contained herein and otherwise provided, and agrees to instruct his/her agents or his/her surveyor to confirm such details prior to purchase. This vessel is subject to sale, price and inventory changes or withdrawal from market without notice.

Исключения

При продаже яхты исключаются личные вещи владельца.

Отказ от ответственности

Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без

предварительного уведомления.

ФОТОГРАФИИ

0DD48E49-BFE1-4704-9C8B-
E826F2BBCE10_1_105_c



B8BFACF4-8818-4917-A031-
C1BC8638B2A6_1_105_c



692A8F1B-0866-4F2F-BE11-
FCCA00EF5034_1_105_c



1FE18362-F352-4E87-89F4-
1926267BD6DA_1_105_c



**607C5548-CA19-419F-AC59-
82317687A4DD_1_105_c**



**23B3C5CD-0875-4C89-9C01-
54C52C9FBD7C_1_105_c**



**8958671E-58E2-428E-880E-
2C5A136CF18F_1_105_c**



**AA113BA2-89F2-4273-8492-
51E27BA5243A_1_105_c**



5D89E9E4-7F85-4157-9AA5-
D391361993B9_1_105_c



691A8D84-B1E6-43EC-9F39-
5798CEB9AC23_1_105_c



7E1F54CF-6F9D-49CB-9985-
058CAD68524A_1_105_c



E34A2361-B3D2-4268-BF67-
8EF19979A950_1_105_c



**F2E8C837-6F94-4F30-B29B-
E8FB6C919269_1_105_c**



**A518C0C5-C5AC-416E-AAF8-
D124EE6A81C1_1_105_c**



**C6B4620B-4439-4994-BDC7-
B5D1B4EE9C36_1_105_c**




**98CBA15A-1011-4DBF-BF13-
A3334E102BFF_1_105_c**



**11593310-3A70-4D7A-8EBB-
3614E5ABCCF8_1_105_c**



**ABE39BED-7D9D-415F-8656-
1D7ED8A1592E_1_105_c**



F2652050-5A10-4585-9D59-
4368E58EDDD3_1_105_c



E88B815C-CF3F-4181-B068-
02C7B96B4F83_1_105_c



C77DC0A3-5587-4297-9275-
DD3FD4BD1F5A_1_105_c



3D115821-9B23-42AE-99CE-
7122C2E04584_1_105_c



849C7008-4F92-4B1B-A5AF-
6AF70F00DD0C_1_105_c



E1CD0EA5-1DB4-4482-A44B-
77CF3D895A64_1_105_c



3C7E54BC-D7BF-434A-A928-
9B7AEE584094_1_105_c



B90021E4-88B0-49EB-94BA-
E6C99EE1807D_1_105_c



276BBAFE-2C34-449A-B743-
7088C6023C10_1_105_c




201915F9-56D9-41C4-A35D-
BC4EF7167D6B_1_105_c



E3164B35-AB3C-4DFB-99C2-
39D24DAC5BAD_1_105_c



F44D9CD2-C2E9-4D99-96B7-
642650098E52_1_105_c



63F2D97A-E05A-4857-8139-
81414EE2EFEE_1_105_c



9B36DBC2-CCD4-4354-8761-
B8188B0B2B28_1_105_c



EF0EB2EF-4D97-47E9-8FDE-
3B823F72E020_1_105_c



1AA636D6-E79B-4087-95E9-
93CFCE1619D1_1_105_c



9CA3AAC7-BF66-4A43-92ED-
BE28F8B9DF78_1_105_c



F55E0E72-3158-493B-9E42-
2974D835F737_1_105_c



3EF5A4F4-B55E-4AAC-BBB7-
D9BBAAB7D2AA_1_105_c



77357BB4-7FF9-40A2-8C8D-
E9A27B1E5B8D_1_105_c



34C4E076-3CF2-4982-8CEF-
2036B7607484_1_105_c




FF7D9954-AB0A-4A2E-A2EC-
1A86232D64D2_1_201_a



B845439E-46C7-4437-AA70-
CDFFBDE29ABB_1_105_c



E633A3A9-3FA1-41E6-A4E3-
D6E6C0540ACB_1_105_c




3924A578-5327-4C17-A1DE-
F0E09CA126BE_1_105_c



CPYB Logo



IMGShow



КОНТАКТЫ

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

Контактная информация

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com

Телефоны

Краснодарский край: **+7(918)465-66-44**


США, Майами, Флорида: **+1(954)274-4435**

Время работы

Понедельник – Суббота: **9:00 - 21:00**
EDT

Воскресенье: **Закрито**

Адрес



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004