

2020 BENETEAU OCEANIS 35.1 — BENETEAU



Builder: BENETEAU

LOA: 34' 3" (10.44m)

Year Built: 2020

Beam: 12' 2" (3.71m)

Model: Cruising Sailboat

Price: PRICE ON APPLICATION

Location: United States

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs 2020 Beneteau Oceanis 35.1 — BENETEAU from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht 2020 Beneteau Oceanis 35.1 — BENETEAU or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call +1(954)274-4435

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	3
Basic Information	3
Dimensions	3
Speed, Capacities and Weight	3
Accommodations	3
Hull and Deck Information	3
Engine Information	3
DETAILED INFORMATION	4
Overview	4
Exclusions	16
Disclaimer	16
PHOTOS	17
3	17
2	17
4	17
5	17
6	17
7	17
CONTACTS	18
Contact details	18
Telephones	18
Office hours	18
Address	18

SPECIFICATIONS

Basic Information

Category: Cruising Sailboat

Model Year: 2020

Year Built: 2020

Country: United States

Dimensions

LOA: 34' 3" (10.44m)

LWL: 31' 10" (9.70m)

Beam: 12' 2" (3.71m)

Speed, Capacities and Weight

Displacement: 13149 Pounds

Water Capacity: 34 Gallons

Fuel Capacity: 34 Gallons

Accommodations

Total Cabins: 1

Total Heads: 1

Hull and Deck Information

Hull Material: Fiberglass

Engine Information

Engines: 1

Manufacturer: Yanmar

Engine Type: Sail Drive

Fuel Type: Diesel

DETAILED INFORMATION

Overview

Manufacturer Provided Description

Loyal to spirit of this earlier generation and in the tradition of the 41.1, the Oceanis 35.1 combine performance and comfort at sea. The Oceanis 35.1 interiors have been rethought and their exteriors redesigned, delivering significant developments and offering a choice of four versions in all.

EXTERIOR DESIGN

The chined hull by the architects Finot-Conq stands for comfort and good balance under sail, making a particularly noteworthy entry into the market for this size of boat.

With twin rudders, masts positioned further aft and optimized sail plans, the two hulls deliver excellent performance and offer incredible stability underway.

INTERIOR DESIGN

For the Italian design team, the challenge was to multiply the living spaces in the saloon and offer greater privacy in the owner cabin, while maintaining the visual perspective that her opening to the bow offered in previous versions.

The new L-shaped galley makes a facing seat saloon arrangement possible. The space has been well optimised to allow eight people to sit around the table. For anyone who prefers a more contemporary version, a long galley layout is still available.

MAXIMIZE SPACE

The chart table has been redesigned.

Practical and effective, it folds away to leave more room in the saloon.

Designed to suit a variety of sailing programmes and increasingly different lifestyles on board, the Oceanis 35.1 is available respectively in 4 versions with varied layouts: number of cabins and bathrooms, modularity of the saloon, choice of galley, storage capacity, etc.

Construction

- Design in accordance with European Directive requirements and according to CE certification
- Monolithic hull design in polyester
- Monolithic structural inner moulding bonded to the hull
- Deck injection constructed in glass fibre and Saerform foam sandwich, covered with "diamond-point" non-slip coating
- Hull-deck join screwed, bonded and trimmed with 1 bulwark
- Cast iron keel fixed with bolts and stainless steel backing plates
- 2 Underhung rudders with stainless steel stock
- White coloured hull - Grey metal hull graphics

Deck Equipment

RIGGING

- Standard mast 9/10 anodized aluminium installed on the deck, 2 aft-swept spreaders
- Anodised aluminium boom

- Discontinuous stainless steel standing rigging
- 1 Backstay: Bridle
- Rigid boom vang with tackle
- Genoa furling system with drum on the deck
- 2 Genoa tracks with piston adjusted traveller cars
- 2 Genoa sheet return stainless steel fairleads
- Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets, 2 Automatic reefing system
- 4 clutches, 4 Jamming cleats
- Main sheet on bridle, with fixed points on the roof
- optional extra:
 - Fixed composite arch, with incorporated LED lighting
 - 2 Stand-up blocks for mainsail sheet

WINCHES

- 2 Self-tailing genoa sheet winches (H40.2 STA)
- 1 Coach roof winch self tailing (H35.2 STA)
- 1 Aluminium "Speed Grip" winch handle, 1 Winch handle box

SAILS

- Furling genoa with UV protective strip
- Semi full batten written mainsail with slider (Roller slides for fully battened mainsail)
- Lazy Jack and Lazy Bag in Natural colour

MOORING LINES – MOORING

- Self-bailing chain locker - Clench bolt - Hatch cover
- Single stem roller
- 6 Aluminium mooring cleats - Stainless steel deck line protection

SAFETY ON DECK

- 1 Open stainless steel forward pulpit, 2 Stainless steel pushpits
- 1 Lifebuoys support bracket
- Double guardrail and stainless steel stanchions
- Openings in guardrail to port and starboard
- Ring for flag welded on pushpit

COCKPIT

- Self-draining cockpit
- 1 Cockpit locker
- 2 Lockers in cockpit bottom - Side helm's seats
- 1 Liferaft locker - aft cockpit (0,95 m x 0,59 m x 0,36 m / 3'1" x 1'11" x 1'2")
- Natural solid wood slatted cockpit benches (1,50 m x 0,50 m / 4'11" x 1'8")
- 2 Steering wheel consoles: Stainless steel steering wheels - 800 mm diameter / 2'7" - Leather covered - Steering gear at the helm station - metal cable transmission system - Stainless steel handrail - navigation instrument support (optional instruments) - Cup holder
- 2 Steering compass

- 2 Deck access points to tiller system
- 1 Emergency tiller
- Portside engine control and control panel
- 2 Hinged PMMA companionway doors - Sliding hatch made of PMMA
- 1 Swimming ladder

SWIM DECK / STERN DECK (Exclusive Trim level)

- Fully opening transom, convertible to bathing platform (2,60 m x 0,70 m / 8'6" x 2'4")
- Gas strut opening (manual), 1 Stainless steel integrated telescopic swimming ladder

Interior

- Alpi Mahogany interior wood
- Parquet type laminated floors
- Fabric lined hull in saloon and forecabin
- PVC Dolaro White or Commando Natural upholstery, Foam density 35 kg/ m3
- Marine mattresses in the cabins

COMPANIONWAY

Headroom: 1,85 m / 6'1"

- GRP saloon companionway coated with non-slip surface on the steps
- 2 Leather covered stainless steel handrails

LONG GALLEY ON STARBOARD VERSION

HANGING LOCKER - PORT SIDE

- Beam: 50 cm / 1'8"

SALOON - PORT SIDE

Headroom: 1,90 m / 6'3"

- L-shaped saloon bench seat
- Storage under bench seats
- Saloon table with one-piece wood top - 2 feet
- High, closed units
- Chart table (with opening top) - Reading light
- Shelves with fiddles
- 1 Coachroof panoramic window with curtain
- 2 Hull portholes with curtain
- 1 Opening deck hatch with mosquito blind
- 1 Opening porthole in coaming
- 6 Overhead lights

FORWARD CABIN

Headroom: 1,80 m / 5'11"

- Central double bed (1,75 m x 2,00 m x 0,45 m / 5'9" x 6'7" x 1'6")
- 2 Hanger closets
- Drawer under the bed

- 1 Opening deck hatch with fan, mosquito blind
- 2 Hull portholes with curtain
- 2 Reading lights

LENGTHWAYS GALLEY COUNTER – STARBOARD

Headroom: 1,90 m / 6'3"

- Laminated worktop - Taupe
- 1 Stainless steel sink - 1 Rectangular stainless steel basin - 1 Hot/cold water mixer tap
- 1 2 hobs stainless steel gas cooker on mounting
- Unit (Drawer & Cupboards)
- Front opening refrigerator (12 V - 130 L / 34 US Gal)
- Cubby hole locker, Bin
- 1 Coachroof panoramic window with curtain 2 cabins layout

STARBOARD AFT: Interior stowage space

Headroom: 1,75 m / 5'9"

- Direct access from the saloon
- Allows direct access to the cockpit locker

PORT AFT: 1 Cabin

Headroom: 1,75 m / 5'9"

- Dimensions - Berths: 1,73 m x 1,98 m / 5'8" x 6'6"
- 1 Overhead light, 2 Reading lights

- Open shelving
- Padding upholstery along the hull
- 1 Wood hanging locker
- Deck house opening porthole

3 cabins layout

Headroom: 1,75 m / 5'9"

- 2 Aft cabins
- Dimensions - Berths: 1,45 m x 2,00 m / 4'9" x 6'7"

AFT STARBOARD HEAD COMPARTMENT

Headroom: 1,90 m / 6'31"

- Access through saloon
- 1 Basin, 1 Mixing tap hot/cold water, Shower
- 1 Manual marine toilet with 80 L / 21 US Gal rigid reserve
- Head cabinet, 1 Mirror, Toilet accessories, Peg
- 1 Overhead light
- 1 Opening portlight with curtains in side windows in the coaming

L-SHAPED GALLEY ON PORT SIDE VERSION

- Replacing the hanging locker and the chart table
- Galley with 100 L / 26 US Gal cool box instead of the 130 L / 34 US Gal fridge

- Full hull width saloon: Bench seat on port and starboard sides, Large saloon table with 2 leaves and bottle rack, Retractable chart table on starboard side

Engines

- Engine Yanmar Diesel 30 hp / 30 HP Sail Drive
- Engine control - Control panel in cockpit
- Engine compartment: Soundproofing foam - Ventilation: 2 Air intakes and 1 powered air expulsion
- 1 Alternator - 12 V / 125 Ah
- 1 Rotomoulded diesel tank 130 L / 34 US Gal - Gauge at the chart table - 1 Deck filler
- Filters: Sea water - Diesel - Water separator
- Fixed three blades propeller
- 1 Engine access through companionway - 3 access to engine by the sides of the companionway

Electricity

- 12 V circuit
- 1 Service battery (80 Ah) - 1 Engine battery (80 Ah)
- 1 Power distributor
- 12 V electrical panel
- 1 12 V Socket
- LED navigation lights: 1 Navigation light - 1 Engine navigation light - 1 Anchor light on masthead
- Wire runs for options cables

Plumbing

- 1 rotomoulded freshwater tank (130 L / 34 US Gal)
- 1 Deck filler
- Water unit
- 1 80 L / 21 US Gal rigid holding tank
- Electric pump & Shower draining
- Water heater (25 L / 7 US Gal) - engine start (220 V)

Gas

- Gas cylinder locker - starboard aft cockpit (25 cm x 27 cm x 40 cm / 10'' x 11'' x 15'')
- Regulator and safety tap

Options

B&G Electronic

- B&G AC42 autopilot + Control at steering station
- B&G V50 VHF, AIS receiver function
- AIS 400
- Forward Scan Sensor (Forward underwater vision)

Rigging – Sails

- Anodized mast furling system with Mylar - Taffetas mainsail

- Asymmetrical spinnaker rigging + Code 0 rigging + 2nd bow roller and Bobstay
- Self-tacking jib hardware
- Code 0 on "Top Down" furling system
- Self-tacking jib (replacing genoa)
- Asymmetrical spinnaker
- Backstay adjustment (Except on mast with in-mast furling)
- Genoa sheet track leads adjustable from the cockpit
- 2 Flag halyards

Winches

- Electric genoa sheet winch (H40.2 STAEH), in lieu of standard
- Port electric coachroof winch (H40.2 STAEH), in lieu of standard
- Coach roof winch to starboard - manual (H35.2STA) + Clutches

Hull - Deck – Cockpit

- Ballasted boat version - Centreboard cast iron
- Grey "Perle" hull
- Blue-grey hull
- Mainsail arch
- Slatted solid wood side decks
- Solid wood decking on cockpit sole
- "Luxe" cockpit table
- PVC cover - White ("Luxe" cockpit table)
- Cockpit fixed portholes for the aft cabin(s)

-
- Cockpit opening porthole for aft cabin(s)
 - Silver Coachroof sprayhood
 - Silver Cockpit Bimini
 - Dark Narval Cockpit cushions
 - Inflatable gangway
 - Inflatable swimming pool
 - Pump for tender or inflatable structure (12 V)
 - Bow thruster
 - 3 feathering blades propeller
 - Windlass control in cockpit with chain counter (fixed)
 - Shore freshwater supply
 - Outboard engine (Pushpit)

Interior equipment

- Interior woodwork: Apli Blond Oak
- Saloon table extension (for lengthways galley counter)
- 1 Additional pouffe in saloon
- Interior upholstery: Chine Moka, Taupe PVC
- Upholstery padding (Saloon and Cabins): Anthracite Grey or Taupe
- TV LED 19" in the saloon, Player DVD, MP3
- Stainless steel 2 burner oven/grill cooker on mounting (in lieu of standard)
- Microwave
- Slatted bed base
- Double berth in saloon (+ 1 Stool)
- Wooden companionway steps

-
- Separate shower
 - Quiet Flush electric toilet
 - Additional freshwater tank (200 L / 53 US Gal)
 - Sea water foot pump
 - Mosquito nets
 - Additional 40 L / 11 US Gal cool box (for L-shaped galley)
 - Forced air heating fuel
 - Air conditioning
 - Generator (for 2 cabin layout, only)
 - Converter 12 V

Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS

2



3



4



5



6



7



CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email: andrey@shestakovyachtsales.com

Web: shestakovyachtsales.com/en/

Telephones

USA: +1(954)274-4435

Office hours

Monday – Saturday: **9:00 - 21:00** EDT

Sunday: **closed**

Address



Harbour Towne Marina, 850 NE 3rd St,
STE 213, Dania, FL 33004