

## EXODUS — SUNSEEKER



**Судостроитель:** SUNSEEKER

**Год постройки:** 2019

**Модель:** Моторная яхта

**Цена:** ЦЕНА ЯХТЫ ПО ЗАПРОСУ

**Местонахождение:** France

**Длина общая:** 131' 0" (39.93m)

**Ширина:** 26' 7" (8.10m)

**Макс. осадка:** 8' 10" (2.69m)

**Крейс. скорость:** 12 Kts. (14 MPH)

**Макс. скорость:** 21 Kts. (24 MPH)

Купить **EXODUS — SUNSEEKER** а также выбрать подходящую вам яхту из нашего **каталога яхт** вам поможет опытный яхтенный брокер Андрей Шестаков. На сегодняшний день компания **Shestakov Yacht Sales Inc.** имеет большое количество яхт в **собственном списке продаж**, а также тесно сотрудничает со всеми крупными **яхтенными производителями** по всему миру.

Для того чтобы купить яхту **EXODUS — SUNSEEKER** а также проконсультироваться по любому вопросу связанному с покупкой, продажей, чартером яхт позвоните по телефону **+7(918)465-66-44**.

# ОГЛАВЛЕНИЕ

ОГЛАВЛЕНИЕ	2
ХАРАКТЕРИСТИКИ	4
Обзор	4
Основная информация	4
Размеры	4
Скорость, вместимость и масса	5
Размещение	5
Корпус и палуба	5
Информация о двигателе	5
ПОДРОБНОЕ ОПИСАНИЕ	6
COMMENTS	6
SPECIFICATIONS	6
MAIN MACHINERY	7
AUXILIARY MACHINERY / EQUIPMENT & ELECTRICAL SYSTEM	8
CAPACITIES (approximate)	9
NAVIGATION & COMMUNICATION EQUIPMENT (LY3 compliant)	10
AUDIO / VISUAL ENTERTAINMENT SYSTEMS	12
DOMESTIC EQUIPMENT	12
TENDERS & WATERSPORTS EQUIPMENT	12
DECK EQUIPMENT	13
SECURITY & SAFETY EQUIPMENT	14
ACCOMODATION	14
MAINTENANCE	14
AV OPTIONS	14
EXTRA OPTIONS	24
Exclusions	54
Исключения	54
Отказ от ответственности	54

---

ФОТОГРАФИИ	55
КОНТАКТЫ	63
Контактная информация	63
Телефоны	63
Время работы	63
Адрес	63

# ХАРАКТЕРИСТИКИ

## Обзор

EXODUS sleeps up to 12 guests in 5 cabins thanks to pullman beds in the twin cabins which also convert to doubles for couples. She is an adaptable yacht able to hit up to 25 knots top speed but also reduce cruising speed for a low fuel consumption thanks to the use of trailing pumps fitted to the gearboxes enabling single engine use. All major equipment onboard where possible has been upgraded to oversized and doubled for redundancy. She is equipped with underway and at anchor stabilizers. EXODUS is commercially registered under Rina class, MCA and Cayman Islands flag, available for charter and most importantly is sold with MTU extended warranty three years or 3,000 hours.

## Основная информация

**Тип судна:** Моторная яхта

**Модельный год:** 2019

**Год постройки:** 2019

**Страна:** France

**Верх:** Hardtop

## Размеры

**Длина общая:** 131' 0" (39.93m)

**Ширина:** 26' 7" (8.10m)

**Макс. осадка:** 8' 10" (2.69m)

## Скорость, вместимость и масса

---

**Крейс. скорость:** 12 Kts. (14 MPH)

**Дальность на крейсерской скорости:** 1250

**Макс. скорость:** 21 Kts. (24 MPH)

**Дальность на макс. скорости:** 2100 Kts.

**Водоизмещение:** 408000000 Pounds **Вместимость воды:** 1307 Gallons

**Объем топливного бака:** 5019 Gallons

## Размещение

---

**Всего кают:** 5

**Всего ком. состава:** 5

## Корпус и палуба

---

**Материал корпуса:** Fiberglass

## Информация о двигателе

---

**Двигатели:** 2

**Производитель:** MTU

**Модель:** 12V4000M93L

**Тип двигателя:** Inboard

**Тип топлива:** Diesel

---

# ПОДРОБНОЕ ОПИСАНИЕ

---

## COMMENTS

---

Under shipyard warranty

- Extended MTU EPC 3 year warranty
- Built under supervision of owner's independent technical team / surveyor
- Highly specified and customized high-quality interior (Dornbracht, Yacht Intelligence A/V
- Built to MCA LY3 Unrestricted navigation & Commercially operated
- Extra sound insulation all around Master Cabin to reduce noise from all angles
- Shore power converter for worldwide operation
- Trailing pumps fitted for slow speed cruising allowing for very low fuel consumption
- Thermal tracking camera for chase boat operation
- GBP 2,985,000 of extra options not including extra A/V and custom interior additions
- Preventative maintenance ongoing with full time crew aboard

Launched in March 2019 EXODUS and most highly specified Sunseeker 131 on the market with an extremely competitive asking price.

---

## SPECIFICATIONS

---

TYPE

Twin Screw, Semi-Displacement hull, Motor Yacht

FLAG

Bloody Bay, Cayman Islands [KY]

CLASSIFICATION

Rina and LY3: C + Hull. Mach Ych (MCA) Unrestricted navigation EFP DMS (Enhanced fire protection and damage stability).

#### BOAT NUMBER

61519131 /15th Hull delivered in the 131 series

#### DIMENSIONS

Length O.A. 40.05 m (131'5") Length Registered 32.82 m (107.6")

Beam 8.09 m (26'7") Draft 2.70 m (8'10") Height (W.L to arch) 9.20 m (30'2")

#### VOLUMES

GRT 343

NET TON 102

DISPLACEMENT 189,600 kg

YEAR BUILT March 2019

#### BUILDER

Sunseeker International, Poole, UK

#### HULL DESIGNER

Sunseeker International, Poole, UK

#### INTERIOR DESIGNER

Sunseeker International, Poole, UK / Owner

#### CONSTRUCTION

Hull: Glass Reinforced Plastic

Superstructure: Glass Reinforced Plastic

Deck: Teak laid on Glass Reinforced Plastic

## MAIN MACHINERY

---

#### MAIN ENGINES

2 x 3,181 hp 12 cylinder 12V4000M93L Diesel Engines Under MTU EPC extended warranty 3 years or 3,000 hrs

#### ENGINE HOURS

14/12/2020

Port: 907 hrs

Starboard: 907 hrs

#### GEARBOX

2 x ZF 7600 A, ratio 3.286:1

#### SHAFTS & PROPELLERS

2 x Duplex F51 high grade stainless steel

2 x 5-blade NAB bronze propellers

#### SPEED & CONSUMPTION (approx.)

Max 21 knots @ 2,100 rpm

Cruising 12 knots @ 1,250 rpm = 300 lt/hr

Cruising range 12 knots for approx.. 1,116 nm

Fuel curve available on request

## **AUXILIARY MACHINERY / EQUIPMENT & ELECTRICAL SYSTEM**

---

#### GENERATORS

2 x Kohler 80Kw 400/230V 3 Phase 50HZ - 80EFOZDJ with sound shields. Upgraded from standard. 2 x PTO

#### GENERATOR HOURS

14/12/2020

Port: 2,544 hrs

Starboard: 2,329 hrs

#### SHORE POWER



1 x 125A flexible 20m cable in electric reeling system

1 x 125A loose flexible 20m cable connected to Atlas 90 kVA-SPA-II Series 50Hz. Input 180-530V single or three phase up to 90kVA

#### THRUSTER

Bow Thruster: ABT TRAC 100HP (513mm)

Stern Thruster: ABT TRAC 65HP (412mm)

#### STABILISATION

ABT TRAC 440 digital fin stabilizers

#### SEWAGE TREATMENT

ECOMar 32 (3,200 l/day) 230V 1 Phase 50Hz

#### WATER MAKERS

1 x Idromar 375 litres per hour (upgrade)

1 x Idromar 375 litres per hour (additional) + Octo marine water softener

#### FUEL SEPARATOR

Alfa Laval MIB303 fuel cleaning centrifugal separator 240V 1 Phase 50 Hz 760 L/hr

#### WC'S

Tecma Silence Plus 220 Volt AC macerating toilets

#### AIR CONDITIONING

Marine Air MCG V120 chilled water system to Tropical specification (4 x 120000 BTU) with quieter WhisperCool DC fans 2 x Marine Air 54,000 BTU self-contained units in the engine room

## CAPACITIES (approximate)

---

#### FUEL

19,000 litres / 5,019 US gallons main tank

3,900 litres / 1,030 US gallons day tank

5,700 litres / 1,505 US gallons additional tank upgrade

**TOTAL FUEL**

28,600 litres / 7,555US gallons

**WATER**

4,950 litres / 1,307 US gallons

**GREY WATER**

1,350 litres / 356 US gallons

**BLACK WATER**

1,450 litres / 383 US gallons

---

## **NAVIGATION & COMMUNICATION EQUIPMENT (LY3 compliant)**

---

**VHF**

Sailor 6222

Sailor 6204

Simrad RS90 Class D VHF/DSc with Handsets in Wheelhouse, Crew Mess and Emergency Steering Position

**CHART**

Transas Navi-Sailor 4000 ECDIS Upgrade Transas AIS, ARPA and radar integration

**RADAR**

Furuno FAR2837S-BB S-Band 3GHz with 10' Open

Scanner with Furuno processor RPU

**MEASURING LOG**

Sperry Naviknot 350E with FNFI through hull sensor

**ECHO SOUNDER**

Furuno FE800 Echo sounder 200 khz with 200B-8B transducer

Wasp forward facing 3D mapping

**GPS**

Furuno GP170 GPS Navigator with GPS antenna

**AIS**

Furuno FA170 Class A transponder with GPS and VHF antenna

**WATCH ALARM**

Furuno BR500

**RUDDER ANGLE INDICATOR**

Simrad RF45X

**GYRO COMPASS**

Satellite Hemisphere GNSS V103

**AUTOPILOT**

Simrad AP70

**RADIO**

MF: Sailor 6310 MF/HF 150W Radio telephone

**INMERSAT**

C. Sailor 6110

**NAVTEX**

Furuno NX700B

**EPIRB**

McMurdo E5

**SART**

McMurdoS4

**THERMAL CAMERA**

Flir M400XR Stabilized Thermal and Daylight Camera with tracking facility. Installed on navigation mast to allow monitoring and tracking of chase boat.

---

## AUDIO / VISUAL ENTERTAINMENT SYSTEMS

---

FULL LIST OF ULTRA HIGH-END EQUIPMENT FITTED THROUGHOUT ON REQUEST

### CONTROL SYSTEM

Crestron automation throughout

---

## DOMESTIC EQUIPMENT

---

### MAIN GALLEY

4 x Frigoboat 1,440 lt each

2 x Frigoboat 646 litres freezer capacity each

2 x Miele H6460BP single convection ovens

Miele KM6879 Induction hob 5 zone - 900mm

Extraction fan - Systemair KE 50-25-4230V 1 Phase 50Hz with Actionair AirShield

Icemaker 22kg / day

Miele ESW229X 29cm plate warming drawer

Slimline 190 litre trash compactor

132 bottle Wine Cooler

Bridge deck wine cooler Miele

### STERN LAUNDRY

Miele 2 x washing machine, 2 x tumble dryer and dishwasher

---

## TENDERS & WATERSPORTS EQUIPMENT

---

### TENDERS

1 x Williams 565 Diesel Jet tender (serviced 12/2020).

Fuelling station in garage.

### WAVERUNNERS

2 x Sea-Doo RXP-X 300 with Venom Custom Tuning

Package - Wave Runner Trackers fitted linked to the vessels bridge navigation systems (serviced 12/2020)

## TOYS

2 x Sea Bob F5 SR

## DECK EQUIPMENT

---

### ANCHOR WINDLASS

Lewmar V10 hydraulic powered Windlass.

### ANCHORS

2 x Manson Kedge 210kg galvanised bow anchors Connected to 19mm x 165m high tensile galvanized studlink chain. Upgraded from standard.

### AFT WARPING CAPSTANS

2 x Lewmar C10 Hydraulic

### PASSERELLE

Besenzoni Hydraulic upgraded heavy duty three stage Telescopic stainless steel Passerella 6.1m

### BOAT CRANE & DAVITS

Jet Ski overhead crane and chock system

### SWIMMING PLATFORM

Hydraulically fall rise and tilt platform with maximum lift capacity of 2000 kg

### UNDERWATER LIGHTS

21 x White and Blue Lumishore LED

### COMPRESSED AIR SYSTEM

Portable air compressor stored in engine room with AC 220V power supply.

### DIVE COMPRESSOR

300 bar pressure Dive / Ba compressor

---

## SECURITY & SAFETY EQUIPMENT

---

RINA COMMERCIAL LY3 COMPLAINT

---

## ACCOMODATION

---

### GUESTS

1 x Master on main deck with king size bed, ensuite bathroom with underfloor heating and wardrobe.

2 x Midship lower deck VIP cabins with queen size beds and ensuite with underfloor heating.

2 x Twin cabins with sliding convertible single beds, pullman and ensuite with underfloor heating.

### CREW

3 x bunk cabins with ensuite bathroom

1 x single cabin with ensuite bathroom

---

## MAINTENANCE

---

2020

November

1,000 hrs Main Engine service performed by MTU Generators serviced by Kohler

May

Topsides polished

---

## AV OPTIONS

---

### AUDIO/VISUAL SYSTEMS

#### SKY DECK

This is an Audio only zone with a total of 6 pairs of marine speakers and 2 marine performance subwoofers. An intelligent amplifier provides amplification. Control of all the sources (excluding DJ equipment) is done via a Crestron App run on an Apple iPad Mini.

## AUDIO SOURCES

- Airplay
- Central Jukebox
- DJ input
- Party Mode

## AUDIO

- 12 x Marine in ceiling/bulkhead speakers
- 2 x Marine in ceiling/bulkhead subwoofers
- Amplification provided by an intelligent amplifier system

## VIDEO

- None required

## CONTROL

- Control of related devices will be from an Apple iPad Mini
- Control of a specific device connected via Airplay is not provisioned

## **UPPER DECK: AFT**

This is an Audio only zone with a total of 3 pairs of marine speakers and 2 marine performance subwoofers. An intelligent amplifier provides amplification. Control of all the sources is done via a Crestron App run on an Apple iPad Mini.

## AUDIO SOURCES

- Airplay
- Central Jukebox
- Link to UD Salon
- Party Mode

## AUDIO

- 6 x Marine in ceiling/bulkhead speakers
- 2 x Marine in ceiling/bulkhead subwoofers

- Amplification provided by an intelligent amplifier system

## VIDEO

- None required

## CONTROL

- Control of related devices will be from an Apple iPad Mini
- Control of a specific device connected via Airplay is not provisioned

## UPPER DECK: SALON

This is an Audio and Video zone to include an 88"4K QLED TV on a fixed bracket. The speaker system is a 5.2 Surround sound system comprising of 7 in ceiling speakers, 2 of which cover the bar area, with 2 in wall sub woofers. All amplification is provided by a local AVR. Control of all AV sources is via a Crestron App run on an Apple iPad mini. Apple iPad mini housed in an inductive charging case.

## AUDIO & VIDEO SOURCES

- Satellite TV
- 4K Apple TV
- Games Console
- Movie Server
- Airplay
- Central Jukebox
- Party Mode

## AUDIO

- 3 x high quality in wall full range speakers
- 4 x high quality in ceiling full range speakers
- 2 x high quality in wall active sub-woofer
- Amplification is provided by a local AVR

## VIDEO

- All distributed video signals will be received at a minimum of 1080i /1080p



## CONTROL

- Control of all devices will be from an Apple iPad mini device running a Crestron App
- Control of all devices will also be from a Crestron touch panel at the bar and a Crestron remote
- Control is allowed for all AV sources
- Control is allowed for any available HVAC
- Control of a specific device connected via Airplay is not provisioned

## UPPER DECK: CAPTAIN'S CABIN

This is an Audio and Video zone to include a 32" HD TV fixed on a universal wall bracket. There is a single speaker system which is stereo sound, positioned in the ceiling. All amplification is provided via a local AVR. Control of all AV sources is via a Crestron App run on an Apple iPad Mini housed in an inductive charging case.

## AUDIO & VIDEO SOURCES

- Apple TV with Airplay
- Satellite TV

## AUDIO

- 1 x in ceiling stereo speaker
- Amplification provided by local AVR

## VIDEO

- All distributed video signals will be received at a minimum of 1080i/1080p

## CONTROL

- Control of all devices will be from an Apple iPad Mini
- Control is allowed for all AV sources
- Control of a specific device connected via Airplay is not provisioned

## UPPER DECK: BRIDGE

This is an Audio only zone with a total of 2 in ceiling speakers. An intelligent amplifier provides amplification. Control of all AV sources is via a Crestron in wall touch panel.

## AUDIO SOURCES

- Airplay
- Central Jukebox

#### AUDIO

- 2 x in ceiling speakers
- Amplification provided by an intelligent amplifier system

#### VIDEO

- None required

#### CONTROL

- Control of all devices will be from an in-wall touch panel
- Control of a specific device connected via Airplay is not provisioned

### **UPPER DECK: FORE PEAK**

This is an Audio only zone with a total of 3 pairs of marine speakers and 1 marine performance subwoofers. An intelligent amplifier provides amplification. Control of all AV sources is via a Crestron in wall touch panel & iPad mini located in the Bridge Area.

#### AUDIO SOURCES

- Airplay
- Central Jukebox
- Party Mode

#### AUDIO

- 6 x Marine in ceiling/bulkhead speakers
- 1 x Marine in ceiling/bulkhead subwoofers
- Amplification provided by an intelligent amplifier system

#### VIDEO

- None required

#### CONTROL

- Control of all devices will be from an in-wall touch panel & iPad mini shared with the Bridge

- Control of a specific device connected via Airplay is not provisioned

## **MAIN DECK: AFT**

This is an Audio only zone with a total of 2 pairs of marine speakers and 1 marine performance subwoofers. An intelligent amplifier provides amplification. Control of all the sources is done via a Crestron App run on an Apple iPad Mini.

### AUDIO SOURCES

- Airplay
- Central Jukebox
- Link to MD Salon
- Party Mode

### AUDIO

- 4 x Marine in ceiling/bulkhead speakers
- 1 x Marine in ceiling/bulkhead subwoofers
- Amplification provided by an intelligent amplifier system

### VIDEO

- None required

### CONTROL

- Control of related devices will be from an Apple iPad Mini
- Control of a specific device connected via Airplay is not provisioned

## **MAIN DECK: SALOON**

This is an Audio and Video zone to include a 65"4K OLED TV motorised rise and fall TV lift. The speaker system is a 5.1 Surround sound system comprising of 5 in ceiling speakers, with 1 in wall sub woofers. All amplification is provided by a local AVR. Control of all AV sources is via a Crestron App run on an Apple iPad mini. Apple iPad mini housed in an inductive charging case.

### AUDIO & VIDEO SOURCES

- Satellite TV
- 4K Apple TV

- Games Console
- Airplay
- Central Jukebox
- Party Mode

## AUDIO

- 5 x high quality in ceiling full range speakers
- 1 x high quality in wall active sub-woofer
- Amplification is provided by a local AVR

## VIDEO

- All distributed video signals will be received at a minimum of 1080i /1080p

## CONTROL

- Control of all devices will be from an Apple iPad mini device running a Creston App
- Control is allowed for all AV sources
- Control is allowed for any available HVAC
- Control of a specific device connected via Airplay is not provisioned

## MAIN DECK: DINING

This is an Audio only zone. A total of 2 quality in ceiling speakers. Main Saloon AVR provides the amplification. Control is from in Wall touch panel and the Main Saloon iPad mini

## AUDIO SOURCES

- Airplay shared with Main Saloon
- Central Jukebox shared with Main Saloon

## AUDIO

- 2 x in ceiling speakers
- Amplification provided by the Main Saloon AVR

## VIDEO

- None required

## CONTROL

- Control of all devices will be from Main Salon iPad mini
- Control of all devices will be from an in-wall touch panel
- Control of a specific device connected via Airplay is not provisioned

## MAIN DECK: OWNERS CABIN

This is an Audio and Video zone to include a 65" 4K OLED TV fixed on a universal wall bracket fitted onto the wall. The speaker system is a 5.1 Surround sound system comprising of 3 in wall speakers (Front Left/Centre/Front Right) and 2 in ceiling rear speakers, with 1 in wall sub woofers. Intelligent amplifier/controller provides all amplification. Audio routing feature to allow for Airplay and Sat TV to play on different speakers. Control of all AV sources and HVAC is via a Crestron App run on an Apple iPad mini. Apple iPad mini housed in an inductive charging case.

## AUDIO & VIDEO SOURCES

- Satellite TV
- 4K Apple TV
- Airplay

## AUDIO

- 5 x high quality in ceiling/wall mount full range speakers
- 1 x high quality in wall active sub-woofer
- Amplification is provided by an intelligent AV controller & amplifier

## VIDEO

- All distributed video signals will be received at a minimum of 1080i /1080p

## CONTROL

- Control of all devices will be from an Apple iPad mini device running a Crestron App
- Control is allowed for all AV sources
- Control is allowed for any available HVAC
- Control of a specific device connected via Airplay is not provisioned

## MAIN DECK: BATHROOM

This is an Audio only zone with a total of 2 x Single in ceiling speakers. All amplification via the Stateroom system. Control is via an in-Wall touch panel and the cabin iPad mini. A 'follow me' function can be enabled to allow the audio from the Stateroom to be played in the bathroom.

### AUDIO SOURCES

- Airplay from Stateroom
- Central Jukebox from Stateroom
- Satellite TV Audio only from Stateroom

### AUDIO

- 2 x Stereo in ceiling speakers
- Amplification is provided via the Stateroom system

### VIDEO

- Not required

### CONTROL

- Control is via the Owners Cabin iPad mini
- Control of all devices will be from an in-wall touch panel

## LOWER DECK: GUEST DOUBLE 1-2-3-4

This is an Audio and Video zone to include a 40" UHD LED TV. The speaker system is a stereo sound system. All amplification is provided by a local AVR amplifier. 2 cabins will have simple rise/fall lifts installed, the other 2 cabins will be fixed TV's. Control of all AV sources is via a Crestron App run on an Apple iPad Mini. Apple iPad Mini housed in an inductive charging case.

### AUDIO & VIDEO SOURCES

- Satellite TV
- Apple TV with Airplay

### AUDIO

- 2 x in ceiling full range speakers, per cabin
- Amplification is provided by an AVR

## VIDEO

- All distributed video signals will be received at a minimum of 1080i /1080p

## CONTROL

- Control of all devices will be from an Apple iPad Mini device running a Crestron App
- Control is allowed for all AV sources
- Control of a specific device connected via Airplay is not provisioned

## **LOWER DECK: CREW MESS**

This is an Audio and Video zone to include a 40" UHD LED TV. The speaker system is a stereo sound system. All amplification is provided by a local AVR amplifier. Control of all AV sources via a Crestron App run on an Apple iPad Mini. Apple iPad Mini housed in an inductive charging case.

## AUDIO & VIDEO SOURCES

- Satellite TV
- Apple TV with Airplay

## AUDIO

- 2 x in ceiling full range speakers
- Amplification is provided by an AVR

## VIDEO

- All distributed video signals will be received at a minimum of 1080i /1080p

## CONTROL

- Control of all devices will be from an Apple iPad Mini device running a Crestron App
- Control is allowed for all AV sources

## **LOWER DECK: GARAGE**

This is an Audio only zone with a total of 2 pairs of marine speakers and 1 marine performance subwoofers. An intelligent amplifier provides amplification. Control of all AV sources is via a Crestron in wall touch panel.

## AUDIO SOURCES

- Airplay
- Central Jukebox
- Party Mode

## AUDIO

- 4 x Marine in ceiling/bulkhead speakers
- 1 x Marine in ceiling/bulkhead subwoofers
- Amplification provided by an intelligent amplifier system

## VIDEO

- None required

## CONTROL

- Control of all devices will be from an in-wall touch panel
- Control of a specific device connected via Airplay is not provisioned

## CONTROL SYSTEM

### Crestron Automation

With Crestron LATEST series 3 processors you can easily control everything on board, room-by-room, using an app or using their proprietary touch screens and remotes

## EXTRA OPTIONS

---

The vessel will be built to RINA Rules for the Classification of Yachts Designed for Commercial Use 2013 and the MCA Large Yacht Code (LY3) with the following

operational Class notation. COMMERCIAL VESSEL - RINA and LY3: C + HULL . MACH Ych (MCA) Unrestricted navigation EFP DMS (Enhanced fire protection and damage stability)

Certification - International tonnage certificate (issued by RINA)

Certification - Panama canal tonnage certificate (issued by RINA)

Certification - Suez canal tonnage certificate (issued by RINA)

Sea Trial Protocol to be as per Shipyard and Owners Representative agreed format



To confirm the Vessel to be built for European / Mediterranean market

Vessel to be flagged in Red Ensign Group - Cayman Islands to be confirmed

Consideration to possible UK Commercial Flag - post brexit implications TBD

Flag State to be confirmed prior to moulding.

MLC Certificate requested

Build Timeline to be Provided to Buyers Representative within January 2018

Access to the Build sheds and production should be reasonable within working hours

Once the vessel is launched the Clients Representative and Crew should have full access to the yacht

Crew and Owners Representative to be given Safety Induction to allow shipyard access

Sunseeker to provide Electronic Manuals / Equipment lists for input into the Planned Maintenance System throughout the build

Updated exact schedule to be provided

Once the vessel is launched; the Buyer requests the shipyard provides at cost a 24h watchman onboard the yacht up to handover and Yacht has been removed from the Shipyard facility under the Buyers ownership. Pricing based on a Sunseeker International Employee at GBP 500.00 per night for when the Yacht is afloat at the Shipyard. Price based on an estimate of 30 days and additional days to be agreed accordingly.

Striping plan to be provided to the Buyer. White Hull & Superstructure. Boot top line colour to be defined.

All Exterior small mouldings should be fitted with Drains

Interior Wood Finish - Wenge Satin Finish

All Guest area cabinetry doors and drawers to have have soft close hardware

Attention to be paid to internal doors - no interior doors shall bang into each other and create lacquer damage to other doors

Each Cabinet within the guest areas shall be fitted with integral built in shelves - cabinet plan to be submitted to OR for approval

Each Cabinet in the Dining Salon area shall be fitted with Perspex fiddles to retain and hold all china and glass ware

All icemakers and refrigeration to have good ventilation with air grilles in cabinet doors for integrated installation.

#### Main Deck Master Stateroom Ensuite

Master Stateroom en-suite to have large central shower in lieu of bath with extended wardrobe on port side

Master En-suite shower to have full seat along one side with stone cladding. Stone type be confirmed during interior meeting.

Master Stateroom arrangement to have second toilet room in lieu of wardrobe on Port side. Please refer to General Arrangement plan for layout.

Safe concealed in cabinetry (24.5 lbs. W360mm x H190mm x D410mm) in the Main Deck Master Walk-in Wardrobe

Master Cabin Port walk in wardrobe entrance door to be fitted with a key lock for Clients personal equipment

#### Port Aft Double Guest Cabin

Safe concealed in cabinetry (8.3 lbs. W280mm x H165mm x D235mm) in the Port Aft Double

#### Starboard Aft Double Guest Cabin

Safe concealed in cabinetry (8.3 lbs. W280mm x H165mm x D235mm) in the Starboard Aft

#### Double Guest Stateroom

#### Port Fwd Twin Guest Cabin

Safe concealed in cabinetry (8.3 lbs. W280mm x H165mm x D235mm) in the Port Forward Twin Guest Stateroom

#### Starboard Fwd Twin Guest Cabin

Safe concealed in cabinetry (8.3 lbs. W280mm x H165mm x D235mm) in the Starboard Forward Twin Guest Stateroom

#### Wheelhouse Bridge

Bridge Navigation desk on port and starboard side to be the same height as the central part of the bridge

Storage to be provided for 2 wireless Printers on the Bridge. Final location to be confirmed for drawer storage. Pricing based on drawer storage if possible in the outer

console bases.

Bridge Sofa - Storage Cabinets to be constructed beneath the bridge sofa-Not possible as seating is on an infused moulding to create the opening for the Upper Deck stairwell.

Bridge Coffee Table to have a Glass insert on the table

Pigeon Hole type courtesy flag storage to be designed and installed in the bridge for courtesy flags

Safe concealed in cabinetry (24.5 lbs. W360mm x H190mm x D410mm) on the Wheelhouse bridge

Upper Deck Captains Cabin

Safe concealed in cabinetry (8.3 lbs. W280mm x H165mm x D235mm) in the Captains Cabin

Crew Areas

4 x shelves to be installed above the crew stairs for storage of ships manuals

2 x shelves to be installed in each Crew Cabin bathroom in the cabinets beneath the sink

Towel Rails to be installed in each Crew Cabin bathroom

2 x Shelves to be installed in each crew cabin bedroom next to room door

8 x Coat Hooks to be installed in each Crew Cabin

48x Bottle wine rack to be manufactured and installed in Main Deck Crew Lobby. Exact location to be confirmed.

Deck Heads above Crew Mess to have rockwool sound insulation to isolate noise to Master Cabin Sole

Master Stateroom

Deck Head above Master Stateroom to have foam insulation to reduce noise and heat penetration from Deck

Main Deck Galley

Main Deck Galley Bulkhead to have Rockwool sound insulation to reduce noise transmission to Master Cabin

Lower Deck Guest Cabins

Rockwool sound insulation required in ceilings beneath Main Deck Galley & Servery and Crew stair bulkhead.

#### Forepeak

Additional sound insulation required (in addition to thermal insulation) above Master Stateroom into en-suite to isolate noise above and from Forepeak.

#### Port Twin Guest Cabin

Inboard berth moves outboard to create double berth - Ensure that bed linen is ordered for both double and single set up. Infill is supplied for double set up plus track infills to be supplied. for the Port Forward Twin Guest Stateroom

#### Starboard Twin Guest Cabin

Inboard berth moves outboard to create double berth - Ensure that bed linen is ordered for both double and single set up. Infill is supplied for double set up plus track infills to be supplied. for the Starboard Forward Twin Guest Stateroom

#### Port Twin Guest Cabin

Additional Pullman berth option installed on the inboard bulkhead for the Port Forward Twin Guest Stateroom

#### Starboard Twin Guest Cabin

Additional Pullman berth option installed on the inboard bulkhead for the Starboard Forward Twin Guest Stateroom

Interior Cabin door handles to be selected from the Turnstyle range

Door Stops and Leather Door Hold Backs to be supplied

Protective Handle cover to be supplied to all door handles

#### Ensuite Hardware & Fittings

En-suite hardware to be upgraded to Dornbracht in lieu of standard Hansgrohe Axor. Dornbracht model range to be confirmed.

#### Main Deck Master Ensuite

Master Shower and all Lower Deck Guest showers to be fitted with Shower Trays for Shower Gel / Shampoo etc

Underfloor heating required in Main Deck Master En-suite & both Port & Starboard toilet rooms (excluding shower floor)

Heated towel rail required in Main Deck Master En-suite x 2

Ceiling mounted shower head to be upgraded to large rain shower in lieu of standard.  
(Pricing for feature head only, hand shower is standard fit)

Main Deck Master Ensuite

Steam shower required for Master shower with touch control panel. 3-Phase Helo unit.  
Note that due to Classification, the steam generator needs to be installed in a fire proof box and a heat detector is to be fitted in the ensuite.

Port Aft Double Guest Ensuite

Underfloor heating required in Port Double Guest en-suite (excluding shower floors)

Heated towel rail required in Port Double Guest En-suite

Ceiling mounted shower head to be upgraded to large rain shower in lieu of standard.  
(Pricing for feature head only, hand shower is standard fit)

Starboard Aft Double Guest Ensuite

Underfloor heating required in Starboard Double Guest en-suite (excluding shower floors)

Heated towel rail required in Starboard Double Guest En-suite

Ceiling mounted shower head to be upgraded to large rain shower in lieu of standard.

Port Fwd Twin Guest Ensuite

Underfloor heating required in Port Forward Twin Guest En-suite (excluding shower floor)

Heated towel rail required in Port Fwd Twin Guest En-suite

Ceiling mounted shower head to be upgraded to large rain shower in lieu of standard.

Underfloor heating required in Starboard Forward Twin Guest En-suite (excluding shower floor)

Starboard Fwd Twin Guest Ensuite

Heated towel rail required in Starboard Fwd Twin Guest En-suite

Ceiling mounted shower head to be upgraded to large rain shower in lieu of standard.

Main Deck Day Head

Underfloor heating required for Main Deck Day Head

## Upper Deck Day Head

Underfloor heating required for Upper Deck Day Head

## Upper Deck Captains Cabin

Underfloor heating required for Upper Deck Captains Cabin en-suite

Heated towel rail required for Upper Deck Captains cabin en-suite

Shower head to be upgraded to large rain shower with separate hand shower lieu of standard.

## General

Showers in all guest bathrooms to be finished in Marble / Granites to be chosen by the Owner. Contractual value of stone is Schedule 3 -

## Blind & Curtain

### Guest Cabins

Electrically operated Black out Blinds for the Master Stateroom, Port Aft Guest Stateroom, Starboard Aft Guest Stateroom, Port Forward Guest Stateroom and the Starboard Forward Guest Stateroom.

### Master Stateroom

Electric Day Blinds in Master Stateroom

Electric Curtains or Roman Blinds in Master Stateroom

### Saloon & Dining

Electric Day Blinds in Saloon and Dining area Port and Stbd side windows

Electrically operated Curtains or Roman Blinds for the Port and Stbd side windows in the Saloon and Dining area

### Lower Deck Guest Cabins

Electric Roman or venetian blinds in the 4x Lower Deck Guest cabins

### Accommodation Loose Upholstery

### Guest Cabins

Sprung mattress for Master, Guests and Captains cabin beds

## Crew Cabins

Sprung mattress for all lower deck crew beds

## All Cabins

Bedlinen - Set of 570 thread count Egyptian cotton sheets for all guest cabins and cotton percale for crew. Comprising of quilted mattress protector, fitted bottom sheet, flat top sheet, housewife and oxford style pillowcases for all berths

Bedlinen - Second Set of 570 thread count Egyptian cotton sheets for all guest cabins and cotton percale for crew. Comprising of quilted mattress protector, fitted bottom sheet, flat top sheet, housewife and oxford style pillowcases for all berths.

## Dining

Haviland dinner set consisting of 12x dinner plates, 12x salad plates, 12x bread and butter plates, 12x soup bowls, 12x cups and saucers. 1x coffee pot, 1x teapot,

2x creamer jugs, 2x cruet sets.

Robbe and Berking cutlery set comprising of 12x dinner knives, 12x dinner forks, 12x soup spoons, 12x dessert spoons, 12x dessert forks, 12x dessert knife, 12x teaspoons and 2x serving spoons.

Dartington Crystal set comprising of 12x White wine glasses, 12x Red wine glasses, 12x champagne flutes, 12x high ball tumblers, 12x whiskey tumblers and 2 x

## Admirals Decanters

8x Additional place settings for all crockery, cutlery and glassware. Budgetary allowance based on current ranges (Haviland, Dartington & Robbe & Berking)

Crockery inventory to include Side Plates, Under Plates, Starter Plates, Main Course Plates, Soup Bowls, Desert Bowls, Espresso Cups, Tea Cups, Coffee Cups, Egg Holders, Salad Bowls, Serving Platters 3 different sizes, Vegetable Dishes

## Crockery, Cutlery & Glassware

## Exterior

Dishwasher safe high quality plastic glassware required. To consist of 30x Champagne, 30x Red Wine, 30x White Wine, 30x High Ball, 30x Whiskey Tumblers.

Storage to be split between Sky Deck outboard bar and Main Deck Aft Cockpit. Drinkware from the Strahl polycarbonate range.

## Supply Items

Sunseeker Business Collection. Consisting of 1 x Predator Leather Briefcase and 1 x Predator Leather Business Card Holder.

Sunseeker Travel Collection. Consisting of 2 x Predator Leather Weekender Holdall and 2 x Predator Leather Toiletry / Accessory bags.

Exterior staircase risers to have stainless steel detail added to riser beneath each tread nosing (as ' M/Y Take 5)

Main Deck Aft Cockpit bollard and Capstan recess to have mirror polished stainless steel deck plates added (as M/Y Take 5)

Sky Deck wet bar, Upper Deck Aft cockpit serving bar and Main Deck Aft cockpit bar top have stainless steel detail added to the moulded recess. Detail based on Custom bow sunbathing pad installed in forepeak with upholstered base and back cushions around hull side. (Parasol for sunpad included)

Moulded step required either side of Forepeak coaming for crew to use during anchoring operations. Length of step to be confirmed but will be approximately 1200mm and will have a teak capped top. (Refer to GA for size and location)

Seat bases with fitted and removable cushions required in Forepeak either side of centre walkway.

#### Main Deck Aft Cockpit

GRP privacy coaming in the Main Deck Aft Cockpit in lieu of the aft safety rails

4x stainless steel Fishing Rod Holders required in Main Deck Aft Cockpit. 2x to be installed in each outboard GRP coaming and installed with drains.

#### Wheelhouse Deck

U shape lounging style deep seating required with coffee table in front of the Sunbather emergency tender garage. This will be a custom moulding and is not the standard option of dining style seat mouldings as seen on other 131 Yachts.

Fixed safety eye required for connection of personnel safety harness on navigation mast.

Heavy duty non slip to be applied to upside of tubar section of navigation mast

#### Upper Deck Aft Cockpit

Custom retractable diving board integrated into Superstructure moulding on Upper Deck Aft Cockpit



Port & Starboard Aft seating to have extended deeper lounging style bases in lieu of standard. (Note reduced length due to dive board)

Structural hanging point in ceiling for Dedon SwingMe chair (as fitted on Take 5)

## SKY DECK

Infill required for walkway around Jacuzzi sunpad with upholstery. Note that this is removable otherwise the forward coaming rail will need to be increased in height to 1000mm for Classification and will not be aesthetically pleasing.

## Sky Deck

Acrylic infills for wind breaks required within the A frame mouldings Port & Starboard.

Fixed safety eye required for connection of personnel safety harness on navigation mast.

Heavy duty non slip to be applied to upside of tubular section of navigation mast

## Forepeak

Lewmar V10 hydraulic powered Windlass. Vertical Gypsy and Capstain drum. Manual hand wheel brake and Devils Claw chain stopper.

Anchor windlasses to sit on mirror polished stainless steel bases with upstand around perimeter and integrated drain connected overboard

Seawater pressure washing of chain with outlet in each hawse pipe

Additional seawater chain wash pump control to be added to forepeak

Two Manson Kedge 210kg galvanised bow anchors

Two lengths of 19mm high tensile galvanised studlink chain. Both at 165m long in lieu of standard 17.5mm

Each Anchor chain is to be marked every 10 meters - R.Y.B.W.G

Second pair of Mooring Bollards on Forepeak

## Main Deck Aft Cockpit

Stainless steel stern fair leads for towing hawsers run from the Main Deck Aft Cockpit

Stopping line loops to be added to Main Deck and Forepeak Bollards

Aft Platform Bollards should be capable of holding the 42' tender whilst embarking / disembarking guests - she will usually berth alongside when not in guest operations

Stern capstan winches - two Lewmar C10 Hydraulic fitted port and starboard

Main Deck Aft Cockpit

Besenzoni Hydraulic three stage Telescopic stainless steel Passerella 5.8m

Passerelle to be upgraded to heavier duty stainless steel unit with extended length to 6.1m. Stainless steel solid stanchions with solid mid rail (no rope). Door

entry bell on separate stanchion at entrance, including stainless steel No Entry sign (2x supplied).

Sky Deck

Additional crane socket to be installed on Sky Deck Aft coaming to allow rescue tender crane to be utilised for launch and retrieval of Dealer/Client supply inflatable slide. Installed in GRP coaming outboard of rail (similar arrangement as Take 5). Details available on request.

Bathing Platform

Hydraulically fall rise and tilt platform with maximum lift capacity of 2000 kg

Skydeck GRP Hard top

Tender Garage

Tender recovery system with Hydraulic recovery winch

Jet Ski overhead crane and chock system

Preparation for 2x Seadoo RXP-X 300 Jet Ski's to be fitted in the tender garage (Jet Ski's Client supply)

Stainless steel hanging storage to be provided for Paddleboards (Paddleboards to be Dealer or Client supply)

Garage fit out to be managed for fitment of tender and Yacht accessories. Budget allowance for stainless steel fabrications, hooks, storage nets etc.

Tender Whips with fittings should be supplied Port & Starboard Side of the vessel - tender is a 42' MTI circa 20,000lbs weight. Tender whips based on 5.4m whips for tender up to 22,000lbs with socket bases fitted both sides.

Bathing Platform

The Bathing platform to be supplied with fitted removable foam padded protective fendering system to allow the large tender to come alongside at the stern.

Pricing based on Henshaw Hypalon foam Superyacht foam fendering for the aft most section of the platform (approx 4.5m) - Colour to be confirmed.

#### Main Deck Saloon

Dark Tinted film to side windows and sliding doors in the Saloon

Main Deck Saloon full height glass on the port side. No sliding doors.

Main Deck Saloon full height glass on the starboard side. No sliding doors.

Main Deck Saloon stern sliding patio doors. Electric operation.

#### Upper Deck Saloon

Upper Deck Saloon stern sliding patio doors. Electric operation.

#### Sky Deck & Upper Deck Aft Cockpit

Request to upgrade the Aft Deck - Main Deck Port & Starboard, Wheelhouse Deck aft and Sundeck Stainless Steel Handrail up to 48mm (from 38mm) - all welds to be polished. Note that the 131 Yacht has an oval capping rail as standard and the stanchion diameter is 38mm. Not possible to upgrade to 48mm due to socket design.

Main Deck Port & Starboard side rails, Upper Deck Aft Cockpit and Sky Deck to have acrylic panels integrated into underside of oval capping rail in lieu of standard.

#### Bathing Platform

Carbon fibre swim ladder in lieu of stainless steel. Two set of sockets either side of the bathing platform and dedicated ladder stowage in the tender garage

#### Main Deck Aft Cockpit

Carbon fibre side mount boarding ladder required in lieu of standard Marquipt. 8 Steps with teak treads and stainless steel handrails. Note this unit is slightly wider then standard.

Carbon fibre and polished stainless steel ensign staff suitable for 2.5 yard ensign

#### Sky Deck

Mast design and plan to be reviewed for additional antennas and layout. Final spec to be confirmed and approved.

FEA Allowance for re-certification of navigation mast design.

#### Hot Tub & Assembly

Skydeck Spa Tub installation built in with integral sunbathing area

Sky Deck spa tub upgrade package, including second 6kW in line heater, LED lighting and water feature package

Design and specification of the hot tub to be supplied

Sky Deck Spa tub to have second fill to facilitate faster fill rate. Under investigation to confirm the best solution which will be a large Hubble heater or increased main supply from Domestic system. Cost applies to both options.

Storage beneath the hot tub / sun pad to be partitioned off in order to allow storage of deck items without interference in the hot tub equipment. Socket for sunpad included in section 764.

Main Deck Aft Cockpit

Teak Decking on the Main Deck Aft Cockpit the side decks and Bathing Platform

Standard

Caulking colour confirmed as black

Upper Deck Aft Cockpit

Teak Decking on the Upper Deck Aft Cockpit

Wheelhouse Deck

Teak Decking on the Wheelhouse Deck

Teak Decking on the Sky Deck

Forepeak

Teak Decking on the Fore Deck

Tender Garage

Synthetic teak floor covering in tender garage sole in lieu of GRP finish

All Areas

Protective Covers Package for all exterior furniture. Covers to be supplied in Sunbrella Plus - Colour to be confirmed. Covers for additional exterior furniture or wet bars shall be supplied and included in the price of the individual component. - Main Deck AO Cockpit - Sea0ng cover and table cover.

Upper AO Deck AO Cockpit - Sea0ng cover and Dining Table. Sky Deck. Sea0ng cover,

Table covers, bar stool covers, wet bar, Sunpad and spa tub cover.

Protective Covers for the Wheelhouse Bridge helm seats supplied by the seating manufacture

Interior Covers - (Fabric Material on Sponge Base) Complete fitted floor covers to be supplied for Bridge Floor and Steps around the Bridge Sofa

Wheelhouse exterior screen mesh cover - Black Mesh

Main Deck Aft Cockpit

Protective covers to be manufactured for Shorepower cable and Deck fresh water hose. Manufactured in Sunbrella Plus to match exterior covers

Tender Garage

Mesh curtain required with Yacht name embroidered for tender garage aperture. Pricing based on Ferrari Soltis white mesh with zippable personnel entry section on Port side. Yacht name details to be confirmed.

Exterior Covers

Main Deck Saloon, Upper Deck Saloon - Sunseeker to supply 'heavy mesh' removable blinds held by glass suckers to reduce UV when Guests are not on board. They cannot be supplied for use on the inside due to the damage that will be caused to the window tinting. Pricing is for exterior mesh covers using a Ferrari Soltis Mesh for the Main Deck Saloon Port & Stbd windows as supplied and fitted for the Wheelhouse Bridge Windows. Attachment method for the Upper Deck Saloon

Interior Covers - (Fabric Material on Sponge Base) Protective Covers for Main Deck Saloon Coffee Table, Main Deck Dining Table, Upper Deck Saloon Coffee Tables

Interior Covers - (Fitted Fabric Covers) Covers for Main Deck Saloon Sofa's & Arm chairs, Dining Chairs, Upper Deck Saloon Bar Stools and Wheelhouse Bridge

Helm Seats

Guest Areas

Interior Covers - (Fabric Material on Sponge Base) Complete fitted floor covers to be supplied for Main Deck Saloon, Upper Deck Saloon, Main Deck Lobby, Upper

Deck Lobby, Master Cabin, Guest Cabins, Main Deck & Upper Deck Staircases

Biminies, Awnings & Canopies

Sky Deck

1x Sail Canopy arrangement required for forward section of Sky Deck spa tub - 4x carbon poles with integral rope tensioning system

#### Upper Deck Aft Cockpit

1x Sail Canopy arrangement required for Upper Deck Aft Cockpit - 4x carbon poles with integral rope tensioning system

#### Bathing Platform

2x Parasols with centre post and stainless steel sockets to be supplied for bathing platform with stowage in the tender garage

#### Wheelhouse Deck

1x Parasol with centre post and stainless steel socket with dedicated stowage for the Wheelhouse Deck sun pad and seating

#### Forepeak

1x Parasol with centre post and stainless steel socket with dedicated stowage for the Forepeak sunpad

#### Sky Deck

Retractable electric sun awning to cover the aft sky deck installed into aft face of Hardtop

#### Wet Bar & Assemblies

##### Sky Deck

Wet bar on Sky Deck with sink, hot and cold water, ice maker, refrigeration and stoarge. Synthetic stone top. Final details to be confirmed and White Goods detailed under section 788. Please see section 770 for details of Electrical sockets and connections

Additional outboard wet bar required on Sky Deck for storage of glassware. Final details to be confirmed. Pricing based on outboard side board bar similar to M/Y

##### Wet Bar & Assemblies

##### Main Deck Aft Cockpit

Additional central wet bar required for Main Deck Aft Cockpit to include sink, small ice maker, small refrigerator and storage. White Goods detailed under section

Main Deck Aft Cockpit storage cupboard on Port side to have storage installed for Glassware and leather retainer straps to be used in lieu of wire lanyards.

## Upper Deck Aft Cockpit

Upper Deck Aft Cockpit servery bar to incorporate sink, small fridge OR ice maker and storage. White goods detailed in Section 788.

## Antifouling

### Hull

Antifouling two season Application upgrade - International Gelshield 200 Epoxy primer and International Micron 77 Black

## Main Engines

### Engine Room

Main Engines confirmed as Twin MTU 12V 4000 M93L

MTU Chrome rockers covers required for Main Engines

Two approved MTU 4000 series training course to be arranged. Flights and accomodation at Buyers cost.

Provision to be made for witness testing of Main Engines during bench test phase at MTU Friedricshaven. Price is NET direct from MTU for the 'Customer

Participation' witness programme. Flights & Accomodation at Buyers cost.

Extended MTU EPC warranty for additional 3 years. Price based on COMMERCIAL Charter Application 1 Year + 3 Years EPC or up to 3,000 operating hours, whichever occurs first. (If the Yacht is registered PRIVATELY, this price will be adjusted as Private registered Yachts will have 2 Years + 3 years EPC).

MTU BlueVision Basic New Genera0on ships automa0on systems. MFD display per engine. LOP-14 Local opera0ng panel with display in engine room per engine.

MTU RCS Engine propulsion control levers. MTU Stop/start opera0ng panel per engine.

Wing staon control - Port and Starboard of main wheelhouse. MTU RCS Engine propulsion control levers. MTU Stop/start opera0ng panel per engine.

TRAC Thruster control. Simrad Steering Lever FU50. Horn buLon.

Trailing Pumps. Used to supply oil pressure for gearbox lubrication during windmilling situations, this may include running on one engine or when under tow

Auto Troll for Transmissions for slow speed manoeuvring (only possible if confirmed at stage of contract)

## Stabiliser Machinery

### Engine Room

A 75cc load sense hydraulic pump via a SAE-C24 volt clutched PTO on the main generator.

## Thruster Machinery

### Engine Room

Hydraulic Bow thruster system 100HP ABT.TRAC 20 (20.25" - 513mm GRP tunnel)

Hydraulic Stern thruster system 65HP ABT.TRAC 16 (16.25" - 412mm GRP tunnel)

Second generator PTO - 75cc load sense hydraulic pump via a SAE-C24 volt clutched PTO on the second generator.

## Tools & Toolboxes

### Engine Room

MTU 4000 series QL1 multi purpose toolkit with stowage in engine room

3x Toolboxes to be mounted in the Engine Room

Work Bench & Vice to be installed in the Engine Room

## Air Conditioning

### Engine Room

Air Conditioning Marine Air chilled water system to Tropical specification and with quieter running WhisperCool DC fans

Air Conditioning for the engine room. Two Marine Air VCD27K (54,000 Btu) Self-contained units

Replacement air conditioning sea water and chilled water pumps to be supplied. Pre plumbed on flange fittings for quick replacement.

Dedicated air handler to be installed for Upper Deck Lobby with bleeds into Tech Area to provide additional cooling for increased AV specification

Thru hull skin fitting to be fitted and plumbed to raw water chiller circuit to allow external sea water connection for operation of air conditioning system while

Yacht is ashore during yard operations.

## Fresh Water System



## General

Fresh water tank is an integral GRP tank, WRAS approval for portable water of 4950 litre capacity. Pressure system via Gianneshi Duplex 400V 3 Phase 50Hz self priming pumps 100 l/m each and mounted with inlet/discharge manifold.

Fresh water marina connection regulator fitted on the stern

## Compact Water Softener

Idromar Chlorine dosing unit. Will disinfect the freshwater supply from the connection point in the starboard aft service locker or from the watermaker.

General Ecology Seagull IV X-2BK in-line freshwater purifier serving the galley, upper deck servery and bar faucets.

General Ecology Nature Pure QC in-line freshwater purifier to all independent icemakers.

Hot water calorifiers. Two x Surejust horizontal 200 litre stainless steel cased tanks, each with 3 x 2kW 230V 3 phase immersion heaters. 60 litre expansion tank.

Hot water circuit ring main throughout the lower and main decks with permanently running circulation pump 230V 1 Phase 50Hz - 120W

Hand held swimming shower fitted on the stern

Plug in stainless steel removable overhead shower stand with socket on the stern platform

Fresh water deck wash system with hose reel and outlets on Aft deck, Upper deck, Skydeck and

Standard Water Maker upgrade - Idromar Water Maker 375 litres per hour (MC9S-375A-2) 380V 50Hz - Three Phase

Second water maker - Idromar Water Maker 375 litres per hour (MC9S-375A-2) 380V 50Hz - Three Phase

## Grey Water System

### General

Grey water from showers, wash basins and galley services will drain to Tecma transfer units 240V 1 Phase 50Hz to large diameter gravity fed pipes into the Grey water integral GRP holding tank of 1350 litre capacity. Discharge is via a Gianneshi 400V 3 Phase 50Hz self priming centrifugal macerating pump to directly over board or the black water tank to that the waste can be removed via a shore side facility when

available or to the sewage treatment system. Ensure IMO connection is supplied.

## Heating & Ventilation System

### Forepeak

Ventillation fan system to be installed in the Forepeak - anchor locker

### PMS Electircal Room

Extraction ventilation fans required for Shorepower convertor to provide air flow when unit is operating without air conditioning (e.g Dock Express)

## Black Water System

### General

Black water holding tank is an integral GRP tank of 1450 litre capacity. Discharge via a Gianneshi 400V 3 Phase 50Hz self priming centrifugal macerating pump to either a shore facility when available or directly overboard (refer to MARPOL regulations) or the Sewage treatment.

Sewage Treatment plant. ECOmar 32 (3200 l/day) 230V 1 Phase 50Hz

Tecma Silence Plus 220Volt AC macerating toilets

Bidet option for Tecma toilet in the Port Aft Double Guest En suite

Bidet option for Tecma toilet in the Upper Deck Day Head

Bidet option for Tecma toilet in the Starboard Aft Double Guest En suite

Bidet option for Tecma toilet in the Port Forward Twin Guest En suite

Bidet option for Tecma toilet in the Starboard Forward Twin Guest En suite

Bidet option for Tecma toilet in the Main Deck Day Head

## Fire Hydrant System

### Engine Room

Fire Hydrant stations in four locations (Garage pump room, main deck sdb side, upper deck aft cockpit and wheelhouse deck) with primary engine room pump being the Gianneshi self priming centrifugal 400V 3 Phase 50Hz 7.5kW and a secondary Gianneshi self priming centrifugal pump powered by an independent diesel engine located in the pump room. The tender garage space has a deluge system comprising of three sprinkler heads.

Additional sea water outlet to be installed on Sky Deck for use as water lubrication for inflatable slide. Note that all pipework must conform to Classification as this forms part of the approved fire and bilge system.

Bilge pump system with primary engine room pump being the Gianneshi self priming centrifugal 400V 3 Phase 50Hz 7.5kW and a secondary (as shared with the Hydrant system) Gianneshi self priming centrifugal pump powered by an independent diesel engine located in the pump room. Both are coupled to bilge manifold valve blocks which are connected to the strum boxes throughout the boat.

FiLed in the tender garage is a Gianneshi self priming centrifugal 400V 3 Phase 50Hz 2.2kW bilge pump with strum box. MTU fiLed engine direct bilge pump with strum box.

Fireboy-Xintex Fire alarm detection system. Model 90900 control panel with dedicated Apollo Smoke/heat detectors in all accomodation areas. Connected to the

MPA system to repeat alarm.

Sea-Fire FM-200 H-Series fixed machinery space fire extinguishing system.

Diesel fuel main tank is an integral GRP tank of 18,700 litre capacity. Diesel fuel day tank is an integral GRP tank of 3,730 litre capacity with an AC transfer pump to replenish from the main tank.

Diesel fuel long range overload integral GRP tank of 5,050 litre capacity.

Tender diesel fuelling station with transfer pump from day tank and fuel hose reel in the Garage Space

Alfa Laval MIB303 Fuel cleaning centrifugal separator 240V 1 Phase 50Hz 760 l/h.

Reverso portable electric transfer pump Oil change system for engines gearboxes and generators with quick coupling connection pipes.

Portable air compressor stored in the engine room with AC 220v power supply. Plumbed to supply points High Pressure air supply points to be fitted to the following areas - Engine Room, Aft of the Garage next to the door with extending hose for toys inflation, foredeck for fenders, sundeck aft for water slide

Earth Bonding / Anodes

Supply Items

Second set of hull anodes to be supplied loose on board prior to delivery.

Shorepower & Convertors

Engine Room

Shore power configuration is a single 125A plugged flexible 20M cable on an electric reeling system. Second Shore power configuration is a single 125A plugged loose flexible 20M cable via a fixed inlet. Connected to a shore power converter Atlas 90 kVA-SPA-II Series 50Hz. Input 180-530V single or three phase up to 90kVA. Output 230/400V 50Hz 3 phase 90kVA

## Shorepower & Convertors

### Main Deck Aft Cockpit

External Shorepower IP connector socket to provide 32A 220v 50HZ power supply for Client supply chase boat. Mounted in Starboard Aft Cockpit service locker and supplied with 32A Marinco shorepower cable.

### Engine Room

Generator upgrade to two Kohler 80kw 400/230V 3 Phase 50Hz - 80EFOZDJ with sound shields

Generators to have first service including oil and filter change prior to leaving Shipyard

### Interior Lighting & Utility

#### General

Vimar ByMe Interior Premium Lighting System Package.

Lighting system to be controlled by iPads. Third Party supply and fit.

#### Machinery Space

Lighting to be installed in the Engine Room Bilge beneath the main engines and generators

#### Crew Areas

All crew areas to have overhead dimmable lighting. Areas to include Crew Mess, Crew Lobby & Stairwell, individual crew cabins, Main Deck Servery, Upper Deck

Servery and Main Deck Galley.

#### Main Deck Master Ensuite

Master Ensuite and Port & Stbd toilet rooms to be fitted with a night time low level floor light

#### Guest En-suites

All Lower Deck Guest en-suites to be fitted with a night time low level floor light

## Guest Walk In Wardrobes

All walk in wardrobes to have PIR lighting control (Port Double Guest, Starboard Double Guest and Master Cabin)

## Guest Wardrobes

All Guest wardrobes (Walk Up and Walk In) to have illuminated hanging rails / lighting with automatic door or PIR control.

## Interior Sockets

### General

Interior socket plan to be provided and confirmed by Client. Sockets to be concealed from main view where possible.

### Instruction

#### Interior Sockets

#### Upper Deck Saloon

2x USB charging points to be installed in sofa area, concealed from view

#### Upper Deck Saloon Bar

2x USB sockets to be installed in Upper Deck Saloon bar area

#### Interior Sockets

#### Main Deck Saloon

2x USB charging Points to be installed beneath/integrated into Saloon coffee table

2x Double AC 220V Electrical sockets to be mounted inside the Coffee table or Guest Sofa in Main Salon

#### Main Deck Dining

2x USB charging Points to be installed beneath/integrated into main Dining table

2x Double Electrical sockets to be mounted on the underside of the dining table

#### Main Deck Master Stateroom

2x USB charging points to be concealed in each bedside unit

2x USB charging points to be concealed on Master Vanity/desk unit

### Lower Deck Double Guest Cabins

2x USB charging points to be concealed in each bedside unit

### Lower Deck Twin Guest Cabins

2x USB charging points to be installed in central bedside unit

### Upper Deck Captains Cabin

2x USB charging points to be installed in central bedside unit

### Wheelhouse Bridge

4x USB charging points to be installed in Wheelhouse Bridge

### Standard

### Main Deck Galley

2x USB charging points to be installed in Galley

### Crew Cabins

4x USB charging points to be installed in each Crew Cabin. 2x per berth/crew member. Note this is in addition to standard AC 220v socket. (1x per crew berth is standard)

Exterior Lighting plan to be confirmed by Client

### Exterior Lighting & Utility

### General - Navigation

Voyager 2 remote controlled Seachlight VX500V2 dual station control. 150W Xenon 24V - 7,600,000cd

Navigation Halogen lights - Aquasignal series 55

Forward navigation steaming light to have increased base shroud to reduce glare during night time operation

Navigation LED lights - Peters+Bey, Type 580. Double set fitted providing redundancy

### Underwater Lights

Underwater lights. Lumishore dual colour (white/blue) LED 15 lights with 5 across transom and 5 on either side

6x Additional Underwater lights to extend lighting on Port and Starboard sides - 3x additional lights per side. Lumishore dual colour (white/blue) LED

## Yacht Sign

Illuminated Yacht name to be supplied and fitted on Garage Door and Port & Starboard sides of superstructure. Budgetary pricing based on previous 131 Yachts and illumination to be dimmable. Final design to be confirmed.

## Sky Deck

6x LED lights to be installed on hardtop to illuminate navigation mast and satellite antennas.

## Main Deck Aft Cockpit

4 x Floor level mounted LED lights on Main Deck Aft Cockpit. Final exterior lighting plan to be confirmed

## Upper Deck Aft Cockpit

6 x Floor level mounted LED lights on the Upper Deck Aft Cockpit. Final exterior lighting plan to be confirmed

## Sky Deck

8 x Floor level mounted LED lights on the Sundeck. Final exterior lighting plan to be confirmed

## All Areas

Exterior LED lighting on Sky Deck only to be colour changeable RGB. Final specification to be confirmed but based on 115mm stainless steel light with RGB colour change facility. Note that all lights will be 115mm as the 65mm version is too small for RGB to include low level concealed lighting.

All exterior lighting to be dimmable. Overhead light dimming for all exterior areas is included in the Vimar upgrade package.

Exterior LED step lighting to be installed into underside of each step teak nosing in lieu of standard. Stairs to platform, Staircase to Upper Deck, Staircase to Sky

Deck and Port & Starboard staircases to Wheelhouse Deck.

DJ / Party lights function to be included. Budgetary amount allowed, final spec to be agreed a part of lighting plan.

## Main Deck & Upper Deck

Additional small LED feature lights to be installed in coamings on Port & Starboard sides

## Sky Deck

Allowance for 4x 220v 50Hz 2-pin European AC sockets in waterproof enclosures to be fitted. Final location to be confirmed.

2x USB charging points in waterproof enclosures to be fitted in the Sky Deck

#### Upper Deck Aft Cockpit

Allowance for 2x 220v 50Hz 2-pin European AC sockets in waterproof enclosures to be fitted. Final location to be confirmed.

2x USB charging points in waterproof enclosure to be fitted in the Upper Deck Aft Cockpit. Final location to be confirmed

#### Wheelhouse Deck

2x USB charging points in waterproof enclosures to be fitted in the Wheelhouse Deck  
(2x Under coffee table)

Allowance for 2x 220v 50Hz 2-pin European AC sockets in waterproof enclosures to be fitted. Final location to be confirmed.

#### Main Deck Aft Cockpit

4x USB charging points in waterproof enclosures to be located in the Main Deck Aft Cockpit (2x Under table and 2x behind the bar)

Allowance for 2x 220v 50Hz 2-pin European AC sockets in waterproof enclosures to be fitted. Final location to be confirmed.

#### Horns & Horn Control

#### Wheelhouse Bridge

Kahlenberg Chimetone T1 chrome triple trumpet with separate Kahlenberg marine duty Air Compressor system Model KA1000 (220V AC 1 Phase 50Hz, 1.2HP,

150 p.s.i. max pressure)

Kahlenberg signal timer option on lower console

#### White Goods

#### Main Deck Galley

Superyacht Custom Commercial Galley Refrigeration by Frigoboat with polished stainless steel interiors - Four units giving 1440 litres fridge capacity and two units giving 646 litres freezer capacity. Increases volume and performance with remote sea water cooled refrigeration Plant



Two x Miele H6460BP single convection ovens in the Galley

Miele M6260TC Microwave oven 46 litre capacity. in the Galley

Miele KM6879 Induction hob 5 zone - 900mm in the Galley

Custom integrated galley extraction. Extraction fan - Systemair KE 50-25-4 - 230V 1 Phase 50Hz with Actionair AirShield control damper. This will draw air from the stainless steel galley hood, through a single rectangular duct to the exterior of the vessel.

Clear Ice icemaker in lieu of standard in Main Deck Galley. Brema CB246 or equivalent. Up to 22kg Ice production/24hrs

Nespresso Krups XN730T Coffee Machine. in the Galley Servery (Main Deck)

Miele ESW229X 29cm plate warming drawer required for Main Deck Galley.

Slimline 190 litre trash compactor required in Main Deck Galley. Exact location to be confirmed.

Main Deck Galley Servery

Dometic Built in full height Wine Cooler. 132 bottles. With optional door lock fitted in the main deck Galley Servery in lieu of standard undercounter unit

Dumb waiter to be fitted in the lower servery and to be linked to the upper deck servery

Stern Laundry

Miele Professional Appliances upgrade - Miele Washing machine, Miele Tumble dryer and Miele dishwasher

Second set of Miele Professional laundry Appliances. Washing machine and Tumble dryer.

Upper Deck Servery

Miele stainless steel front Refrigerator K14820SDED - 391 litres in the Upper Deck Servery

Upper Deck Saloon Bar

Miele undercounter Refrigerator K9122UI GB - 137 litres in the Upper Deck Saloon

Clear Ice icemaker in lieu of standard in Upper Deck Saloon Bar. Brema CB246 or equivalent. Up to 22kg Ice production/24hrs

Miele undercounter wine refrigerator in the Upper Deck Saloon bar Dual Zone - 32x bottle)

## Master Stateroom

Dometic HiPro Mini-Bar in the Main Deck Master Stateroom

## Sky Deck

Clear Ice icemaker in lieu of standard in Sky Deck Bar. Brema CB246 or equivalent. Up to 22kg Ice production/24hrs

## Crew Mess

Miele undercounter Refrigerator K9122UI GB - 137 litres in the Crew Mess (Lower Deck)

Miele 220V Slimline Dishwasher G4780 SCVi. 9 place settings in the Crew Mess (Lower Deck)

Miele H6200BM Combination Microwave convection oven in the Crew Mess (Lower Deck)

## Wheelhouse Deck

VHF to be installed at each external Wing Station. Model confirmed as Sailor 6204, connected to Bridge Sailor 6222 Primary VHF

## Communication Equipment

### Tender Garage

VHF and speaker (with volume control) to be installed in the Tender garage door aperture. Model confirmed as Sailor 6204 connected to Bridge Sailor 6222

### Primary VHF

### Engine Room

Wired Headset Communications to be supplied and fitted between the Bridge and the Engine Room

### Satellite Communication

### Wired & Wireless Network

Third Party Supply & Fit (Alan Benardi / Yacht Intelligence)

Third Party Supply & Fit (Alan Benardi / Yacht Intelligence)

### Satellite V-Sat

Third Party Supply & Fit (Alan Benardi / Yacht Intelligence)

## Telephone System

Third Party Supply & Fit (Alan Benardi / Yacht Intelligence)

## Wheelhouse Bridge

Navigation and Communication Equipment is Type Approved to comply with LY3 Large Commercial Yacht Code

Five x Hatteland Series X 19" Maritime multi Displays for Radar, Plotter, central navigation (Second radar when specified) (Sixth standard Tjssen display is for the

Tjssen monitoring system and arrangement allows 1x screen to be primary for CCTV)

Electronic Chart System. Transas Navi-Sailor 4000 ECDIS

Electronic Chart System upgrades. Transas AIS, ARPA and Radar intergration.

Tender tracking system for 2x Jet Skis and 1x tender required, interfaced to Bridge Transas and Radar

Furuno Radar FAR2837S-BB S-Band 3GHz 30Kw with 10' Open Scanner with Furuno processor RPU-24 and Furuno keyboard RCU-028

## Navigation Equipment:

Measuring Log. Sperry Naviknot 350E with FNFI through hull sensor. Echo Sounder. Furuno FE800 Echo Sounder 200khz with 200B-8B Transducer GPS. Furuno GP170 GPS Navigator with GPS antenna.

Rudder Angle Indicator. Simrad RF45X. Satellite Gyro Compass. Hemisphere GNSS V103.

Central Naviga0on Display. FT Nav-vision Naviga0on data display with trackball and wireless keyboard.

## Communica8on Equipment:

MF Radio. Sailor 6310 MF/HF 150W Radio Telephone. VHF Radio. Sailor 6222 Class A VHF - DSc.

VHF Radio. Simrad RS90 Class D VHF/DSc with Handsets in Wheelhouse, Crew Mess and Emergency Steering Posi0on. Inmarsat C. Sailor 6110.

Navtex Receiver. Furuno NX700B. Handheld Portable VHF's.

Simrad QS80 autopilot joystick and Trackball for Transas control mounted in the arm rests of the Captains helm seat.

## Mast Arrangement

Flir M400XR Stabilised Thermal and Daylight Camera with tracking facility. Installed on navigation mast to allow monitoring and tracking of chase boat.

## Sky Deck

Navigation display required for Sky Deck to provide Guest with navigational information. Unit confirmed as the new 2018 Raymarine Axiom 7 7" colour display with cartography. Unit to be mounted at top of stairwell on Starboard side in A frame (as 131 Yacht Take 5)

## Upper Deck Aft Cockpit

Navigation display required for Upper Deck Aft Cockpit to provide Guest with navigational information. Unit confirmed as the new 2018 Raymarine Axiom 7 7" colour display with cartography. Unit to be mounted at top of stairwell on Starboard side in A frame (as 131 Yacht Take 5)

## Tender Garage

Navigation display required for Tender Garage to provide Guest with navigational information. Unit confirmed as the new 2018 Raymarine Axiom 7 7" colour display with cartography. Unit to be mounted next to Tender Garage VHF in garage aperture

## Wheelhouse Deck

Depth and depth alarm to be provided at each Bridge Wing Station. Unit confirmed as a Raymarine i70S multifunction colour display, (1x unit to be fitted at each Wing Station). Pricing for both.

## Port Aft Crew Cabin

Fusion MS-AV755 CD/DVD/Radio and 1x Pair Speakers

## Port Mid Crew Cabin

Fusion MS-AV755 CD/DVD/Radio and 1x Pair Speakers

## Port Forward Crew Cabin

Fusion MS-AV755 CD/DVD/Radio and 1x Pair Speakers

## Starboard Aft Crew Cabin

Fusion MS-AV755 CD/DVD/Radio and 1x Pair Speakers

## Main Deck Galley

Fusion MS-AV755 CD/DVD/Radio and 1x Pair Speakers

Wheelhouse Bridge

Fusion MS-AV755 CD/DVD/Radio and 1x Pair Speakers

Exterior - Sky Deck

Third Party Supply & Fit (Alan Benardi / Yacht Intelligence)

Exterior - Upper Deck Aft Cockpit

Third Party Supply & Fit (Alan Benardi / Yacht Intelligence)

Third Party Supply & Fit (Alan Benardi / Yacht Intelligence)

Exterior - Forepeak

Third Party Supply & Fit (Alan Benardi / Yacht Intelligence)

Exterior - Main Deck Aft Cockpit

Third Party Supply & Fit (Alan Benardi / Yacht Intelligence)

Interior - Upper Deck Saloon

Third Party Supply & Fit (Alan Benardi / Yacht Intelligence)

Interior - Upper Deck Captains Cabin

Third Party Supply & Fit (Alan Benardi / Yacht Intelligence)

Interior - Main Deck Saloon

Third Party Supply & Fit (Alan Benardi / Yacht Intelligence)

Interior - Master Stateroom

Third Party Supply & Fit (Alan Benardi / Yacht Intelligence)

Interior - Port Double Guest Cabin

Third Party Supply & Fit (Alan Benardi / Yacht Intelligence)

Interior - Stbd Double Guest Cabin

Third Party Supply & Fit (Alan Benardi / Yacht Intelligence)

Interior - Port Twin Guest Cabin

Third Party Supply & Fit (Alan Benardi / Yacht Intelligence)

Interior - Stbd Twin Guest Cabin

Third Party Supply & Fit (Alan Benardi / Yacht Intelligence)

Interior - Crew Mess

Third Party Supply & Fit (Alan Benardi / Yacht Intelligence)

---

## Exclusions

---

Name reserved and excluded from the sale. An exclusion list will be provided to all interested parties, which mainly consists of Owner's personal effects.

---

## Исключения

---

При продаже яхты исключаются личные вещи владельца.







---


## Отказ от ответственности

---






Компания предоставляет описание судна или яхты добросовестно, но не может гарантировать точность этой информации, а также не ручается за техническое состояние. Покупатель должен проинструктировать своих агентов или оценщиков исследовать представленную информацию более подробно, по собственному желанию. Продажа судна или яхты, изменение цены или снятие с продажи будет происходить без предварительного уведомления.









# ФОТОГРАФИИ



































# КОНТАКТЫ

---

Андрей Шестаков (Andrey Shestakov) – ведущий яхтенный брокер отдела продаж яхт и судов компании Shestakov Yacht Sales Inc. Официальный представитель Shestakov Yacht Sales Inc. для русскоговорящих клиентов в центральном офисе компании в Майами/Форт Лодердейл/Флорида/США.

## Контактная информация

---

Email: **andrey@shestakovyachtsales.com**

Web: [shestakovyachtsales.com](http://shestakovyachtsales.com)

## Телефоны

---

Краснодарский край: **+7(918)465-66-44**

США, Майами, Флорида: **+1(954)274-4435**

## Время работы

---

Понедельник – Суббота: **9:00 - 21:00** EDT

Воскресенье: **Закрыто**

## Адрес

---



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004