

WILD THING — LITTLE HARBOR



Builder: LITTLE HARBOR LOA: 71' 2" (21.69m)

Year Built: 1995 **Beam**: 18' 8" (5.69m)

Model: Cruising Sailboat Min Draft: 6' 6" (1.98m)

Price: PRICE ON APPLICATION Max Draft: 13' 8" (4.17m)

Location: United States Cruise Speed: 9 Kts. (10 MPH)

Max Speed: 10 Kts. (12 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs WILD THING — LITTLE HARBOR from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht WILD THING — LITTLE HARBOR or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call +1(954)274-4435

TABLE OF CONTENTS

TABLE OF CONTENTS	2
SPECIFICATIONS	4
Overview	4
Basic Information	4
Dimensions	4
Speed, Capacities and Weight	4
Accommodations	5
Hull and Deck Information	5
Engine Information	5
DETAILED INFORMATION	6
REMARKS	6
ACCOMMODATIONS AND LAYOUT	6
ELECTRONICS AND NAVIGATION EQUIPMENT	7
ELECTRICAL SYSTEM	8
MECHANICAL EQUIPMENT & ENGINE DETAILS	9
MAST, RIGGING and SAILS	9
DECK AND HULL	10
OTHER FEATURES AND EQUIPMENT	11
SAFETY EQUIPMENT	12
DINGHY	12
EXCLUSIONS	12
Exclusions	12
Disclaimer	12
PHOTOS	14
Main Saloon	14
Main Saloon, Port	14
Main Saloon, Stbd.	14
Port Salon, Looking Aft	14

Owner's Cabin	14
Owner's Cabin, Port	14
Owner's Head and Shower	15
Owner's Cabin Fwd.	15
Galley	15
Galley, Looking Fwd.	15
Nav Station	15
Stbd. Guest Cabin	15
Fwd. Guest Head	16
Stbd. Guest Cabin, Looking Fwd.	16
Fwd. Guest Shower	16
Port Guest Cabin, Looking Fwd.	16
Crew Cabin Day Head	17
Port Guest Cabin	17
Cockpit	17
Looking Forward	17
Under Sail	17
Quarter View	17
Looking Down	18
Underbody	18
Engine Room	18
Wild Thing Layout	18
CONTACTS	19
Contact details	19
Telephones	19
Office hours	19
Address	19

SPECIFICATIONS

Overview

Come see WILD THING on display at the Newport Brokerage Boat Show September 16-19 at the Newport Shipyard, Newport, RI

Classic Ted Hood shoal-draft cruiser with push-button sail handling. New England, the Caribbean, the Mediterranean - all yours. Best of the best!

Basic Information

Category: Cruising Sailboat Sub Category: Cutter

Model Year: 1996 Year Built: 1995

Country: United States Registration #: LHB70002H595

Coast Guard #: 1036689 Vessel Top: Dodger

Dimensions

LOA: 71' 2" (21.69m) **LWL**: 52' 3" (15.93m)

Beam: 18' 8" (5.69m) **Min Draft**: 6' 6" (1.98m)

Max Draft: 13' 8" (4.17m)

Speed, Capacities and Weight

Cruise Speed: 9 Kts. (10 MPH) Max Speed: 10 Kts. (12 MPH)

Displacement: 114000 Pounds Water Capacity: 500 Gallons

Fuel Capacity: 900 Gallons

Accommodations

Total Cabins: 4 Total Berths: 6

Sleeps: 8 Total Heads: 3

Hull and Deck Information

Hull Material: Fiberglass Deck Material: Teak

Hull Configuration: Centerboard Hull Color: Flag Blue

Hull Designer: Ted Hood

Engine Information

Engines: 1 Manufacturer: Cummins

Model: 6BT 5.9M Engine Type: Inboard

Fuel Type: Diesel

DETAILED INFORMATION

REMARKS

WILD THING is one of the newest and latest Ted Hood-designed Little Harbors built in the United States at Portsmouth, Rhode Island. She combines three double cabins plus crew's quarters in a spacious, traditionally-styled offshore yacht designed and equipped for long-distance cruising and gunkholing in shallow waters. With her handsome design pedigree, warm cherry interior and extensive equipment, WILD THING is one of the finest sailing yachts afloat in this size range.

ACCOMMODATIONS AND LAYOUT

Sleeps eight in four cabins, including two spacious forward cabins and a magnificent owner's stateroom aft. They are individually decorated and furnished, with an abundance of storage space. A separate crew cabin and head enhances the feeling of privacy.

The forepeak contains the anchor chain locker, as well as storage for fenders, dock lines, spinnaker and spares, and is separated from the living spaces by a watertight collision bulkhead with a Freeman Collision door. Aft of this bulkhead is a roomy head and washbasin to port with a generous shower area opposite to starboard, shared by both forward guest cabins. The washing machine is located on the starboard side of this head.

The guest cabin to port has an upper and lower berth. The cabin to starboard has a lower double berth. Both cabins are quite large with generous hanging lockers and more than ample storage areas. These cabins are well ventilated and lit with deck hatches, opening portholes and hull ports. A specially-designed chart drawer is located under the starboard berth for world-wide chart portfolios.

The main saloon is located amidships and takes full advantage of WILD THING'S beam of almost 19 feet. A huge U-shaped settee to port seats six around a unique cherry table with maple border that folds along its length. There is a rather unique navigation/office area opposite in the forward starboard corner to provide a separate office area that, with a quick turn on the grand leather chair, can become part of the main saloon activity. Further aft to starboard is a settee that can be used as an overflow sea berth. There is a liquor cabinet located below the TV/entertainment center that is hidden by cherry cabinetry when not in use. The fixed hull windows – a Little Harbor trademark – add to the light and open feel below.

The double crew cabin is aft of the main saloon to starboard, entered through a day head. This cabin is located near the engine room for instant access. The day head also contains a shower and a large storage locker.

The very spacious galley is aft to port with all the accoutrements expected on a yacht of this

quality. Features include:

- Corian countertops with inlays
- Double sink with pressure fresh water and macerator drain system
- Instant hot water system
- Force 10 four-burner propane stove with oven and broiler
- GE microwave oven
- Grunert 120 volt refrigerator/freezer with vertical access door for refrigerator
- Raritan icemaker
- Custom beveled glass-fronted cabinets with custom storage racks
- Full galleyware dishes, utensils, glasses etc.

The owner's full-width aft cabin has an L-shaped settee to port with a queen off-center berth to starboard. Opposite the berth is a marble top vanity with inset sink and beveled wraparound mirror. There are his and hers hanging lockers, numerous drawers and storage lockers and a private head and stall shower.

Aft of the owner's cabin is an oversized lazarette containing the life raft, a passerelle, spare parts, and four scuba tanks. Two smaller aft lazarettes contain two propane bottles, PFDs and snorkel equipment. All three aft lazarettes are accessible via flush Rondal locking hatches on the aft deck.

FINISH DETAILS

The interior of WILD THING is beautifully crafted with satin-finished American cherry joinery with custom raised panel cabinetry and gloss highlights. The cabin sole is gloss-varnished teak and holly with stainless recessed latches. All exposed hull surfaces are lined with solid cherry ceiling strips. The overhead is divided into removable sections covered with off-white leather with hatch screens and blinds that conveniently slide away when not in use.

Hanging lockers are lined with western red cedar. All other lockers above seat level are lined with cherry or Formica trimmed in cherry. All wiring and plumbing in these lockers is completely hidden from view by removable panels.

All heads have granite countertops and marble shower floors. Vertical surfaces in the heads are bright white with teak trim. Berth and seat tops are Formica-lined, with access to storage below through multiple lift-up openings. There are separate removable floorboards for access to tank tops, seacocks and machinery. All water and fuel tanks are below floor level, leaving volume under settees and seating for extensive storage throughout the vessel.

Interior upholstery is green leather, with white cockpit cushions including comfortable backrests.

ELECTRONICS AND NAVIGATION EQUIPMENT

Furuno Navnet chart plotter and radar with AIS (nav station)

- B&G Hercules 500 system with Zeus 9" chart plotter at helm, (5) 20/20 displays above companionway, (2) displays at nav station and (1) each in owners and crew cabins. (all new 2017)
- B&G Autopilot (new 2017)
- ICOM M45 VHF at nav
- ICOM M604 VHF in cockpit
- Acer PC with Windows 10 OS
- HP Printer
- Kenwood stereo tuner/ CD player
- Panasonic 17" LCD in main salon
- Iridium sat phone
- Fleet sat com/broadband receiver
- Wave WiFi

ELECTRICAL SYSTEM

- 120 volt AC/24 and 12 volt DC systems
- Onan 21.5 kW generator (12,585 hours, Jan. 2021) with major rebuild early 2021 including cooling system, water pumps, injectors and valves
- (2) House battery banks charged by two 135 amp 24 VDC alternators driven by the main engine
- Total house bank of (10) 12 volt 8D AGM batteries (all new, early 2021) in series/parallel total 1,000 amp hours at 24 volts
- (2) 12 volt AGM engine/start batteries (new, early 2021)
- (2) Mastervolt 24 volt battery chargers
- Mastervolt DC/AC inverter rated at 4500 watts and 60 cycles
- Xantrex 2000 watt true sine wave inverter for the computer system
- (2) Newmar 24-12-50 DC to DC converters
- Marine AC isolation transformer with tap switch on shore power
- All 240 volt AC electrical equipment capable of running on 50 or 60hz to ensure worldwide usage
- 75' 50 amp/240 volt shore cable with Glendenning storage system

All interior and cockpit lighting is 24-volt halogen on dimmer controls. Additional fluorescent light fixtures are located in each head, the galley and navigation station. Red night lighting throughout interior. Exterior lighting includes nav lights, up/down spreader lights, boom lights and aft deck light.

Three Dynaplates are attached to the hull of the boat and connect all thru-hulls, shafts, chain plates, deck fills, stanchions, mast, bow thruster and stemhead to establish the vessel's ground. Also, copper bonding straps are laid into the hull that attach into the bonding system.

MECHANICAL EQUIPMENT & ENGINE DETAILS

More equipment details:

- Sea Recovery SRC 1200 AM 240 volt reverse-osmosis water maker, 50 gallon/hour capacity
- American Bow Thruster /Arcturus hydraulic bow thruster PTO driven from generator
- Marine Air "chilled water" 240 volt reverse-cycle air conditioning system with electronic thermostat and fan controls (4 zones)
- Groco 24 volt oil change pump connected to main engine and generator
- (3) Tecma marine toilets
- Tankwatch III holding tank level monitoring system
- · Centroid water tank level monitoring system
- Marinetics Model 394 Alert MKII alarm system
- Hundested VP-3 variable-pitch propeller with Hundested FR-EL 24 VDC electric pitch control unit (blades balanced 2019)
- (2) Fresh water pumps
- (3) Automatic bilge pumps
- (2) Manual bilge pumps
- Emergency engine-driven bilge pumps

MAST, RIGGING and SAILS

- Hood triple spreader hydraulic Sto'way mast with rod rigging (painted 2015)
- Hood Sto'way boom with integral boom preventer (painted 2015)
- Hydraulic boom vang, backstay and radar leveler
- Harken #4 hydraulic headstay furling
- Harken #3 hydraulic staysail furling
- Navtec standing rod rigging (new 2010)
- Spectra running backstays
- Mostly new running rigging (2019)
- Harken mainsheet traveler system
- Lewmar Commander 5 hydraulic system to power all deck winches, roller furlers and two anchor windlasses (pumps rebuilt 2020)

Sails:

- Quantum carbon Spectra furling mainsail (2015)
- Quantum carbon Spectra 130% furling genoa (2015)
- Quantum carbon Spectra furling staysail (2019)
- North cruising spinnaker

Winches:

- (2) Lewmar 77 self-tailing hydraulic primary winches
- (2) Lewmar 60 self-tailing hydraulic mainsheet/outhaul/centerboard winches
- (2) Lewmar 48 self-tailing staysail/runner winches
- (4) Lewmar 44 self-tailing mast winches
- (2) Lewmar 3000 hydraulic anchor windlasses

DECK AND HULL

HULL CONSTRUCTION: Built in Portsmouth, Rhode Island, to American Bureau of Shipping standards, with +A1Yachting Service Classification. The hull is molded in FRP using E-glass, and Kevlar from female molds with 3/4" Airex foam core for added strength and sound/thermal insulation. Vinylester resin is used throughout for the highest possible resistance to water osmosis, plus epoxy bottom coating with Interlux 2000 system. Airex core material eliminated in areas of shearline, centerline, ballast, rudder post, hull ports and thru-hulls with solid FRP lay-up in these areas. Fore and aft stringers are glassed to the inside hull for added stiffness and in keeping with ABS standard. There is a molded FRP rubrail with stainless steel striker for protection to the hull in docking situations. Hull color is Flag Blue Awlgrip (2015) with single white boot stripe, gold cove stripe and green bottom. Deck color is Matterhorn White Awlgrip with white non-skid.

DECK CONSTRUCTION: The deck is one-piece molded FRP with Divinycell H-100 foam core for strength and stiffness. In areas where deck equipment is installed, core is replaced with Divinycell H-200 high-density foam. Outer skin is built to 1/4" thickness, inner skin to 3/16" using Vinylester resin. Deck flange is solid glass, approximately 9/16" thickness. The deck is bonded and bolted down with 3M5200 to the inboard angled hull flange with 5/16" bolts on 8" centers. Additional fastenings provided with teak toe rail thru-bolted on 8" centers. Decks and cockpit sole are hand-laid teak. All deck hatch landings are molded in FRP. There are three flush Rondal lazarette hatches with molded drain channels. The propane locker is molded separately and ventilated with direct drain overboard.

CENTERBOARD: The centerboard is two-part female molded FRP with a protective shoe on leading edge and solid FRP around pin area. The centerboard has a highly efficient foil shape and is filled with structural putty and lead ballast to provide negative buoyancy. Centerboard hoist is via wire to rope pennant to winch on deck, with draft increased to 13' – 8" when lowered for enhanced upwind performance.

RUDDER: The balanced spade rudder is two-part female molded FRP with 5" S/S rudder stock. Rudder blade molded around S/S frame welded to rudder stock. Rudder stock supported by upper bearing (Harken) and lower Duromax bearing. A bronze stuffing box is provided with graphite impregnated packing. The emergency tiller can be deck stepped in a matter of seconds.

BALLAST: All ballast is lead cast in place and fully encapsulated by the fiberglass hull and keel. The lead is covered with approximately 1/2" solid FRP.

OTHER: Primary bulkheads are fiberglass cored, reinforced with FRP in areas of chainplates. All structural bulkheads bonded to the hull and deck with FRP and Airex foam spacers. Floor beams are extruded FRP, interlocked and bonded to hull for rigid and durable support of cabin sole. FRP fuel and water tanks integral to the hull for additional stiffness to hull laminate and to use the maximum amount of volume available. All tanks fully baffled with ample inspection ports. The water tanks are coated with clear Gelcoat. Corrosion-resistant resin used in fuel tank construction and FDA-approved resin in two water tanks.

COCKPIT FEATURES: The main cockpit is large and functional, designed for easy exit each side without climbing over coaming. A custom-designed molded FRP steering pedestal houses all engine instrumentation, sail handling functions and sailing instruments for easy access by helmsman, as are all deck winches. Stainless steel Destroyer wheel covered in teak; a Ritchie 6" compass installed on the steering pedestal; solid teak table with drop leaves, installed ahead of the pedestal; includes built-in storage with access from top-opening lid. Built-in lockers for storage of rope tails outside of cockpit. All sail handling functions and electronic functions are located within easy reach of the helmsman, enabling one person to operate the boat.

A permanent hard dodger is located forward for protection from the weather. The hard dodger has an opening window forward to provide good ventilation. There is also a drop-down bimini with side curtains.

DECK DETAILS

- Stainless steel bow rails, stern pulpit and 30" lifelines with side and stern gates
- Stainless stemhead fitting with twin anchor rollers and well-rounded, built-in mooring line fairleads installed flush with toe rail
- Stainless stem and springline open-faced chocks flush with toe rail
- Stainless genoa tracks inboard and outboard with Harken stainless roller bearing turning blocks and cars
- Stainless radar mast with stern light and aft deck light
- (16) Stainless opening portholes with screens
- (10) Stainless deck hatches with screens
- (6) Stainless cowl vents
- (3) Flush deck prisms installed where extra natural light is needed below
- (12) Lexan windows in hull
- Teak toe rail flared and tapered to match hull and fitted with mooring line chocks Awlgripped white inside and varnished outside with a varnished teak cap rail on top
- Varnished teak handrails, drip rails, dorade boxes, pulpit seat, cockpit trim, table and hatch slides

OTHER FEATURES AND EQUIPMENT

 Primary anchor - 176 lb Bruce, 285 ft 1/2" HT chainSecondary anchor – Fortress with rope/chain rode

- Fresh water washdown on foredeck
- Hot/cold shower on aft deck
- (2) Pedestal chairs with varnished teak arm rests on aft deck
- Fold-down stainless swim ladder at transom
- Side boarding step
- · Nautitool stainless gas BBQ
- Docklines and fenders
- (2) Fender boards
- Misc. spare parts
- Chelsea clock and barometer
- Tools
- Bosun's chair

SAFETY EQUIPMENT

- Givens 8-person life raft with ditch bag
- Full USCG safety equipment
- (2) MOM man overboard system
- 406 MOB EPIRB
- (5) Inflatable PFDs with harness
- Jacklines
- Med kit
- Automatic Halon fire extinguisher in engine room

DINGHY

Nouvrania RIB 13' center console dinghy (2010) with Evinrude 50 hp 4-stroke outboard.
Can be carried on foredeck on custom chocks

EXCLUSIONS

- Personal effects
- Artwork

Exclusions

Owner's personal belongings.

Disclaimer

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

PHOTOS

Main Saloon



Main Saloon, Stbd.



Owner's Cabin



Main Saloon, Port



Port Salon, Looking Aft



Owner's Cabin, Port



Owner's Cabin Fwd.



Owner's Head and Shower



Galley



Galley, Looking Fwd.



Nav Station



Stbd. Guest Cabin



Stbd. Guest Cabin, Looking Fwd.



Fwd. Guest Head



Fwd. Guest Shower



Port Guest Cabin, Looking Fwd.



Port Guest Cabin



Crew Cabin Day Head



Cockpit



Looking Forward



Under Sail



Quarter View



WILD THING — LITTLE HARBOR


Looking Down




Underbody



Engine Room



Wild Thing Layout



CONTACTS

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

Contact details

Email:

Web: shestakovyachtsales.com/en/

andrey@shestakovyachtsales.com

Telephones

USA: +1(954)274-4435

Office hours

Monday - Saturday: 9:00 - 21:00 EDT

Sunday: closed

Address



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004