

# **LAMLASH** — LITTLE HARBOR



Builder: LITTLE HARBOR LOA: 59' 0" (17.98m)

**Year Built**: 1990 **Beam**: 16' 2" (4.93m)

Model: Cruising Sailboat Min Draft: 4' 6" (1.37m)

Price: PRICE ON APPLICATION Max Draft: 11' 6" (3.51m)

**Location**: United States **Cruise Speed**: 8 Kts. (9 MPH)

Max Speed: 9 Kts. (10 MPH)

Our experienced yacht broker, Andrey Shestakov, will help you choose and buy a yacht that best suits your needs LAMLASH — LITTLE HARBOR from our catalogue. Presently, at Shestakov Yacht Sales Inc., we have a wide variety of yachts available on our sale's list. We also work in close contact with all the big yacht manufacturers from all over the world.

If you would like to buy a yacht LAMLASH — LITTLE HARBOR or would like help answering any questions concerning purchasing, selling or chartering a yacht, please call +1(954)274-4435

# **TABLE OF CONTENTS**

| TABLE OF CONTENTS                    | 2  |
|--------------------------------------|----|
| SPECIFICATIONS                       | 5  |
| Overview                             | 5  |
| Basic Information                    | 5  |
| Dimensions                           | 5  |
| Speed, Capacities and Weight         | 5  |
| Accommodations                       | 5  |
| Hull and Deck Information            | 6  |
| Engine Information                   | 6  |
| DETAILED INFORMATION                 | 7  |
| Remarks                              | 7  |
| ACCOMMODATIONS and LAYOUT            | 7  |
| ELECTRONICS and NAVIGATION EQUIPMENT | 8  |
| ELECTRICAL SYSTEM                    | 9  |
| MECHANICAL AND ENGINE                | 9  |
| MAST, SAILS AND RIGGING              | 10 |
| HULL AND DECK CONSTRUCTION           | 10 |
| DECK AND MISC DETAILS                | 11 |
| SAFETY                               | 12 |
| EXCLUSIONS                           | 12 |
| Exclusions                           | 12 |
| Disclaimer                           | 12 |
| PHOTOS                               | 13 |
| Main Salon                           | 13 |
| Main Salon, Port                     | 13 |
| Main Salon Port Forward              | 13 |
| Main Salon Starboard                 | 13 |
| Forepeak                             | 13 |

| Port Guest Cabin        | 13 |
|-------------------------|----|
| Port Guest Head         | 14 |
| Starboard Guest Cabin   | 14 |
| Starboard Guest Head    | 14 |
| Passageway Aft          | 14 |
| Nav Station             | 14 |
| Owners Cabin            | 14 |
| Owners Cabin Port       | 15 |
| Owners Cabin Starboard  | 15 |
| Owners Head and Shower  | 15 |
| Passageway Forward      | 15 |
| Bar and Freezer         | 15 |
| Galley Outboard         | 15 |
| Galley                  | 16 |
| Foredeck                | 16 |
| Looking Forward         | 16 |
| Looking Aft from Bow    | 16 |
| Looking Aft from Mast   | 16 |
| Cockpit Side View       | 16 |
| Cockpit Looking Aft     | 17 |
| Cockpit                 | 17 |
| Helm                    | 17 |
| Aft Cabin House         | 17 |
| Aft Deck                | 17 |
| Rig                     | 17 |
| Main Engine             | 18 |
| Sailing Offshore        | 18 |
| At Dock                 | 18 |
| Little Harbor 58 Layout | 18 |

| CONTACTS        | 19 |
|-----------------|----|
| Contact details | 19 |
| Telephones      | 19 |
| Office hours    | 19 |
| Address         | 19 |

LAMLASH — LITTLE HARBOR Page 5 of 19

## **SPECIFICATIONS**

#### **Overview**

Highly customized shoal-draft model, easy to singlehand and equipped for safe, comfortable, extended cruising.

#### **Basic Information**

Category: Cruising Sailboat Model Year: 1990

Year Built: 1990 Country: United States

Vessel Top: Bimini Top Cockpit: Yes

#### **Dimensions**

**LOA**: 59' 0" (17.98m) **LWL**: 47' 9" (14.55m)

**Beam**: 16' 2" (4.93m) **Min Draft**: 4' 6" (1.37m)

Max Draft: 11' 6" (3.51m)

## Speed, Capacities and Weight

Cruise Speed: 8 Kts. (9 MPH) Max Speed: 9 Kts. (10 MPH)

**Displacement**: 70500 Pounds Water Capacity: 525 Gallons

Holding Tank: 60 Gallons Fuel Capacity: 425 Gallons

## **Accommodations**

Total Cabins: 3 Sleeps: 6

Total Heads: 3

LAMLASH — LITTLE HARBOR Page 6 of 19

### **Hull and Deck Information**

Hull Material: Fiberglass Deck Material: Teak

Hull Configuration: Centerboard Hull Color: White

Hull Designer: Ted Hood

## **Engine Information**

Engines: 1 Manufacturer: Perkins

Model: 6.345M Engine Type: Inboard

Fuel Type: Diesel

LAMLASH — LITTLE HARBOR Page 7 of 19

## **DETAILED INFORMATION**

#### Remarks

LAMLASH is a highly customized Little Harbor 58/60 model with one foot added to the standard 58 hull for a longer aft deck, draft reduced by 8" to only 4' – 6" with centerboard up, and mast height slightly lower (20") to provide 75' bridge clearance. She is also one of only two in the series that features a centerline queen berth aft. Like her sisterships, LAMLASH can be easily sailed by one thanks to a cockpit design that is second to none – all sail controls and winches are at the helm, and easy side exits to main deck without climbing over a high coaming – along with a long list of equipment for easy, safe extended cruising. She also boasts finely crafted joinerwork above and below decks that is seldom if ever seen in newer yachts today. Imagine where one can go in such a comfortable yacht with only 4"-6" draft!

Without a doubt, LAMLASH is one of the finest pedigree sailing yachts available today.

#### ACCOMMODATIONS and LAYOUT

LAMLASH sleeps six in three private cabins, each with a private head and shower. The interior is all satin-finished teak with solid trim and cabin doors, and solid teak raised-panel cabinetry in main salon and galley. Floorboards are satin-finished teak and holly, hull ceilings are solid teak, and overhead panels are all removable and secured by varnished teak trim. Bureau and head countertops are green marble.

A large forepeak at the bow is well suited for storing gear such as sails, fenders, dock lines, and running rigging with a divided chain locker for twin rodes. This area can be accessed from a large deck hatch or through a door from the starboard guest head.

Aft to starboard is one of two guest cabins that features upper and lower berths, a hanging locker, numerous drawers, bureau, drop-down lockers above each berth, two deck hatches and an opening porthole. Forward is an en-suite head with electric fresh water toilet, marble vanity with flush sink and mirror, shower faucet, deck hatch and varnished teak floor grate.

To port is the second guest cabin with a double berth, hanging locker, numerous drawers including several below berth, a bureau, two deck hatches and opening porthole. The port guest head is fitted out with details similar to the starboard side.

LAMLASH — LITTLE HARBOR Page 8 of 19

The main salon on LAMLASH is spacious, bright and well ventilated thanks to her 16' beam, unique hull ports and numerous hatches and opening portholes. There is a U-shaped dining area to port with inboard settee and starburst teak dining table. To starboard is an L-shaped settee with coffee table.

Aft to starboard of the main salon and conveniently located close to the companionway is the galley. Features include:

- Sandstone Corian countertops
- Double stainless steel sinks with retractable faucet
- Four-burner propane stove
- Microwave oven
- Top and front loading refrigeration (top loading freezer on port side)
- Coffee maker and toaster
- (2) Portholes and one hull portlight

The nav station is to port aft of the main salon. There is a dedicated seat with backrest, lift-up chart table with generous work space and built-in navigation electronics. Inboard are large custom switch panels to control and monitor all ship functions.

A passageway leads aft to the owner's cabin. Outboard there is a large freezer, bar area with custom storage and an icemaker below. Inboard are large doors to access the engine and generator space.

The inviting owner's cabin is aft with centerline queen berth and settees on both sides. There are twin hanging lockers, numerous drawers, bookshelves and a vanity to port. Great light and ventilation with two hatches, four opening portholes and two hull ports. The en-suite head and separate shower stall are forward to starboard, featuring marble sink vanity, electric fresh water toilet, several storage lockers, two opening portholes and varnished teak sole grates.

#### **ELECTRONICS and NAVIGATION EQUIPMENT**

- Garmin 5215 radar/chart plotter with AIS and displays at nav station, forward cockpit and helm
- B&G Hydra 330 sailing instruments with multi display at nav station, plus two multi displays and two analog wind displays above companionway
- ICOM M-802 SSB

LAMLASH — LITTLE HARBOR Page 9 of 19

- ICOM M-504 VHF
- Garmin 200 VHF (tied to AIS) with two handheld mics
- Autohelm 7000 autopilot with repeater controls at helm and nav station (new computer 2017)
- Forward facing camera on mast
- Stereo with (3) pairs speakers

#### **ELECTRICAL SYSTEM**

The DC electrical system is 24 volts provided by 10 AGM 12V 8D batteries (new 2020) with a total capacity of 1,000 amp hours. There are separate 12-volt batteries for engine and generator. An emergency parallel switch allows the house batteries to start the main engine.

The AC electrical system is 120/240 volt, 50 or 60 cycle single phase. There is an 8 kW Westerbeke generator (1,247 hours as of 7/2021).

- Xantrex 2500 watt inverter (2020)
- 150 amp house battery charger (2020)
- 100 amp battery charger (2020) for engine/generator start batteries
- 24 to 12-volt converter for 12-volt and DC electronics
- (2) 50-amp shore power inlets with additional inlets on foredeck with transfer switch
- (2) 40 amp shore power cables with multiple adapters
- 12 volts fans throughout the interior

#### **MECHANICAL AND ENGINE**

- Perkins 6-354 six cylinder 135 hp diesel engine
- Maxprop three-blade feathering propeller with deflectors on shaft
- Dual Racor filters in parallel
- Engine oil change pump
- Automatic engine room fire extinguisher
- New rudder bearings and refurbished cables (2016)
- Centerboard removed and refurbished (2017) with new pin, bushings and pulleys
- High water bilge alarm
- Arcturus Force 10 bow thruster (rebuilt 2018)
- Reverse-cycle air conditioning, (2) zones
- Grunert 110 volt/engine drive dual refrigeration system
- Raritan icemaker
- Fresh and salt water pumps (replaced 2016)
- ALL new hosing (2016) including fuel, fresh water, bilge, waste, drains, fills etc.
- Seagull water purification system

LAMLASH — LITTLE HARBOR Page 10 of 19

- 20 gallon hot water heater
- Hot/cold shower on aft deck in flush locker
- Salt water wash down on foredeck
- (3) Electric fresh water flush toilets
- (2) 30 gallon holding tanks with macerator pump out
- Sanyo dryer
- Ventilation blowers in galley and aft head

### MAST, SAILS AND RIGGING

- Hood hydraulic Stoway mast
- Rod rigging
- Hood hydraulic headstay and staysail furling systems
- Navtec hydraulic backstay and boom vang with panel in cockpit
- Spreader and foredeck lights
- Combination masthead tricolor anchor light

#### Winches:

- (2) Barient 36 two-speed electric, self-tailing primaries
- (2) Barient 32 two-speed electric self-tailing main sheet and outhaul winches
- (2) Barient 27 two-speed self-tailing staysail winches
- (2) Barient 27 two-speed self-tailing secondary winches
- (3) Barient 24-45 two-speed self-tailing halyard winches

#### Sails:

- Mack furling mainsail
- Mack 130% genoa
- Furling staysail

### **HULL AND DECK CONSTRUCTION**

LAMLASH features a "pure centerboard" configuration for enhanced upwind performance with draft of 11'-6" (board down) and exceptional shoal draft of only 4' – 6" (board up) to offer vastly expanded cruising grounds. The hull is molded in FRP from female molds with ¾" Airex foam core for added strength and sound/thermal insulation. Vinylester resins used on the exterior skins for the highest possible resistance to water osmosis. Molded in water tanks, fuel tanks and centerboard trunk. Internal cast lead ballast with integral fiberglass floor beams.

Hull is Awlgripped white with dark blue boot stripes, gold cove stripe and blue bottom. Bottom sand blasted, faired and refinished (2016). Painted rubrail with stainless steel striker.

LAMLASH — LITTLE HARBOR Page 11 of 19

The molded deck is constructed of FRP with Divinycell H-80 foam core for strength and stiffness. In areas where deck equipment is installed, core is replaced with Divinycell H-200 high-density foam. Outer skin is built to 1/4" thickness, inner skin to 3/16". Cockpit sides and coaming are solid fiberglass. All deck hatch landings are molded in FRP. Main decks and cockpit sole are covered with laid teak decking. Deck is Awlgripped white with Moondust tan non-skid.

#### **DECK AND MISC DETAILS**

- Custom stainless stemhead fitting with dual anchor rollers
- Lewmar 3000 hydraulic anchor windlass with foot switches, hand held control and wireless remote
- 75 lb. CQR primary anchor with HT chain rode
- 66 lb. Bruce secondary anchor with HT chain rode
- Second Lewmar 3000 chain windlass for secondary anchor (new 2018)
- Fortress FX-85 anchor in dedicated flush foredeck locker with rode and chain
- Lewmar anchor chain stopper
- Custom stainless inboard and outboard genoa tracks and fairlead cars
- Harken stainless mainsheet and genoa turning blocks
- Stainless stern chocks, (2) pair springline chocks and bow chocks with stainless cleats
- Stainless grab rails on deck
- (13) Stainless opening deck hatches (new since 2016)
- (22) Stainless opening portholes
- (6) Varnished teak dorade boxes with stainless cowl vents
- Custom fold-down stainless stern ladder with teak steps
- Custom side-boarding step
- Dodger with elkhide grab bar
- Cockpit bimini with forward side curtains and dodger connector
- Cockpit cushions with backrests (white with blue piping)
- Varnished teak bow pulpit seat
- Varnished teak toe rails, drip rail and detailed cockpit trim
- Varnished teak cockpit table with fold-up leaves and extension
- Molded steering pedestal with instrument pods and Ritchie 6" compass
- Teak rimmed stainless steering wheel
- (2) Flush lazarette hatches
- Zodiac 10' RIB (2019)
- Custom teak dinghy chocks on foredeck
- Mercury 15 hp outboard motor
- Teak outboard motor mount
- Stainless outboard motor hoist built into stern rail
- (4) Fenders
- (2) Fender boards

LAMLASH — LITTLE HARBOR Page 12 of 19

- Dock lines
- Varnished boat hook
- Tools
- Numerous spare parts
- Galleyware
- Custom bedding
- Chelsea clock and barometer
- Misc. canvas covers

#### **SAFETY**

- (8) PFDs
- (2) Horseshoe life rings
- Lifesling
- EPIRB
- Winslow life raft in deck-mounted canister
- Ditch bag
- Flares
- First aid kit
- LensRef radar reflector

#### **EXCLUSIONS**

Owner's personal effects are excluded from the sale.

#### **Exclusions**

Owner's personal belongings.

#### **Disclaimer**

The Company offers the details of this vessel or yacht in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his representatives, agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel or yacht is offered subject to prior sale, price change, or withdrawal without notice.

LAMLASH — LITTLE HARBOR Page 13 of 19

# **PHOTOS**

**Main Salon** 



Main Salon, Port



**Main Salon Port Forward** 



**Main Salon Starboard** 



**Forepeak** 



**Port Guest Cabin** 



LAMLASH — LITTLE HARBOR Page 14 of 19

#### **Port Guest Head**



#### **Starboard Guest Cabin**



**Starboard Guest Head** 



**Passageway Aft** 



**Nav Station** 



**Owners Cabin** 



LAMLASH — LITTLE HARBOR Page 15 of 19

#### **Owners Cabin Port**



#### **Owners Cabin Starboard**



**Owners Head and Shower** 



**Passageway Forward** 



**Bar and Freezer** 



**Galley Outboard** 



LAMLASH — LITTLE HARBOR Page 16 of 19

Galley



**Foredeck** 



**Looking Forward** 



**Looking Aft from Bow** 



**Looking Aft from Mast** 



**Cockpit Side View** 



LAMLASH — LITTLE HARBOR Page 17 of 19

## **Cockpit Looking Aft**



Cockpit



Helm



**Aft Cabin House** 



**Aft Deck** 



Rig



LAMLASH — LITTLE HARBOR Page 18 of 19

## Main Engine



**Sailing Offshore** 



**At Dock** 



**Little Harbor 58 Layout** 



LAMLASH — LITTLE HARBOR Page 19 of 19

## **CONTACTS**

Andrey Shestakov, leading yacht broker of the sales department of Shestakov Yacht Sales Inc. Shestakov Yacht Sales Inc., the official representative of the Miami/Fort Lauderdale FL headquarters.

### **Contact details**

Email:

Web: shestakovyachtsales.com/en/

andrey@shestakovyachtsales.com

## **Telephones**

USA: +1(954)274-4435

#### Office hours

Monday - Saturday: 9:00 - 21:00 EDT

Sunday: closed

### **Address**



Harbour Towne Marina, 850 NE 3rd St, STE 213, Dania, FL 33004